

Product Safety Data Sheet

XEROX

Product: WorkCentre Pro 412
FaxCentre F12

PSDS No.: 0877
ISSUE DATE: 09/21/01
REV. DATE: 11/01/02

Section I - Product Identification

Manufacturer's Name
Xerox Corporation

Emergency No. EH&S Inquiries
(585) 422-2177 (800) 828-6571

Manufacturer's Address
Rochester, N.Y.

Product Designation
WorkCentre Pro 412
FaxCentre F12

Product Identifier: NA

Section II - Electrical Information

Line Voltage (Volts)	Line Current (Amps)	Freq. (Hertz)
100 - 127	4.0	50-60

Branch Cir. Protection
(Amps)
15

Line Cord/Plug Specification
Equipped with Appliance coupler
Detachable Cord, Two wire + Ground
NEMA 5-15P/ -20P

Power Consumption(Watts)*

Running: 350
Standby: 85
Power Saver: 19

Agency Approval
UL File Number E149091
cUL File Number E149091

Section III - Supplies

	Xerox Part No.	Material Safety Data Sheet
CRU Black	106R584	A28
Drum	113R506	A28

Section IV - Environmental Information

Product Size (MM)	Heat Emission* (BTU/HR)
D: 429	Running: 1,050
W: 560	Standby: 255
H: 456	Power Saver: 65

Environmental Limitations

	<u>Min</u>	<u>Max</u>
Humidity(%)	20	85
Ambient Temp (C)	10	32

Floor Space Requirements
(MM)
N/A - Desktop unit

Weight
(K Grams.)
IOT 23

* Based on a five minute average

** MSDS is not required by OSHA, Hazard Communication Std., 29 CFR or WHMIS HPA (Section II (2))

Section V - Emission/Exposure Information*

Light Source

Light Emitting Diode Display.
Copy lamp is rare gas Fluorescent:
The copy lamp is safe for direct viewing
but to avoid after-glow discomfort this
should be avoided.
Class 1 Laser Product

Accession Number

9820521-23

Electromagnetic Emissions

US FCC: Class A
Canada DOC: Class A

Audible Noise

Run	57dB(A)
Standby	47 dB(A)
Standby (Powersave)	33 dB(A)
Impulse	59 dB(A)

TLV

85.0 dB(A)

Ozone

The Xerographic process does not produce measurable quantities of ozone.

	ug/min
None detected	ppm (TWA)

TLV

0.1 ppm

Total Dust

0.0075 mg/m³

TLV

10 mg/m³

Section VI - Product Recycling and Disposal

This product may contain lead and other materials whose disposal may be regulated due to environmental considerations. For recycling and disposal information, contact your local authorities. In the United States, you may also refer to the Electronic Industries Alliance web site: www.eiae.org. For information on Xerox's worldwide equipment return and recycling programs, visit www.xerox.com (refer to "About Xerox" section).

* **TLV** (Threshold Limit Value) and **PEL** (Permissible Exposure Level) respectively set by American Conference of Government Industrial Hygienists and by Occupational Safety and Health Administration. These levels are considered maximum exposure permitted to ensure no health hazard. **TWA** (Time-Weighted Average) for a normal eight-hour workday.

All measurements were made on products performing within established operating specifications and received recommended maintenance procedures. Xerox certifies that this product meets or exceeds the applicable standards for safety and emissions.

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>