



CALLS FROM THE CAR JUST GOT CLEARER

With clear audio and features that allow you to talk and talk and talk, the TX500 is a must have for anyone looking to stay connected while they're on the go.

1-mic audio provides world-class noise reduction and echo cancellation so your voice comes through loud and clear.

Powerful 2-watt speaker ensures that you'll never miss a word to road noise.



THE MOST TALK AND STANDBY TIME

45 hours of talk time lets you chat for miles so you can keep the conversation going.

6 months of standby time means you can talk more without worrying about charging.

A DEVICE THAT'S IN SYNC WITH YOU

Voice Prompts let you know when you're connected, battery level and if mute is on.

Family Sync saves up to 6 phone connections, so the whole family can use it.

MultiPoint Technology allows you to take calls from 2 of the paired phones at the same time.

TALK TIME: UP TO 45 HOURS²

STANDBY TIME: UP TO 6 MONTHS²

WEIGHT: 87.88g

DIMENSIONS: 4.45" X 2.36" X 0.59"

All features, functionality and other product specifications are subject to change without notice or obligation

'This device supports Bluetooth® hands-free and headset profiles. Certain Bluetooth features including those listed, may not be supported by all compatible Bluetooth-enabled devices, and/or the functionality of such features may be limited in certain devices, or by certain wireless carriers. Contact your wireless carrier about feature availability and functionality, or visit www.motorola.com/bluetooth for more details.

²All talk and standby times are quoted in Digital Mode, and are approximate

Free Manuals Download Website

http://myh66.com

http://usermanuals.us

http://www.somanuals.com

http://www.4manuals.cc

http://www.manual-lib.com

http://www.404manual.com

http://www.luxmanual.com

http://aubethermostatmanual.com

Golf course search by state

http://golfingnear.com

Email search by domain

http://emailbydomain.com

Auto manuals search

http://auto.somanuals.com

TV manuals search

http://tv.somanuals.com