Home Entertainment Gateway MCF547x ColdFire® Microprocessor Application


Overview


A home entertainment gateway is a communication and storage hub in the home that functions as a secure audio, video, and file server; wireless router and firewall; and a personal video recorder.

Key Benefits

- > Enables a wine range of home entoncirument gateway products that can be developed based on the simple core design using the clifferent PCI peripherals on the MCF547x devices
- > Delivers high data throughput for communications-intensive peripherals included in a gateway application provided by the device's system architecture on the MCF547x
- > Helps to ensure secure transmission of data through the gateway with the hardware-accelerated encryption on the MCF547x devices







Freescale Ordering Information			
Part Number	Product Highlights	Additional Information	
MCF5475ZP266	Two 10/100 Ethernet Controllers CC3 2.0 Device with Integrated PHY, v2.2 PCI Controller, DDR Mem av Cc aroller, Encryption Accelerator	266 MHz	
MCF5475ZP200	Two 10/100 Ethernet Controller, JSB 2.0 Device with Integrated PHY, v2.2 PCI Controller, DDF. Me mory Controller, Encryption Accelerator	200 MHz	
MCF5474ZP266	Two 10/100 Etherne Con, pllers, USB 2.0 Device with Integrated PHY, v2.2 PCI Controllc., * DR Memory Controller	266 MHz	
MCF5474ZP200	Two 10/100 Etn t Controllers, USB 2.0 Device with Integrated PHY, v2.2 PCI Controller, DDR Memory Controller	200 MHz	
MCF5473ZP200	One 10/10 27_thernet Controller, USB 2.0 Device with Integrated PHY, v2 Controller, DDR Memory Controller, Encryption Accelerator	200 MHz	
MCF5472ZP200	$O_{\rm INC}=0/100$ Ethernet Controller, USB 2.0 Device with Integrated PHY, vz 2 PCI Controller, DDR Memory Controller	200 MHz	
MCF5471ZP200	Two 10/100 Ethernet Controllers, v2.2 PCI Controller, DDR Memory Controller, Encryption Accelerator	200 MHz	
MCF5470ZP200	Two 10/100 Ethernet Controllers, v2.2 PCI Controller, DDR Memory Controller	200 MHz	

Design Challenges

The key requirements of a microprocessor for the home entertainment gateway application are connectivity and price/performance. Processors for this application require dual Fast Ethernet interfaces for routing; a USB 2.0 device controller; and a PCI bridge to interface to the IEEE 802.11a/ b/g radios, (serial) ATA storage controller, MPEG2/AC3 video/audio processor and optional IEEE 1394 controller. In addition, they require an I²C bus for controlling the video components and an infrared-capable serial port for IR remote control. The processor must have sufficient performance and memory bandwidth to handle simultaneous A/V recording and playback, routing, and file serving. A crypto engine is also required in order to accelerate encryption for the wireless link and to encrypt files stored on the hard disk.

Because the home entertainment gateway application is an embedded, always-on device that requires a reliable RTOS or Linux® operating system, full memory management capability is an asset. **Freescale Semiconductor Solution** The MCF547x Family provides the essential connectivity requirements for a home entertainment gateway. It features a V4e ColdFire® core with large dual 32 KB caches that deliver 410 MIPS (Dhrystone 2.1) of performance at 266 MHz. The Memory Management Unit (MMU) allows a full protected-mode OS, such as standard Linux OS, to be used. The 32-bit wide DDR SDRAM controller provides high-memory bandwidth for A/V, storage, and network data. The onchip 32 KB SRAM can be used to store critical routines and data, in addition to keys and initialization vectors for the onchip crypto engine.

The serial peripherals (dual Fast Ethernets, USB 2.0 device, I²C and four programmable serial ports) are supported by DMA channels to minimize CPU overhead. The integrated PCI bridge supports bus mastering for direct transfers to and from memory.

With the required key functionalities integrated into the MCF547x Family, a range of home entertainment gateway products can be developed based on the same core design, but with different PCI peripherals and softwar *:*.

Development Tools		A
Product Name	Vendor	Additional Ir (on axion
CodeWarrior™ IDE CodeWarrior Compiler: C/C++ CodeWarrior Source Level Debugger RTOS: Packaged with ARC MQX Hardware Debug Connection CodeWarrior Cycle Accurate Instruction Set Simulator Platform Creation Suite for Linux® OS CodeWarrior Development Studio, ColdFire Edition for Linux	Metrowerks Corp.	www.metrov.erks.com
Evaluation Board: Zoom ColdFire Development Kit ColdFire Card Engines Zoom Display Kits: QVGA, VGA and SVGA	Logic Product Development	www.logicpd.com
IDE: Multi Compiler: C/C++/EC++ RTOS: ThreadX® and INTEGRITY® Instruction-Set Simulator Source Level Debugger Hardware Debug Connection	Green Hills Software, Inr.	www.ghs.com
IDE Compiler: C/C++ Hardware Debugger: visionICE II Source Level Debugger: vision CLICK	Wind River Systems, Inc.	www.windriver.com
Network Development Kit IDE RTOS TCP/IP Stack, Web Server Compilers: C/C++ Source Level Debugger Hardware Reference Design IEEE® 802.11b Solution	N 2tBurner	www.netburner.com
RTOS: MQX TCP/IP Stack: RTCS Internet Security: IPShield with IPsec and CaL Connectivity: USB and CAN Develope, Kis	ARC International	www.arc.com/ColdFire
RTOS: RTXC™ Quadros TCP/IP Stack: RTXCnet™ Cup ⊥e.	Quadros Systems, Inc.	www.quadros.com
RTOS: ChronOS™ TCP/IP Stack: Niche ℃, c. [™] with integrated IPsec support	InterNiche Technologies	www.iniche.com
Nucleus® RTOS XRAY® Debugge Microtec® Compilur IDE	Accelerated Technology	www.acceleratedtechnology.com
Debugger: GDB Compiler: GCC	GNU	www.gnu.org

Document Number	Description	
MCF5475EC	MCF547x Integrated Microprocessor Hardware Specifications	
V4ECFUM	ColdFire CF4e Core User's Manual	
MCF5475RM	MCF547x Preliminary Reference Manual	
CFPRODFACT	The ColdFire Family of 32-bit Microprocessors Overview and Technology Roadmap	
MCFXXXWP	White Paper: Freescale Semiconductor ColdFire VL RISC Processors	
CFPRM	ColdFire Family Programmer's Reference Manual	
MCF5485EC	MCF548x Integrated Microprocessor Hardware Specifications	
MCF5485RM	MCF548x Preliminary Reference Manual	
	ColdFire Family Programmer's Reference Manual MCF548x Preliminary Reference Manual MCF548x Preliminary Reference Manual	



Learn More: Contact the Technical Information Center at +1-800-521-6247 or +1-480-768-2130. For more information about Freescale products, please visit **www.freescale.com**.

Freescale [™] and the Freescale logo are trademarks of Freescale Semiconductor, Inc. All other product or service names are the property of their respective owners. © Freescale Semiconductor, Inc. 2004. All rights reserved.



SG2062 REV 1 12/2004 Free Manuals Download Website <u>http://myh66.com</u> <u>http://usermanuals.us</u> <u>http://www.somanuals.com</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.com</u> <u>http://www.404manual.com</u> <u>http://www.luxmanual.com</u> <u>http://aubethermostatmanual.com</u> Golf course search by state

http://golfingnear.com Email search by domain

http://emailbydomain.com Auto manuals search

http://auto.somanuals.com TV manuals search

http://tv.somanuals.com