RS2768i

FCC information

cause undesired operation.

This device complies with part 15 of

the FCC Rules Operation is subject

to the following two conditions: (1)

This device may not cause harmful interference, and (2) this device must

accept any interference received.

including interference that may

This equipment has been tested and

found to comply with the limits for a Class B digital device, pursuant

to part 15 of the FCC Rules. These

limits are designed to provide

reasonable protection against

harmful interference in a residential

installation. This equipment

generates, uses and can radiate

radio frequency energy and, if not installed and used in accordance

with the instructions, may cause

harmful interference to radio

no guarantee that interference will

not occur in a particular installation.

If this equipment does cause harmful

interference to radio or television

reception, which can be determined

by turning the equipment off and


on, the user is encouraged to try to

correct the interference by one or

more of the following measures:

Precautions

nications. However, there is



It's important to read this instruction prior to using your new product for the first time.

IMPORTANT SAFETY INSTRUCTIONS Important Information

- Do not attempt to disassemble the cabinet. This product does not contain customer serviceable components.
- Main plug is used as disconnect device and it should remain readily operable during intended use. In order to disconnect the apparatus from the mains completely, the mains plug should be disconnected from the mains socket

IF YOUR PRODUCT OPERATES ON BATTERIES, adhere to the following precautions:

- A Do not mix old and new hatteries
- B. Do not mix alkaline, standard (carbon-zinc), or rechargeable (NiCd, NiMH etc) batteries C. Any battery may leak electrolyte or explode if disposed of in fire or
- an attempt is made to charge a battery not intended to be recharged. D. Discard leaky batteries immediately. Leaking batteries can cause skin burns or other personal injury. When discarding batteries, be sure to dispose of them in the proper manner, according to your state/provincial and local regulations. E. Battery shall not be exposed to excessive heat such as sunshine, fire

-5-

- This compact disc player uses a laser to read the music on the disc. The laser mechanism corresponds to the cartridge and stylus of a record player Although this product incorporates a laser pickup lens, it is completely safe when operated according to directions.
- Discs rotate at high speed inside the player. Do not use damaged, warped, or cracked
- Do not touch the pick-up lens which is located inside the disc compartment. To keep dust from collecting on the pick-up lens, do not leave the compartment door open for an extended period of time. If the lens become dirty, clean it with a soft brush, or use an air blower brush designed for camera lenses.

Headset safety

- Have a Blast-Just Not in your eardrums! Make sure you turn down the volume on the unit before you put on headphones. Increase the volume to the desired level only after headphone are in
 - Do not play your headset at high volume. Hearing experts warn against extended highvolume play.

Reorient or relocate the

Increase the separation between

Connect the equipment into an

outlet on a circuit different from

that to which the receiver is

Consult the dealer or an

experienced radio/TV technician

WARNING: Changes or modifications

to this unit not expressly approved by the party responsible for compliance

could void the user's authority to

This Audio System has

earned the ENERGY

operate the equipment.

with Canadian ICES-003

STAR

the equipment and receiver.

receiving antenna.

for help.

- If you experience ringing in vour ears, reduce volume or discontinue use.
- You should use with extreme caution or temporarily discontinue use in potentially hazardous situations Even if your headset is an open-air designed to let you
- to hear outside sounds, do not turn up the volume so high that you are unable to hear what is around you.
- Excessive sound pressure from earphones and headphone can cause hearing loss.

CAUTION WARNING: SHOCK HAZARD - DO NOT OPEN SEE MARKING ON BOTTOM / BACK OF PRO

CALITION: TO DEDILICE THE DICK OF ELECTRIC BACK), NO USERSERVICEABLE PARTS INSIDE REFER SERVICING TO QUALIFIED SERVICE

Caution:

This product utilizes a laser Use of controls or adjustments or performance of procedures other than those specified may result in hazardous radiation exposure. Do not open covers and do not repair yourself. Refer servicing to qualified





-2-

power laser device.

Getting Started

Unpacking the system

· one remote control

one user manual

Connections

3. Speaker jacks

Back view

one AM loop antenna

1. AM loop antenna jack

AM loop antenna

2. FM pigtail antenna

ers)

You should have the following:

· one main unit (with 2 speak-

THE LIGHTNING FLASH AND ARROWHEAD For your safety WITHIN THE TRIANGLE IS A WARNING SIGN ALERTING YOU OF "DANGEROUS

THE EXCLAMATION POINT WITHIN THE TRIANGLE IS A WARNING SIGN ALERTING YOU OF IMPORTANT INSTRUCTIONS ACCOMPANYING THE PRODUCT.

WARNING: TO PREVENT FIRE OR ELECTRICAL SHOCK HAZARD, DO NOT EXPOSE THIS PRODUCT TO RAIN

VOLTAGE" INSIDE THE PRODUCT.

CAUTION: USE OF CONTROLS OR ADJUSTMENTS OR PERFORMANCE
OF PROCEDURES OTHER THAN
THOSE SPECIFIED MAY RESULT IN HAZARDOUS RADIATION EXPOSURE CAUTION: DANGER OF EXPLOSION IF BATTERY IS INCORRECTLY

REPLACED. REPLACE ONLY WITH THE SAME OR EQUIVALENT TYPE. WARNING: MAINS PLUG IS USED AS DISCONNECT DEVICE AND IT SHOULD REMAIN READILY OPERABLE DURING INTENDED USE. IN ORDER TO DISCONNECT THE MAINS PLUG FROM MAINS COMPLETELY, THE MAINS PLUG SHOULD BE DISCONNECTED FROM THE MAINS SOCKET OUTLET COMPLETELY.

Using FM and AM antennas

Before you use your audio system,

you'll want to make sure both

the FM and AM antennas are po-

sitioned properly. Uncoil the FM

antenna at the back of the unit,

making sure it is fully extended

(you may even want to tape it to

the wall behind the unit if pos-

You'll also need to connect the AM

antenna loop to the back of the

unit if you listen to AM stations.

Rotate the AM loop antenna for

sible, the higher the better).

better reception

Red & Black Purple & Black Red & Black Pu

The AC power plug is polarized (one blade is wider than the other) and only fits into AC power outlets one way. If the plug won't go into the outlet completely, turn the plug over and try to insert it the other way. If it still won't fit, contact a qualified electrician to change the outlet, or use a different one.

Do not attempt to bypass this safety feature.

CALITION: TO PREVENT ELECTRIC SHOCK, MATCH WIDE BLADE OF PLUG TO WIDE SLOT, FULLY INSERT.

Technical information

Model: RS2768i Power Supply: 120V ~ 60Hz Power Consumption: 240 Watts

Product: 5 Disc Audio System

Service information

Getting Started

Each speaker has a black/red wire

and a black/purple wire. When

connecting the speakers, match

the red/purple wires to the red/

nurple jacks and the black wires

to the black jacks on the main

Release tab to

lock wire in the

Connecting speakers

unit.

wire

Push speaker

terminal tah

down to insert terminal

NOTE: Make sure the insulation

is completely removed from the

ends of the speaker wires at all

This product should be serviced only by those specially trained in appropriate servicing techniques. For instructions on how to obtain service, refer to the warranty included in this Guide

PLEASE READ AND SAVE THIS FOR FUTURE REFERENCE IMPORTANT SAFETY INSTRUCTIONS safety. If the provided plug does

Some of the following information may not apply to your particular product: however as with any electronic product, precautions the obsolete outlet. should be observed during

- Read these instructions Keep these instructions.
- Heed all warnings

nandling and use.

- Follow all instructions
- Do not use this apparatus near water
- Clean only with dry cloth
- Do not block any ventilation openings. Install in accordance with the manufacturer's instructions
- · Do not install near any heat sources such as radiators, heat registers, stoves, or other apparatus (including amplifiers) hat produce heat.
- Do not defeat the safety purpose of the polarized or grounding-type plug. A polarized plug has two blades with one wider than the other A grounding type plug has two blades and a third grounding prong. The wide blade or the third prong is provided for your

Installation

not fit into your outlet, consult an electrician for replacement of

- Protect the power cord from being walked on or pinched particularly at plugs, convenience receptacles, and the point where they exit from the apparatus.
- Only use attachments/accessories specified by the manufacturer.
- Use only with the cart. stand. tripod, bracket, or table specified by the manufacturer or sold with the apparatus. When a cart is used, use caution when moving the cart/apparatus combination to avoid injury from tip-over.



Unplug this apparatus during lightning storms or when unused for long periods of time.

Refer all servicing to qualified service personnel. Servicing is required when the apparatus

has been damaged in any way such as power-supply cord or nlug is damaged liquid has been lled or objects have fallen into the apparatus, the apparatus has been exposed to rain or moisture, does not operate normally, or has been dropped.

ADDITIONAL SAFETY INFORMATION

- Apparatus shall not be exposed to dripping or splashing and no objects filled with liquids such as vases, shall be placed on the apparatus
- Always leave sufficient space around the product for ventilation. Do not place product in or on a bed, rug, in a bookcase or cabinet that may prevent air flow through vent
- Do not place lighted candles cigarettes, cigars, etc. on the
- Connect power cord only to AC power source as marked on the nroduct
- Care should be taken so that objects do not fall into the product

CLOCK - To show time and

TIMER - To turn the timer on/

off: press and hold to enter the

enter clock setting mode

timer setting mode.

-4-

General Controls


AUTO PROG•BAND - To toggle between AM and FM. Also used to auto-preset radio stations in

SOURCE – To select among CD player, TUNER, iPod, LINE IN and ALIX sources

PROGRAM – To enter program mode for CD and tuner.

Main Unit

To ensure sufficient ventilation keep the spacing shown below



DIMMER•DEMO - To turn the feature demonstration on or off: to adjust display brightness. SLEEP - To select the time interval in minutes before the unit turns off

▲ - To open or close the disc tray.

DISC SKIP - To skip to the next CD in the tray in CD mode.

VOLUME - To increase/decrease the volume.

I → I – To tune radio frequency: to skip CD track: to fast search

►II - To play or pause CD.

■ - To stop CD playback

General Controls

PRESET
/ ▶ - To select the Remote control previous or next preset stations in tuner mode

SHUFFLE - To turn on/off random playback.

LINE IN - Ø3.5mm jack for external audio sources

audio sources.

∩ - Jack for connecting **CD** - To select the CD player.

(STANDRY mode)

change the radio band

INFO - To select among disc display information.



PLAY MODE – To cycle between different play mode.

AUX IN•L/R - Jacks for external

BASS - To turn BASS on or off.

EQ - To select the equalizer ♂ - To turn power on or off

TUNER - To select the tuner and

iPod - To select iPod playback

General Controls

FM ST. - To switch between FM output on and off modes

LINE IN/ AUX - To select the external sound input from LINE IN/ AUX IN iacks.

DISC SKIP - To skip to next CD in CD mode VOL+ / VOL- - To increase/

►II - To play and pause the of each track. current CD.

decrease the volume.

PREV/I⊶, NEXT/I→I – To tune radio / next tuner preset station; to frequency; to skip CD track; to navigate the iPod menu list. fast search through the CD.

OPEN/CLOSE - To open and close CD disc tray.

STOP - To stop playing CD. PLAY MODE - To cycle between different play mode.

IX – To mute and restore audio

SHUFFLE - To turn on/off random playback.

MENU - To display iPod menu; and return to previous menu.

SELECT - To confirm iPod menu INTRO - To turn INTRO mode on or off to play the first 10 seconds

◆ PRESET ▶ - To select previous

SLEEP - To select the time interval in minutes before the unit turns off.

The remote control must be inserted with 2 "AAA" batteries prior to use

Display

Source indication Animates when playing CD TUNER iPod LINE-IN AUX KHZ STEREO EQ — PROG SLEEP मित मित्रमित्रमित्रमित्रमित्रमित INTRO DISCS MA II 4 IAI IAI : IAI : IAI IAI IAI IAI SHUFFLE Playback

-7-


PROG – program playback mode STEREO – FM stereo mode acti activated

SLEEP – sleep mode activated

Product Demonstration mode Press **DIMMER•DEMO** to turn on/off demonstration mode. The demonstration scrolls through all display operations

CD tray status: Lights when loaded

Flashes for the current disc



vated EO - preset equalizer activated

Display brightness 1. Press and hold **DIMMER•DEMO** for more than 2 seconds.

2. While "DIM" is displayed, press **DIMMER • DEMO** repeatedly to select the desired level (DIM 1-3).

Clock and Timer


- Setting the clock
- display. 2. Press ⋈ / ₩ to set the hour shift to minute digits.
- 3. Press ₩ / ₩ to set the minute
- When system is ON, you can tap
- seconds When the system is OFF
- turn off to save power

1. Press and hold **CLOCK** until the hour flashes on the

- and then press \mathbf{CLOCK} to
- 4. Press CLOCK to save settings.
- **CLOCK** to display the current time - it will display time for about 2
- (standby), the display will

Setting the timer

- For RADIO timer, tune in to a desired station. For CD timer, insert a CD into
- the unit. For iPod timer, insert your
- iPod into the connector. Press and hold TIMER until ON (timer on time) appears
- with the hour flashing. 2. For setting time, press | I ▶ to set the hour and then press **TIMER** to shift to the minute digits.
- Press ₩ / ₩ to set the minute
- Press TIMER to change to OFF (timer off time) with hour flashing. Repeat steps 2 & 3 for timer off time setting
- 5. Press TIMER to select the source. Press ⋈ / ▶ to select among TUNER, CD or iPod.
- 6. Press TIMER to set the volume. Adjust the timer volume by ⋈ I → to select



ON/STANDBY - To turn power on or off (STANDBY mode).

FM mode

the desired volume level.

minutes before the unit turns off

1. Press **SLEEP** to select among

sleep mode is activated.

the sleep time.

turned off

OFF, 120, 90, 60, 45, 30, 15, 10

When sleep is activated, press

SLEEP once to view remaining

sleep time. Press SLEEP again

when the remaining sleep

time is displayed to change

Activating the timer

the clock icon (2) is lit.

Sleep mode

automatically.

through the CD.

7. Press **TIMER** to save settings. Press BASS to turn on/off

timer. The timer is active when Muting audio

Press ax on the remote control to cut or restore the sound. You can select the time interval in

Using preset equalizer curves Press EQ on the unit to select among FLAT, ROCK, POP, JAZZ, CLASSIC and CUSTOM. The dis-

lights on the display when

the CUSTOM mode 2. While CUSTOM is displayed,

- press ⋈ / ▶ to cycle among the displayed BASS and TREB range levels 3. While BASS or TREB is
- between -10 +10.
- 4. Press EQ to exit.

-12-

Clock and timer **Sound Features**

Bass boost

boosting the bass frequency. The BASS icon lights on the display Tap TIMER to turn on/off the when it is activated.

play shows your selection briefly.

and 5 minutes. The sleep icon Creating a Custom Curve 1. Press **EQ** on the unit to select

Sleep is automatically dedisplayed, adjust the volume activated when the unit is to set the associated gain

CD Playback

This unit is compatible with CD-RW/ CD-R discs for playback.

Notes on CD-R/RW Disc:

- Do not affix any type of labels to either side (recordable or labeled side) of a CD-R/RW disc as this may result in the unit malfunctioning
- To avoid damages to the CD-R/RW disc, do not open the disc compartment door while the disc is being read.
- Do not load an unrecorded CD-R/RW disc into the unit. This may take a longer time to read the disc.
- · Playback capability for CD-RW discs may vary due to variations in the quality of the CD-RW disc and the recorder used to create the

- Please take care when loading or unloading discs in the disc drawer. Read below for details.
- Remove all discs from the disc drawer before moving or transporting the unit.
- Do not put discs in the trays of the disc drawer when they are still movina.
- Do not push or force the rotation of the disc travs. Always use the DISC SKIP button
- Do not put discs in any unexposed disc trays. Only put disc in tray that is fully exposed.
- If an error occurs and the disc drawer does not close, empty all disc trays and

CD Playback

Loading discs

- 1. Press **SOURCE** repeatedly to select CD mode 2. Press **OPEN/CLOSE** or **▲** to
- open the drawer. 3. Insert up to five discs with label face up. (Press DISC SKIP to rotate the disc carrier)
- 4. Press OPEN/CLOSE or ▲ to close the drawer Loaded disc position icon lights.

Selecting discs Press **DISC SKIP** to skip discs.

Plaving discs

• Press ► II to begin or pause Play mode playback, and ■ to stop playback. Press ₩ / ₩ to select a specific

random order

Sampling tracks

Press PLAY MODE to cycle between Repeat 1, Repeat 1 Disc, Repeat All Discs, 1 Disc, and All Discs.

Searching through a CD

Press and hold ₩ / ₩ to

search through a CD while it is

Press SHUFFLE to turn on/

off the playing of tracks in

Press **INTRO** to play the first

10 seconds of each track on

the current disc, all discs in the

tray, or turn INTRO mode off.

Shuffling play order

CD Plavback

- Press INFO repeatedly to view elapsed track time, track remain time and disc remain time during playback
- You may also press PLAY MODE to select 1 disc or all discs before activating INTRO & SHUFFLE functions

CD Program

You can program the CD player to play up to any 32 tracks on the CDs in the tray.

- 1. While the CD player is stopped, press PROGRAM to enter program mode. The system displays the next available program number: - - P 01." with "- -" flashing, prompts you for the first
- track in the program list. 2. Press (◄◄ / ►►) to select a track (Press DISC SKIP to select a track from a different disc).
- 3. Immediately press PROGRAM to assign the selected track to the program number. You are prompted for the next track in the program list. (In CD program mode, PROG icon will be lit.)

· Check that CD label is facing

• Check that PAUSE mode is

Check that CD function is se-

Check disc for warping,

Check if something is causing

the system to vibrate. If so.

at least 3 feet away or on a

different surface from the

CD button will not respond.

or does not change discs

Switch to another function

(TUNER, iPod, LINE IN/AUX)

when you press DISC SKIP

and then back to CD.

scratches, or other damage.

CD Program

Playing a program List While in PROGRAM mode, press

Displaying the program List 1. While the CD player is stopped, press PROGRAM to

enter PROGRAM mode

2. Press PROGRAM repeatedly to list each track assignment in the program list.

Deleting program List

While in PROGRAM mode. press and hold • for 3 seconds. The unit displays the message "CLEAR".

iPod Plavback

Compatible iPod Types

- iPod touch (1st generation) 8GB 16GB 32GB
- iPod touch (2nd generation)
- 8GB, 16GB, 32GB iPod classic 80GB 120GB.
- 160GF iPod 5th generation (video)
- 30GB, 60GB, 80GB iPod nano 4th generation (video) 8GB, 16GB
- iPod nano 3rd generation (video) 4GB, 8GB
- iPod nano (2nd generation) 2GB, 4GB, 8GB
- iPod nano (1st generation) 1GB, 2GB, 4GB

Note: also supports iPhone when iPhone is set to "airplane mode".

Installing an iPod Dock Adapter

1. Choose the iPod Dock Adapter that fits your iPod, we recommend using the adapter that was supplied with your iPod.

-15

Radio

remote control to select TUNER.

Selecting tuner band Press AUTO PROG•BAND on the unit or TUNER on the remote control to select between AM

Tuning to a station

and FM radio bands.

Press ₩ / ₩ to select frequencies. Press and hold to start auto searching for the next available station.

Preset and tune modes

The tuner can be in either The stations will then be stored TUNER or PRESET mode. When as preset channels, A maximum in PRESET mode, the PROG of 32 stations can be stored. indicator is on

Presetting stations Manually setting presets

1. Press ⋈ / ▶ to access the desired frequency

Press SOURCE or TUNER on the 2. Press PROGRAM button The most recently accessed program location will be displayed

- 3. If a different program location is preferred, press I → I to select the desired preset number (1-32).
- 4. Press **PROGRAM** to store the selected frequency at that

Auto preset programming (FM only)

Press and hold **AUTO** PROG•BAND for 2 seconds to scan stations in the FM band.

Beware of your preset channels being erased accidentally because the scanning and storing process is automatic upon pressing and holding the button for 2 seconds.

-21-

Limited Warranty

AVC MULTIMEDIA ("AVC") makes the following limited warranty. This limited warranty extend to the original consumer purchaser and is limited to non-commercial use of the product.

-20-

One Year Parts & Labor Warranty

AVC products purchased in the United States or Canada are warranted to be free from defects in materials or workmanship for a period of one year from the date of their original retail purchase. If the unit fails to conform to this warranty, we will service the product using new or refurbished parts and products, at AVC's sole discretion.

During a period of one year from the effective warranty date, AVC will provide, when needed, service labor to repair a manufacturing defect at its designated Service Center. To obtain warranty service in the United States or Canada, you must first call our Customer Support Center at 1-800-506-5746 or 1-877-252-6873, during the hours listed in the box below. The determination of service will be made by AVC Customer Support. PLEASE DO NOT RETURN YOUR UNIT TO AVC WITHOUT PRIOR AUTHORIZATION. New or remanufactured replacements for defective parts or products will be used for repairs by AVC at its designated Service Center for one year from the effective warranty date. Such replacement parts or products are warranted for an additional one year from the date of repair or replacement. The Customer will be required to ship the unit to the Service Center indicated at the time Customer Support is contacted to make the necessary repairs. The customer is responsible for all transportation charges to the service facility.

Radio

track.

by pressing any button, but the erased stations cannot be recovered

Using presets

Press **◄ PRESET** ► to access the previous or next preset station. The display first shows the preset program number and after a few seconds, the frequency will be displayed. (e.g. P 01 is preset 1)

Suppressing stereo signal Press FM ST. to select between ST ON and ST OFF for stereo FM

LINE IN/ AUX

You can stop the automatic scan Play external sound through the speaker system

-16-

Press **SOURCE** on the unit repeatedly to select LINE IN or AUX

Or press LINE IN/AUX on the remote control to change to LINE IN mode from CD_TLINER or iPod mode; press LINE IN/AUX again to change to AUX mode

Suggest using Ø3.5mm LINE IN jack for mp3 player and AUX IN jacks for auxiliary equipment such as DVD. VCR or PC.

Limited Warranty

Packaging and Shipping Instruction

When you send the product to the **AVC** service facility you must use the original carton box and packing material or an equivalent as designated by AVC.

Your Responsibility

- (1) You must retain the original sale receipt to provide proof of
- These warranties are effective only if the product is purchased and operated in the United States or Canada.
- (3) Warranties extend only to defects in material or workmanship, and do not extend to any product or parts which have been lost or discarded, or damage to product or parts caused by misuse, accident, improper operation or maintenance, or use in violation of instructions provided with the product, or to product which has been altered or modified without authorization of AVC, or to products or parts thereof which have had the serial number removed or changed.

Troubleshooting Tips

-17-

not on

lected

Use CD lens cleaner.

Clean the disc.

CD sound skips

Clean the disc.

move the system

main unit

Try another CD.

System will not turn on Check power cord for a se-

- cure connection Unplug the unit for a moment, and then plug into •
- nower source again. Check the outlet by plugging

in another device.

- Increase the volume setting. · Check connection to speak-
- Check that you have selected the appropriate function: CD, TUNER, iPod, LINE IN/AUX.
- Make sure mute is off Make sure headphones are

 Make sure the speakers are not plugged in.

Poor radio reception

- Check antenna connection. Move antenna
- · Turn off nearby electrical appliances, such as hair dryer, vacuum cleaner, microwave, fluorescent lights

CD does not play

Check that CD is in the tray.

Limited Warranty

Out of Warranty

In the event your product requires repair after the limited warranty period has expired, please contact our Customer Support Center at 1-800-506-5746, 1-877-252-6873 or

www.RCAav.com

Hours: Monday-Thursday: 9am-7pm, Friday: 9am-5pm, Saturday: 9am-NOON Eastern time.

You are responsible for any transportation, shipping or insurance relative to the return of product to our Product Returns

All warranties implied by state law, including the implied warranties of merchantability and fitness for a particular purpose, are expressly limited to the duration of the limited warranties set forth above. With the exception of any warranties implied by state law as hereby limited, the foregoing warranty is exclusive and in lieu of all other warranties, guarantees, agreements and similar obligations of manufacturer or seller with respect to the repair or replacement of any parts. In no event shall AVC be liable for consequential or incidental damages.

Troubleshooting Tips

- properly installed Replace weak hatteries
- Check the system is plugged
- Point the remote directly at
- the system's front panel. Move closer to the system.

- Remove your iPod from the dock and check for obstruction on the connectors in the dock and on your
- iPod.

Check that the batteries are from the power source before

nformation

Additional

performing any maintenance.

-18

- Cleaning Clean the exterior of the system into power source. using a soft dust cloth.
- CD Player
- Remove any obstacles be- CAUTION! This system operates tween the remote and the

iPod does not respond to the speaker system

- Make sure that your iPod is working properly before docking into the unit. Please refer to your iPod manual for details

with a laser. It must be opened by only a qualified technician.

Handling CDs Do not touch the signal surfaces. Hold CDs by the edges, or by one edge and the hole. Do not affix labels or adhesive tapes to the label surfac-

es. Do not scratch or damage the label. CDs rotate at high speeds inside the player. Do not use damaged (cracked or warped) CDs.

Cleaning CDs

· Dirty CDs can cause poor sound quality. Always keep

-23-

Limited Warranty

No person, agent, distributor, dealer or company is authorized to change, modify or extend the terms of these warranties in any manner whatsoever. The time within action must be commenced to enforce any obligation of AVC arising under the warranty or under any statute, or law of the United States or Canada or any state thereof, is hereby limited to one year from the date of purchase. This limitation does not apply to implied warranties arising under state law.

This warranty gives you specific legal rights and you may also have other rights, which may vary, from state to state. Some states do not allow limitation on how long an implied warranty lasts, when an action may be brought, or the exclusion or limitation of incidental or consequential damages, so the above provisions may not apply

For more information on other products and services, please visit our

web site at www.RCAav.com

Additional Information

Listening to your iPod

connector in the dock.

select iPod mode.

Insert your iPod into the

Press iPod button on remote

control, or press SOURCE

repeatedly on the unit to

iPod Plavback

(dock adapter is not included

2. Insert your iPod Dock Adpater

Removing an iPod Dock

Remove the iPod Dock Adapter

Adapter

as illustrated.

into the dock until it sits firmly

CDs clean by wiping them Technical specifications

- If a CD becomes dirty, wet a
- Do not use record cleaning sprays or antistatic agents on CDs. Also, never clean CDs with benzene, thinner, or

companying the lens cleaner.

• Use the controls and screen

Use the VOLUME, BASS and

Your iPod will

automatically

and powered off.

vou wish

just the sound.

it is docked.

of the iPod to pick the music

EQ controls of the unit to ad-

be charged

(until fully charged) once

iPod charging function is

inactive when the main

unit is on standby position

To prevent interference to

AM radio signals, please

switch off the iPod while

listening to AM Radio

gently with a soft cloth from the inner edge toward the outer perimeter.

soft cloth in water, wring it out well, wipe the dirt away gently, and then remove any water drops with a dry cloth.

CD Lens Care sound quality of your system. For instructions on cleaning the CD lens, refer to the ones ac-

Power supply: 120V~60Hz Dimensions (WxDxHinches): Unit size - 11 0 x 17 5 x 12 0 Main Speaker - 9.4 x 8.5 x 12.2 Main unit weight: 16.06 lbs CD player: Response curve (+/ 2dB): 60Hz to 15 kHz Rating Plate: Look for it at the back of the set.

The descriptions and characterother volatile solvents which istics given in this document are may cause damage to disc given as a general indication and not as a guarantee. In order to provide the highest quality product possible, we reserve the right When your CD lens gets dirty to make any improvement or it can also cause the system to modification without prior nooutput poor sound quality. To tice. The English version serves clean the lens you will need as the final reference on all to purchase a CD lens cleaner products and operational details which can maintain the output should any discrepancies arise in other languages

-24-

Limited Warranty

© 2009 AVC MULTIMEDIA

Important: Also keep your "Bill of Sale" as proof of purchase

Product name Type of set. Serial no. Invoice no. Date purchased

FOR SUPPORT, SERVICE AND REPAIR, PLEASE VISIT www.RCAav.com Specifications and external appearance are subject to change without

> 811-268E91W040 Printed in China

-27-

Free Manuals Download Website

http://myh66.com

http://usermanuals.us

http://www.somanuals.com

http://www.4manuals.cc

http://www.manual-lib.com

http://www.404manual.com

http://www.luxmanual.com

http://aubethermostatmanual.com

Golf course search by state

http://golfingnear.com

Email search by domain

http://emailbydomain.com

Auto manuals search

http://auto.somanuals.com

TV manuals search

http://tv.somanuals.com