©-STUDIO™520T/600T/720T P 0 W E R S T A T I 0 N LTD LGD

JUST AS POWERFUL,







Speed and agility.

Tandem Series are top performers. Print and copy speeds are 52, 60 and 72 pages per minute, respectively. All units scan Power through jobs at 71 originals per minute at 600 dpi and are even faster when 52/60/72 scanning to file at a lower resolution. With 100% duplex productivity, no time is lost while paper is inverted. And an **PPM** impressive warm-up time of just 130 seconds along with a 30-second recovery from standby helps reduce wait time.

Thanks to advanced Toshiba technology, the e-STUDIO520T/600T/720T

EVEN MORE FLEXIBLE.

Flexibility in Tandem.

The e-studio520T/600T/720T Tandem Series utilizes a special tandem drawer configuration for greater flexibility. Two 500-sheet drawers are combined with a lower, built-in large capacity drawer that holds two stacks of 1,250 letter-size sheets. When the right stack of paper runs dry, the left stack is shifted over and used, without interruption, in order to help make short work of long jobs.

Built to handle anything.

The two standard drawers plus the tandem drawer combine to meet whatever paper requirements you might have. The top two drawers can be arranged to accommodate statement to ledger-size paper of up to 110-pound index stock. In all, the three drawers offer an impressive 3,600-sheet capacity that comes standard when you include the 100-sheet Smart Stack Feed Bypass. Add the optional 4.000-sheet LCF for a total of 7,600 and you'll have all the capacity you need, whenever you need it.

© eCopy[®] ScanStation OP V3.0

Leverage flexible, rapid solutions for paper-to-digital business integration. eCopy ScanStation OP document imaging and distribution software transforms your e-STUDIO520T/600T/720T Tandem Series into full-featured information hubs. It integrates hardcopy documents directly into the workflow of critical business processes-reporting, administration, document

> management, financials, human resources, and customer management. Additionally, easy-to-use administration tools let you manage multiple device from one central location.

Tandem Configuration **2,500-Sheet** Capacity











Convert scanned documents into 16 file formats with the touch of a button. Instant Optical Character Recognition (OCR) file format transforms hardcopy text and graphic documents into easily editable file formats including .doc, .html, .pdf, and more. This innovative technology automatically performs OCR and file conversions. Converted images can then be sent to network drives, Email, or both.



Looking good.

Performance doesn't come at the sacrifice of image quality. The Tandem Series produces crisp, clear images at an industry-leading 2400 x 600 dpi, thanks to a new image processor unit. Clarity is further enhanced by ultra-fine 8-micron toner and 40-micron developer. An 8-bit monochrome scanner renders impressive, high fidelity grayscales and sharpens onscreen images as well.



Heightened security.

Along with productivity and performance, today's businesses are becoming more and more concerned about the security of MFPs. That's why we've introduced several features to make the e-studio520T/600T/720T Tandem Series even more secure. The data disk overwrite option writes over the data multiple times to protect previous copy and print jobs on the hard disk drive. In addition, a scrambler board encrypts hard drive data. With full SMTP authentication and LDAP support, businesses can be certain that only authorized users are sending out scanned documents and recipients will know specifically who has sent them. For additional security, 10,000 user codes ensure that only those authorized are granted access. Even wireless usage is safe, thanks to the latest 802.11g wireless encryption protocol.



期期

Our guarantee is simple:

If our products don't operate to specification, we replace them free of charge. Named the choice manufacturer seven of the past nine years and "Copier Manufacturer of the Year" three years straight, our fully-trained and certified, employee family is as knowledgeable as our copiers are dependable. You can count on Toshiba to deliver excellence in all we do.

This is our quality commitment to you.

BE REESE



The many advantages of a single board.

Advanced e-BRIDGE™ technology combines copy, print, scan, and other functions in a single board architecture. This unified approach allows you to add functionality as you need it, in no time at all, thanks to Enablers that are simple to install. Just plug and print. With e-FILING, users can store frequently needed documents right on the device and reprint them whenever necessary. These documents can be password protected for additional security. Other features include Scan-to-Email, Internet

faxing, and TopAccess®—a remote

Lightning Fast
600 MHz
processor

administration utility with a common interface across
Toshiba products. And to perform all functions with greater speed, the system uses a lightning fast 600 MHz processor.





Only from Toshiba.

Experience and innovation combine to create unique product benefits like "toner on the fly" that allows you to replace a high-yield cartridge while the system is in operation. Easy-to-change service modules keep downtime to a minimum. And periodic maintenance intervals of 450, 500 and 575K ensure reliability with some of the highest PM intervals on the market.

In addition to a hole punch and post inserter, advanced finishing options include a 50-sheet multi-position stapling finisher, a 50-sheet unit with saddle-stitch booklet maker, and a 100-sheet finisher with saddle-stitch. To offer even more flexibility, the saddle stitch units can make booklets using letter, legal, or ledger-size paper. You can do the layout yourself or have the system do it automatically.

From productivity to security, image quality to advanced finishing options, nothing powers today's businesses



BER

Indirect Electrostatic Photographic **Copying Process**

Method (Dry Process)

Copying Type Laser Electronic **Original Reading Method** CCD Line Sensor

Icon Based LCD Touch Panel; Key Top

Copy/Print Resolution 2,400 x 600 dpi Gradation 256 Steps

Copy/Print Speed 52/60/72 PPM (Letter) Warm-Up Time Approximately 130 Seconds **First Copy Out Time** Less Than 4.0 Seconds (Letter) 450,000/500,000/575,000 Copies **Duty Cycle**

Multiple Copying Up to 9,999 Copies

Paper Exit Face Down

Paper Supply 500 x 2 Drawers; 1,250-Sheet x 2 Tandem Drawer; 100-Sheet Universal Stack Feed Bypass (Standard);

Optional 4,000-Sheet External LCF

Bypass Stack Feed Bypass (100-Sheet)

Drawer: Statement-R (5.5" x 8.5") to Ledger (11" x 17"); Acceptable Paper Size

Stack Feed Bypass: Statement-R (5.5" x 8.5") to Ledger (11" x 17"); Optional External LCF: Letter Only (8.5" x 11")17 lb. Bond - 110 lb. Index

Standard Bond, Overhead Transparencies, Tab Sheets – Drawers 2 + Bypass Acceptable Paper Type

Memory 320 MB + 40 GB HDD

Reduction/Enlargement 25% to 400% in 1% Increments **Dimensions** 27.5" x 31.1" x 47.8" (W x D x H)

Weight Approximately 462 lbs. PM Cycle 450,000/500,000/575,000

Toner Control Method Automatically Controlled; Toner Empty Detection;

Electrical

Drum Type/Yield Organic Photoconductor/450,000/500,000/575,000

Black Toner Yield 60,100

Black Developer Yield 450,000/500,000/575,000 120 Volts: 60 Hz: 20 A Power Supply **Power Consumption** Maximum 2.0 kW (115 Volts)

COPY FUNCTIONS

Special Features

Access Codes (10,000 User, 1,000 Department), Alternation, Annotation, AMS/APS, Auto Job Start, Auto Drawer Change, Auto Duplex, Auto Energy Saver, Auto Sleep Mode, Auto Sort Mode, Center Erase, Control Panel Text Input, Copy-On-Tab, Cover Sheet, Date/Time Indication, Department Code Data Print Out, Document Storage, Dual Page Copying, Edge Erase, e-FILING, Electronic Sorting (Sort, Group & Staple), Energy Saver, Help/Info. Function, Image Direction, Image Adjustment, Image Shift, Interrupt Memory, Job Build, Job Memory - Templates, Job Reservation (Scan Ahead) - 10 Jobs, Magazine Sort, Mirror Image, Negative/Positive, OHP Sheet Mode, Original Counter, Page Numbering, Rotation Copy, Sheet Insertion, Smart Bypass, Text, Text/Photo, & Photo Modes, Thick Paper Mode, Trimming/Masking, Weekly Timer, X-Y Zoom, Zoom Indicator, 2-in-1, 4-in-1, 8-in-1 Copy Mode

PRINT

Operating Systems

PDL Support PCL6™, PostScript™ 3

PCL 80 Fonts, PS 136 Fonts, Monotype Font Manager

NetWare® 4.x, 5.x, 6.x, Windows® 98/Me/2000, Windows® OS Terminal Edition, Windows® NT 4.0, XP, 2003 Server, Citrix® Metaframe XP®

Protocol Support IPX/SPX, TCP/IP, EtherTalk®, LPR/LPD, IPP, WINS, SNMP, SMB, AppleTalk®, NetBIOS, NetWare®, Port

9100 (Bi-Di), Bluetooth® (HCRP)

PRINT (CONTINUED)

Drivers Windows® 98, 2000, 2003, Me, Windows® NT 4.0, XP; Macintosh® OS 8.6, 9.x, 10.1/10.2/10.3 (With PPD), UNIX®, AS/400 via iData, ERP Support SAP R/3

Connectivity 10BaseT/100BaseTX Ethernet, USB, IEEE 1284,

802.11b/g Wireless LAN, Bluetooth® (HCRP) **Device Management** TopAccess™

Certifications WHQL, Novell®

SCAN

Scan Resolution 600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi Scan Speed Up to 83 PPM @ 300 dpi, 71 PPM @ 600 dpi **File Format** TIFF Single/Multipage, PDF, JPG Void Area 2mm All Sides

Drivers TWAIN (No ISIS) **Authentication** SMTP, LDAP

e-FILING

OPTIONS

Operation Method Touch Screen Control Panel or Client PC **Number of Boxes** 1 Public Box; 200 Private User Boxes

100 Folders Per Box; 400 Documents Per Folder; Capacity of Boxes

1,000 Pages Per Document TIFF-MMR, TIFF-S, PDF

File Format

FINISHING OPTIONS

MJ1027 - Multi-Position Stapling Finisher (50-Sheet)

MJ1028 - Multi-Position Stapling Finisher with Saddle-Stitch (50-Sheet)

MJ1029 - Multi-Position Stapling Finisher with Saddle-Stitch (100-Sheet)

MJ6003 - Hole Punch Unit MJ7001 – Post Inserter Unit KN1017 - Finisher Guide Rail

ADDITIONAL PAPER OPTIONS

MP4004 – 4,000-Sheet Front Loading Large Capacity Feeder, for LT Size

SECURITY OPTIONS

GP1040 - Scrambler Board GP1060 - Data Overwrite Kit

CONNECTIVITY OPTIONS

GM2040 - Print & Scan Enabler

GM1050 - Printer Enabler

GM4010 - Scanner Enabler GD1170 - Fax Board

GO1050 - PCI Slot

GN1040 - Wireless LAN Module

GN2010 - Bluetooth® Module

GN3010 - Antenna

GF1140 - Parallel Interface Kit

GB1250 - Re-Rite - Integrated OCR Conversion Distribution Tool

TB-04SXP01-03 - eCopy ScanStation OP

TB-ACCSS02-00 - eCopy ScanStand Accessory Box











Corporate Office: 2 Musick, Irvine, California 92618-1631

East Coast: 959 Route 46 East, 5th Floor, Parsippany, New Jersey 07054 Tel: 973/316-2700 Fax: 973/263-2393

Midwest: 8770 W. Bryn Mawr Avenue, Suite 700, Chicago, Illinois 60631 Tel: 773/380-6000 Fax: 773/380-8077

South: 4855 Peachtree Industrial Blvd., Suite 210, Norcross, Georgia 30092-3024 Tel: 770/209-8540 Fax: 770/209-8556

West Coast: 142 Technology, Suite 150, Irvine, California 92618 Tel: 949/462-6262 Fax: 949/462-2700

Web Site: www.copiers.toshiba.com or www.fax.toshiba.com

© 2006 Toshiba America Business Solutions, Inc., Electronic Imaging Division e-studio520T/600T/720T Brochure/Inv. Code ES520T600T720T1

Designs and specifications subject to change without notice. For best results and reliable performance, always use supplies manufactured or designated by Toshiba. Toner yields are estimates, based on 6% coverage, letter-size page. Driver and connectivity feature support varies by client/network operating system. Not all options and accessories may be available at the time of product launch. Please contact a local Authorized Toshiba Dealership for availability.

AUTHORIZED TOSHIBA DEALER



Free Manuals Download Website

http://myh66.com

http://usermanuals.us

http://www.somanuals.com

http://www.4manuals.cc

http://www.manual-lib.com

http://www.404manual.com

http://www.luxmanual.com

http://aubethermostatmanual.com

Golf course search by state

http://golfingnear.com

Email search by domain

http://emailbydomain.com

Auto manuals search

http://auto.somanuals.com

TV manuals search

http://tv.somanuals.com