

TOSHIBA

**DIGITAL PLAIN PAPER COPIER
OPERATOR'S MANUAL
FOR PRINTER FUNCTION**

**NETWORK PRINTER BOARD GA-1140
QUICK START GUIDE**

e-STUDIO 550

e-STUDIO 650

e-STUDIO 810

TABLE OF CONTENTS

- **NOTICE/WARNING** **3**
 - FCC NOTICE/FOR EUROPEAN MODELS ONLY 4
 - FCC NOTICE 4
 - FOR EUROPEAN MODELS ONLY 4
 - TRADEMARKS/COPYRIGHT 5
 - TRADEMARKS 5
 - COPYRIGHT 5
 - CAUTION/WARNING 6

- **SOFTWARE LICENSE AGREEMENT** **7**
 - SOFTWARE LICENCE AGREEMENT 8
 - LICENSE 8
 - PROPRIETARY RIGHTS 9
 - CONFIDENTIALITY 9
 - REMEDIES 9
 - LIMITED WARRANTY AND DISCLAIMER 10
 - LIMITATION OF LIABILITY 10
 - EXPORT CONTROLS 11
 - GOVERNMENT USE 11
 - THIRD PARTY BENEFICIARY 11
 - GENERAL 11

- **INTRODUCTION** **13**
 - ABOUT THE MANUALS 14
 - ABOUT THE QUICK START GUIDE 14
 - ABOUT THE MANUALS 14

- **SYSTEM REQUIREMENTS** **17**
 - SYSTEM REQUIREMENTS 18
 - CONNECTOR CABLE 18
 - FOR WINDOWS 18
 - FOR MACINTOSH 19
 - TOPACCESS 19
 - NETWORK SERVER 19

NOTICE/
WARNING

SOFTWARE
LICENSE
AGREEMENT

INTRODUCTION

SYSTEM
REQUIREMENTS

SETUP FLOW
AND UTILITY

SPECIFICATION

- **SETUP FLOW AND UTILITY 21**
 - SETUP FLOW CHART 22
 - FOR WINDOWS 22
 - For Parallel Connection 22
 - For SMB Printing 23
 - For LPR Printing 24
 - For IPP Printing 25
 - For Novell Network 26
 - FOR MACINTOSH 28

- **SPECIFICATIONS 29**
 - SPECIFICATIONS 30
 - PRINTER BOARD 30
 - OPTIONS 31
 - PS3 Upgrade 31
 - PS3 Scan & HDD Upgrade 31
 - Expansion Memory 31
 - Dongle for DocBuilder Pro 1.5 31

NOTICE/WARNING

FCC NOTICE/FOR EUROPEAN MODELS ONLY

FCC NOTICE

This equipment has been tested and found to comply with the limits for a Class A digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference when the equipment is operated in a commercial environment. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instruction manual, may cause harmful interference to radio communications. Operation of this equipment in a residential area is likely to cause harmful interference in which case the user will be required to correct the interference at his own expense.

WARNING:

Changes or modification made to this equipment, not expressly approved by Toshiba TEC or parties authorized by Toshiba TEC could void the user's authority to operate the equipment.

This Class A digital apparatus complies with Canadian ICES-003.

Cet appareil numérique de la classe A est conforme à la norme NMB-003 du Canada.

FOR EUROPEAN MODELS ONLY

WARNING:

This product complies with Class A for network connection. In a domestic environment this product may cause radio interference in which case the user may be required to take adequate measures.

1. Do not touch the connector terminal when disconnecting the cables of peripheral equipment.
2. Before opening any covers or removing any parts from the copier, discharge the static electricity from your body by touching a metal part of the copier.

This product is carrying the CE-Mark in accordance with the related European Directives. Responsible for CE-marking is TOSHIBA TEC GERMANY IMAGING SYSTEMS GmbH Carl-Schurz-Str. 7, 41460 Neuss, Germany. e-mail: customerservice@toshibatec-tgis.com

TRADEMARKS/COPYRIGHT

TRADEMARKS

Trademarks described in this manual:

- Ethernet is a registered trademark of US Xerox Corporation.
- The official name of Windows 95 is Microsoft Windows 95 Operating System.
- The official name of Windows 98 is Microsoft Windows 98 Operating System.
- The official name of Windows Me is Microsoft Windows Millennium Edition Operating System.
- The official name of Windows 2000 is Microsoft Windows 2000 Operating System.
- The official name of Windows XP is Microsoft Windows XP Operating System.
- Microsoft, Windows, Windows NT, Microsoft Internet Explorer, and the brand names and product names of other Microsoft products are trademarks or registered trademarks of US Microsoft Corporation in the US and other countries.
- Apple, AppleTalk, Macintosh, Mac OS, and LaserWriter are trademarks of US Apple Computer Inc. in the US and other countries.
- PostScript and PostScript Logo are trademarks of Adobe Systems Incorporated.
- IBM PC/AT is a registered trademark of US International Business Machine Corporation.
- UNIX is a registered trademark in the USA and other countries, licensed by X/Open Company Ltd.
- Agfa Font Manager is the trademark of Agfa Monotype Corporation.
- EFI, Fiery, the Fiery logo, Fiery Driven and RIP-White-Print are registered trademarks of Electronics For Imaging, Inc. in the U.S. Patent and Trademark Office and/or certain other foreign jurisdictions.
- The Electronics For Imaging Logo, the Fiery Driven logo, Command WorkStation, DocBuilder Pro, Fiery X3e, Fiery FreeForm, Fiery Scan, Fiery ScanBuilder, Fiery WebInstaller, Fiery WebScan, Fiery WebSpooler, Fiery WebStatus, Fiery WebTools, NetWise, Velocity, Velocity Balance, Velocity Build, Velocity Design, Velocity Estimate, and Velocity Scan are trademarks of Electronics For Imaging, Inc.
- AMD is a trademark of Advanced Micro Devices, Inc.
- Pentium and Celeron are trademarks or registered trademarks of Intel Corporation.
- Other company names and product names in this manual are the trademarks or registered trademarks of their respective companies.

COPYRIGHT

Copyright © TOSHIBA TEC Corp. 2002 All Rights Reserved. Under the copyright laws, this manual cannot be reproduced in any form without prior written permission of Toshiba TEC. No patent liability is assumed, with respect to the use of the information contained herein.

CAUTION/WARNING

No part of this manual may be copied in whole or part without permission.
The contents of this manual may change without notification.

SOFTWARE LICENSE AGREEMENT

SOFTWARE
LICENSE
AGREEMENT

SOFTWARE LICENCE AGREEMENT

YOU SHOULD CAREFULLY READ THE FOLLOWING TERMS AND CONDITIONS BEFORE USING THIS SOFTWARE. IF YOU DO NOT AGREE TO THE TERMS AND CONDITIONS OF THIS AGREEMENT, DO NOT USE THE SOFTWARE. INSTALLING OR USING THE SOFTWARE INDICATES THAT YOU AGREE TO AND ACCEPT THE TERMS OF THIS AGREEMENT. IF YOU DO NOT AGREE TO ACCEPT THE TERMS OF THIS AGREEMENT YOU MAY RETURN THE UNUSED SOFTWARE FOR A FULL REFUND TO THE PLACE OF PURCHASE.

LICENSE

Electronics For Imaging, Inc. grants you a non-exclusive, non-transferable license to use the software and accompanying documentation ("Software") included with the controller GA-1140 for TOSHIBA e-STUDIO550/650/810 Series printer you have purchased, including without limitation PostScript® software provided by Adobe Systems Incorporated.

You may:

- a. use the Software solely for your own customary business purposes and solely with the controller GA-1140 for TOSHIBA e-STUDIO550/650/810 Series;
- b. use the digitally-encoded machine-readable outline and bitmap programs ("Font Programs") provided with the controller GA-1140 for TOSHIBA e-STUDIO550/650/810 Series in a special encrypted format ("Coded Font Programs") to reproduce and display designs, styles, weights, and versions of letters, numerals, characters and symbols ("Typefaces") solely for your own customary business purposes on a monitor used with the controller GA-1140 for TOSHIBA e-STUDIO550/650/810 Series;
- c. use the trademarks used by Electronics For Imaging to identify the Coded Font Programs and Typefaces reproduced therefrom ("Trademarks"); and
- d. assign your rights under this Agreement to a transferee of all of your right, title and interest in and to the controller GA-1140 for TOSHIBA e-STUDIO550/650/810 Series provided the transferee agrees to be bound by all of the terms and conditions of this Agreement.

You may not:

- a. make use of the Software, directly or indirectly, to print bitmap images with print resolutions of greater than 600 dots per inch, or to generate fonts or typefaces for use other than with the controller GA-1140 for TOSHIBA e-STUDIO550/650/810 Series;
- b. make or have made, or permit to be made, any copies of the Software, Coded Font Programs, accompanying documentation or portions thereof, except as necessary for use with the controller GA-1140 for TOSHIBA e-STUDIO550/650/810 Series purchased by you; provided, however, that

- under no circumstances may you make or have made, or permit to be made, any copies of that certain portion of the Software which has been included on the controller GA-1140 for TOSHIBA e-STUDIO550/650/810 Series hard disk drive or ROM. You may not copy the documentation;
- c. attempt to alter, disassemble, decrypt or reverse engineer the Software, Coded Font Programs.
 - d. rent or lease the Software.

PROPRIETARY RIGHTS

You acknowledge that the Software, Coded Font Programs, Typefaces, and Trademarks are proprietary to Electronics For Imaging and its suppliers and that title and other intellectual property rights therein remain with Electronics For Imaging and its suppliers. Except as stated above, this Agreement does not grant you any right to patents, copyrights, trade secrets, trademarks (whether registered or unregistered), or any other rights, franchises or licenses in respect of the Software, Coded Font Programs, Typefaces, or Trademarks. You may not adapt or use any trademark or trade name which is likely to be similar to or confusing with that of Electronics For Imaging or any of its suppliers or take any other action which impairs or reduces the trademark rights of Electronics For Imaging or its suppliers. The trademarks may only be used to identify printed output produced by the Coded Font Programs. At the reasonable request of Electronics For Imaging, you must supply samples of any Typeface identified with a trademark.

CONFIDENTIALITY

You agree to hold the Software and Coded Font Programs in confidence, disclosing the Software and Coded Font Programs only to authorized users having a need to use the Software and Coded Font Programs as permitted by this Agreement and to take all reasonable precautions to prevent disclosure to other parties.

REMEDIES

Unauthorized use, copying or disclosure of the Software, Coded Font Programs, Typefaces, or Trademarks will result in automatic termination of this license and will make available to Electronics For Imaging other legal remedies.

LIMITED WARRANTY AND DISCLAIMER

Electronics For Imaging warrants that, for a period of ninety (90) days from the date of delivery to you, the Software under normal use will perform without significant errors that make it unusable. Electronics For Imaging's entire liability and your exclusive remedy under this warranty (which is subject to you returning the controller GA-1140 for TOSHIBA e-STUDIO550/650/810 Series to Electronics For Imaging or an authorized dealer) will be, at Electronics For Imaging's option, to use reasonable commercial efforts to attempt to correct or work around errors, to replace the Software with functionally equivalent software, or to refund the purchase price and terminate this Agreement. Some states/jurisdictions do not allow limitations on duration of implied warranty, so the above limitation may not apply to you.

For warranty service, please contact your authorized service/support center.

EXCEPT FOR THE ABOVE EXPRESS LIMITED WARRANTY, ELECTRONICS FOR IMAGING MAKES AND YOU RECEIVE NO WARRANTIES OR CONDITIONS ON THE SOFTWARE OR CODED FONT PROGRAMS, EXPRESS, IMPLIED, STATUTORY, OR IN ANY OTHER PROVISION OF THIS AGREEMENT OR COMMUNICATION WITH YOU, AND ELECTRONICS FOR IMAGING SPECIFICALLY DISCLAIMS ANY IMPLIED WARRANTY OR CONDITION OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Electronics For Imaging does not warrant that the operation of the software will be uninterrupted or error free or that the Software will meet your specific requirements.

LIMITATION OF LIABILITY

IN NO EVENT WILL ELECTRONICS FOR IMAGING OR ITS SUPPLIERS BE LIABLE FOR ANY DAMAGES, INCLUDING LOSS OF DATA, LOST PROFITS, COST OF COVER OR OTHER SPECIAL, INCIDENTAL, CONSEQUENTIAL OR INDIRECT DAMAGES ARISING FROM THE USE OF THE SOFTWARE, OR CODED FONT PROGRAMS, HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY. THIS LIMITATION WILL APPLY EVEN IF ELECTRONICS FOR IMAGING OR ANY AUTHORIZED DEALER HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGE. YOU ACKNOWLEDGE THAT THE PRICE OF THE CONTROLLER GA-1140 FOR TOSHIBA e-STUDIO550/650/810 Series REFLECTS THIS ALLOCATION OF RISK. BECAUSE SOME STATES/JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF LIABILITY FOR CONSEQUENTIAL OR INCIDENTAL DAMAGES, THE ABOVE LIMITATION MAY NOT APPLY TO YOU.

EXPORT CONTROLS

You agree that you will not export or re-export the Software or Coded Font Programs in any form without the appropriate United States and foreign government licenses. Your failure to comply with this provision is a material breach of this Agreement.

GOVERNMENT USE

Use, duplication or disclosure of the Software by the United States Government is subject to restrictions as set forth in subdivision (c) (1) (ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.227-7013 or in subparagraphs (c) (1) and (2) of the Commercial Computer Software-Restricted Right Clause at 48 CFR 52.227-19, as applicable.

THIRD PARTY BENEFICIARY

You are hereby notified that Adobe Systems Incorporated, a California corporation located at 345 Park Avenue, San Jose, CA 95110-2704 ("Adobe") is a third-party beneficiary to this Agreement to the extent that this Agreement contains provisions which relate to your use of the Fonts, the Coded Font Programs, the Typefaces and the Trademarks licensed hereby. Such provisions are made expressly for the benefit of Adobe and are enforceable by Adobe in addition to Electronics for Imaging.

GENERAL

This Agreement will be governed by the laws of the State of California.

This Agreement is the entire agreement held between us and supersedes any other communications or advertising with respect to the Software and Coded Font Programs.

If any provision of this Agreement is held invalid, the remainder of this Agreement shall continue in full force and effect.

If you have any questions concerning this Agreement, please see Electronics For Imaging's web site at www.efi.com.

INTRODUCTION

ABOUT THE MANUALS

ABOUT THE QUICK START GUIDE

Thank you for purchasing the TOSHIBA e-STUDIO550/650/810, GA-1140 Printer Board.

This QUICK START GUIDE provides the setup flow for installation of the e-STUDIO550/650/810 Printer Unit and contents of the printer reference manuals. The reference manuals for users and system administrators are found on the User Documentation CD-ROM which is shipped with this product.

ABOUT THE MANUALS

The manuals are included in the User Documentation CD-ROM.

In order to display the manuals, Adobe® Acrobat® Reader™ 4.0 or later is required. If you do not have Acrobat Reader, it is also included in the User Documentation CD-ROM.

The following reference manuals may be found on the enclosed User Documentation CD-ROM.

- **User's Guide** (User's Guide.pdf) describes how to install the user softwares and how to operate printing from workstations.

The contents for the manual are shown below:

- Introduction
 - Installing User Software on a Windows Computer
 - Installing User Software on a Mac OS Computer
 - Printing from Windows Computers
 - Printing from Mac OS Computers
 - Advanced Features
 - Tracking and Managing Print Jobs
 - Troubleshooting
 - Appendix
-
- **Administrator's Guide** (Administrator's Guide.pdf) describes how to set up the TOSHIBA GA-1140 printer on a network and administer the printer.

The contents for the manual are shown below:

- Introduction
- Preparing for GA-1140 Setup
- Setting up Network Servers
- Setting up the Network Setup Options

- Setting up the Printer Setup Options
- Setting up the TopAccess Setup Options
- Administrative Functions
- Troubleshooting
- Appendix

If you have the PS3 Scan & HDD Upgrade kit (GE-1060 + GE-1110), the following reference manuals are found on the enclosed User Documentation CD-ROM for PS3 Scan & HDD Upgrade.

- **Fiery Utilities Guide** (Fiery Utilities Guide.pdf) describes how to use optional softwares such as Fiery WebTools, Command WorkStation, FreeForm, and DocBuilder Pro.

The contents for the manual are shown below:

- Introduction
- Using Fiery WebTools
- Using Command WorkStation
- Using DocBuilder Pro
- Troubleshooting

- **Scan & E-mail Service Guide** (Scan & E-mail Service Guide.pdf) describes how to set up the optional scan and e-mail service features on the GA-1140 and operate scanning.

The contents for the manual are shown below:

- Introduction
- Installing the User Software
- Setting up and Administering
- Scanning
- Using Fiery E-mail Service
- Appendix

SYSTEM REQUIREMENTS

SYSTEM REQUIREMENTS

The e-STUDIO550/650/810 GA-1140 print controller operates in the following environments.

CONNECTOR CABLE

For Local Environment

Be sure to use the correct type of cable.

- IEEE 1284 printer cable (Compatible mode, ECP)

For Network Environment

Be sure to use the correct type of cable and network device for your network interface card.

- 10BASE-T/100BASE-TX
STP cable with a Category 5 RJ-45 connector.

FOR WINDOWS

This machine can be used in local mode via a parallel printer cable, on a network via TCP/IP or IPX/SPX.

- Hardware

Display Resolution	: 1024 x 768 dots or more
Display Color	: High Color (16bit) or higher is recommended
CPU	: 80486, AMD, or Pentium processor

Memory

Windows 95	: 16MB or more
Windows 98	: 24MB or more
Windows Me and Windows NT 4.0	: 32MB or more
Windows 2000 and Windows XP	: 64MB or more

- OS

Microsoft Windows 95 Operating System, English Version
Microsoft Windows 98 Operating System, English Version
Microsoft Windows Me Operating System, English Version
Microsoft Windows NT Workstation Operating System 4.0 with Service Pack 6 or later, English Version
Microsoft Windows NT Server Network Operating System 4.0 with Service Pack 6 or later, English Version
Microsoft Windows 2000 Professional Operating System with Service Pack 2 or later, English Version
Microsoft Windows 2000 Server Operating System with Service Pack 2 or later, English Version
Microsoft Windows XP Home Edition Operating System, English Version
Microsoft Windows XP Professional Operating System, English Version

FOR MACINTOSH

This machine can be used on the network via AppleTalk (Ethernet).

- Hardware
 - Display Resolution : 1024 x 768 dots or more
- OS
 - Mac OS 8.6 to 9.2, Mac OS X (Classic Mode only)

TOPACCESS

TopAccess can be used in the following environment:

- Applicable OS : Windows 95, Windows 98, Windows Me, Windows NT 4.0, Windows 2000, Windows XP, and Mac OS 8.6 or later
- WWW Browser : Netscape Communicator 4.5 or later, and Java enabled or Microsoft Internet Explorer 5.5 and Service Pack 2, or later with Java enabled.
- Protocol : TCP/IP

NETWORK SERVER

Printing can be performed with the following network servers:

- TCP/IP network : Windows NT 4.0, Windows 2000
- IPX/SPX network : NetWare 3.x, 4.x, or 5.x

SETUP FLOW AND UTILITY

SETUP FLOW CHART

This chapter describes the procedure and reference of the manuals for each procedure according to the operating system and the environment for printing.

FOR WINDOWS




For Parallel Connection

To print with the GA-1140 connected in parallel connection, you can print via LPT1 port.

Setup Flow	Procedure	Reference Manual
		Required utility or item used for the procedure
Connect the GA-1140	Connect the GA-1140 and a computer with a parallel cable.	Administrator's Guide <ul style="list-style-type: none">▼ Preparing for GA-1140 Setup<ul style="list-style-type: none">▶ Connecting to the Parallel Port
Install the Printer Driver	Install the printer driver and set up the installable options and user information on the printer driver.	User's Guide <ul style="list-style-type: none">▼ Installing User Software on a Windows Computer<ul style="list-style-type: none">▼ Installing the Printer Driver<ul style="list-style-type: none">▶ Installing the Printer Driver for Parallel Printing▶ Configuring the Options▶ Setting the User Information CD-ROM

For SMB Printing

To print with the GA-1140 connected to a Windows network, you can print by SMB printing.

Setup Flow	Procedure	Reference Manual
		Required utility or item used for the procedure
Connect the GA-1140	Connect the GA-1140 to your network.	Administrator's Guide ▼ Preparing for GA-1140 Setup ▶ Connecting to the Network
		-
Setup the TCP/IP	Assign the IP address, Subnet Mask, and Gateway address to enable TopAccess.	Administrator's Guide ▼ Setting up the Network Setup Options ▼ Setting up the Protocols ▶ Setting up the TCP/IP Options
		Touch Panel Display
Setup the SMB printing	Enable the Windows Printing Service and configure the network options.	Administrator's Guide ▼ Setting up the Network Setup Options ▼ Setting up the Print Services ▶ Setting up the Windows Printing Service
		TopAccess
Install the Printer Driver	Install the printer driver and set up the installable options and user information on the printer driver.	User's Guide ▼ Installing User Software on a Windows Computer ▼ Installing the Printer Driver ▶ Installing the Printer Driver for SMB Printing ▶ Configuring the Options ▶ Setting the User Information
		CD-ROM

For LPR Printing

To print with the GA-1140 connected to a TCP/IP network from the Windows NT 4.0, Windows 2000, and Windows XP, you can print using the TCP/IP and LPR connection as well.

Setup Flow	Procedure	Reference Manual
		Required utility or item used for the procedure
Connect the GA-1140	Connect the GA-1140 to your network.	Administrator's Guide ▼ Preparing for GA-1140 Setup ➤ Connecting to the Network -
Setup the TCP/IP	Assign the IP address, Subnet Mask, and Gateway address.	Administrator's Guide ▼ Setting up the Network Setup Options ▼ Setting up the Protocols ➤ Setting up the TCP/IP Options Touch Panel Display
Setup the LPR printing	Enable the LPD Printing Service.	Administrator's Guide ▼ Setting up the Network Setup Options ▼ Setting up the Print Services ➤ Setting up the LPD Printing Service TopAccess
Install the Printer Driver	Install the printer driver and set up the installable options and user information on the printer driver.	User's Guide ▼ Installing User Software on a Windows Computer ▼ Installing the Printer Driver ➤ Installing the Printer Driver for LPR Printing ➤ Configuring the Options ➤ Setting the User Information CD-ROM

For IPP Printing

To print with the GA-1140 connected to a TCP/IP network from the Windows 2000 and Windows XP, you can print via Internet or Intranet using the IPP connection.

Setup Flow	Procedure	Reference Manual
		Required utility or item used for the procedure
Connect the GA-1140	Connect the GA-1140 to your network.	Administrator's Guide ▼ Preparing for GA-1140 Setup ▶ Connecting to the Network -
Setup the TCP/IP	Assign the IP address, Subnet Mask, and Gateway address.	Administrator's Guide ▼ Setting up the Network Setup Options ▼ Setting up the Protocols ▶ Setting up the TCP/IP Options Touch Panel Display
Install the Printer Driver	Install the printer driver and set up the installable options and user information on the printer driver.	User's Guide ▼ Installing User Software on a Windows Computer ▼ Installing the Printer Driver ▶ Installing the Printer Driver for IPP Printing ▶ Configuring the Options ▶ Setting the User Information CD-ROM

For Novell Network

Where the GA-1140 is connected to a network with Novell network, you can print via a NetWare server.

Setup Flow	Procedure	Reference Manual
		Required utility or item used for the procedure
Connect the GA-1140	Connect the GA-1140 to your network.	Administrator's Guide ▼ Preparing for GA-1140 Setup ▶ Connecting to the Network -
Setup the Print Server	Setup the NetWare server.	Administrator's Guide ▼ Setting up the Network Servers ▶ NetWare Server Setup NetWare Server
Setup the TCP/IP	Assign the IP address, Subnet Mask, and Gateway address to enable TopAccess.	Administrator's Guide ▼ Setting up the Network Setup Options ▼ Setting up the Protocols ▶ Setting up the TCP/IP Options Touch Panel Display
Setup the Novell Configuration	Select the frame type.	Administrator's Guide ▼ Setting up the Network Setup Options ▼ Setting up the Protocols ▶ Setting up the IPX/SPX Options TopAccess

Continue to next page.

Continued from previous page.



Configure the NetWare Setup on the GA-1140

Administrator's Guide
▼ Setting up the Network Setup Options
 ▼ Setting up the Print Services
 ▶ Setting up the NetWare Options

TopAccess



Install the Printer Driver

Install the printer driver and set up the installable options and user information on the printer driver.




User's Guide
▼ Installing User Software on a Windows Computer
 ▼ Installing the Printer Driver
 ▶ Installing the Printer Driver for Novell Printing
 ▶ Configuring the Options
 ▶ Setting the User Information

CD-ROM

FOR MACINTOSH

To print from the Macintosh computer, you can print via the AppleTalk for Ethernet.

PS : The PS3 Upgrade (GE-1020) or PS3 Scan & HDD Upgrade (GE-1060+GE-1110) is required to use the GA-1140 in the AppleTalk network.

Setup Flow	Procedure	Reference Manual
		Required utility or item used for the procedure
Connect the GA-1140	Connect the GA-1140 to your network.	Administrator's Guide ▼ Preparing for GA-1140 Setup ▶ Connecting to the Network
		-
Setup the TCP/IP	Assign the IP address, Subnet Mask, and Gateway address to enable TopAccess.	Administrator's Guide ▼ Setting up the Network Setup Options ▼ Setting up the Protocols ▶ Setting up the TCP/IP Options
		Touch Panel Display
Setup the AppleTalk	Enable the AppleTalk and specify the server name and AppleTalk zone.	Administrator's Guide ▼ Setting up the Network Setup Options ▼ Setting up the Protocols ▶ Setting up the AppleTalk Options
		TopAccess
Install the Printer Driver	Install the Adobe PS printer driver and PPD file, and create a printer.	User's Guide ▼ Installing User Software on a Mac OS Computer ▼ Installing the Printer Driver ▶ Installing the Printer Driver to Mac OS Computer
		CD-ROM

SPECIFICATIONS

SPECIFICATIONS

PRINTER BOARD

Item	Specifications
Product Name	GA-1140
CPU	Intel Pentium 500MHz
Memory	Standard: DIMM 128 Megabytes Expansion slot: DIMM (Upgradable to 256 Mbyte)
Print Speed	Max. 81 pages/minute
Paper Size	A3, A4, A5, B4, B5, FOLIO, LEDGER, LEGAL, LETTER, STATEMENT, COMPUTER, 13inch LEGAL, 8.5SQ, 8K, 16K
Interface: Parallel	Conforming to IEEE-P1284 (Standard, Nibble Mode, ECP Mode)
Interface: NIC	Data Transfer Speed: 10/100 Mbps Connector: 10Base-T/100Base-TX: RJ-45 Connector x 1
Emulation	PCL6
PCL Fonts	81 Roman Fonts
Applicable Computers:	IBM PC/AT computer and compatible. Macintosh computer (when PS3 Upgrade or PS3 Scan & HDD Upgrade is installed.)

OPTIONS

PS3 Upgrade

Item	Specifications
Product Name	GE-1020
Emulation	PS3
PS Fonts	251 Roman Fonts

PS3 Scan & HDD Upgrade

Item	Specifications
Product Name	GE-1060, GE-1110
GE-1060	Disk Space: 10GB
	Emulation: PS3
	PS Fonts: 136 Roman Fonts
	CD-ROM: Command WorkStation E-mail Port Monitor Fiery Remote Scan
GE-1110	Scan Accelerator Board

Expansion Memory

Item	Specifications
Product Name	GC-1080
	128 Mbyte SDRAM, 168-pin DIMM

Dongle for DocBuilder Pro 1.5

Item	Specifications
Product Name	GB-1160
	Dongle
	CD-ROM: Adobe Acrobat 4.05
* This option should be installed with the PS3 Scan & HDD Upgrade (GE-1060, GE-1110).	

TOSHIBA TEC CORPORATION

1-1, KANDA NISHIKI-CHO, CHIYODA-KU, TOKYO, 101-8442, JAPAN

Copyright © TOSHIBA TEC CORPORATION 2002
ALL RIGHTS RESERVED

6LA50199000
R02052016900-TTEC
02-05 TG

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>