
D1788 User's Guide

What's in the box?

You will also find:



- If any items are missing or damaged, contact our Customer Care Line immediately. Never use damaged products!
- Need help? Get answers 24/7 at our website: www.uniden.com.

If You	Contact Uniden's	Phone Number
have a question or problem	Customer Care Line*	817-858-2929 or 800-297-1023
need a replacement part or an accessory	Parts Department*	800-554-3988
need special assistance due to a disability	Accessibility Help Line	800-874-9314 (voice or TTY)

* During regular business hours, Central Standard Time; see our website for detailed business hours.

© 2012 Uniden America Corp. Ft. Worth, Texas

What's in the Manual?

Getting Started Set Up the Base Set Up the Accessory Handsets	3
Using the Menus1 Basic Menu Operation1 Menu Functions	0
Using Your Phone1 Changing the Volume1 Using the Caller ID and Redial Lists1 Using Call Waiting1 Using the Phonebook1	3 3 4
Using Special Features1 Silent Mode1 Multistation Features1 Chain Dialing1 Voice Message Notification1	5 5 7

Using Your Phone During a Power	
Failure	18
Using the Answering System	. 18
Answering System Options	
(Answering Setup)	18
Recording the Outgoing Message	19
Accessing the Answering System	
Getting Your Messages	
Screening Your Calls	
Using the System While You're Away	
from Home	21
Important Information	.22
Solving Problems	
Adapter and Battery Information	
Compliance Information	25
1-Year Limited Warranty	
•	

Important Safety Instructions!

When using your telephone equipment, basic safety precautions should always be followed to reduce the risk of fire, electric shock and injury to persons, including the following:

- This unit is NOT waterproof. DO NOT expose it to rain or moisture.
- Do not use this product near water, for example, near a bath tub, wash bowl, kitchen sink or laundry tub, in a wet basement or near a swimming pool.
- Avoid using a telephone (other than a cordless type) during an electrical storm. There may be a remote risk of electric shock from lightning.
- Do not use the telephone to report a gas leak in the vicinity of the leak.
- Use only the power cord and batteries indicated in this manual. Do not dispose of batteries in a fire. They may explode. Check with local codes for possible special disposal instructions.
- Do not place the handset in any charging cradle without the battery installed and the battery cover securely in place. SAVE THESE INSTRUCTIONS!

CAUTION! Risk of explosion if battery is replaced by an incorrect type! Dispose of used batteries according to the instructions. Do not open or mutilate the battery. Disconnect the battery before shipping this product.

For more details, see the Important Information section.

English - 2

GETTING STARTED

Set Up the Base

Attach the Stand

Before you attach the stand, you have to decide if you want the phone to rest on a desk or hang on a wall.

For desktop use

- 1. Turn the stand so the word DESK is right-side up (it will be on the left).
- 2. Insert the tabs into the notches marked DESK at the top of the base.
- 3. Slide the stand up until it snaps into place.

For wall mount use

- 1. Turn the stand so the word WALL is rightside up (it will be on the left).
- 2. Insert the tabs into the notches marked WALL at the bottom of the base.
- 3. Slide the stand down until it snaps into place.

To Remove the Stand

Pull the locking tabs up and back. Then, slide the stand straight off the opposite direction you put it on.

Connect the Corded Handset

Use the coiled cord to connect the corded handset to the connector on the left side of the base.

For wall mount use only

- 1. On the front of the base, pull the clip (that holds the corded handset in place) out of its slot.
- 2. Rotate the clip 180 degrees.
- 3. Flip it from front to back and slide it back into the slot.









Connect the Power and Telephone Cords

1. Connect the base AC adapter to the **AC IN 7.8V** jack and the telephone cord to the **TEL LINE** jack. Route the cords as shown:

For desktop use

For wall mount use





- 2. Plug the AC adapter into a standard 120V AC 60 Hz power outlet, and connect the telephone cord to a standard telephone wall jack.
- 3. If you are mounting the phone on the wall, place the mounting slots over the pins on the wall plate; slide the base down to lock it into place.

Test the Connection

Pick up the corded handset from the base. You should hear a dial tone and the display on the base should say *Talk*. When you get a dial tone, make a quick test call.

lf	Try
the display says <i>Check TEL Line</i> or you don't hear a dial tone	checking the connection between the base and the phone jack.
you keep hearing a dial tone	changing to pulse dialing.

Changing to Pulse Dialing

Your phone uses tone dialing by default. If your phone company uses pulse dialing, you need to change your phone's dial mode.

- 1. Press MENU/SELECT and choose *Global Setup*.
- 2. Select *Dial Mode* then *Pulse*. You'll hear a confirmation tone.

Set Up the Accessory Handsets

Install and Charge the Battery

- Unpack all handsets, battery packs, and battery covers. If you need to remove a cover, press in on the notch and slid down and off.
- 2. Line up the battery connector with the jack inside the connector only fits one way.
- 3. Push the connector in until it clicks into place; tug gently on the wires to make sure the battery is securely connected.
- 4. Replace the battery cover and slide it into place.

Connect the Charger

- 1. Use an AC adapter to connect the power jack on each charger to a regular indoor (120V AC, 60 Hz) power outlet.
- 2. Place each handset in a charger with the display facing forward. If the display doesn't light up, reseat the handset or connect the charger to a different outlet.
- 🖎 Charge all handsets completely (about 15 hours) before using.


Test the Connection

Pick up each handset and press **TALK/FLASH**. You should hear a dial tone and the display should say *Talk*.

If there is noise or static, see page 22 for tips on avoiding interference.

Getting to Know Your Phone

Parts of the Base




. 12-key dial pad

Key name (and icon)	What it does
FIND HS/ INTERCOM	 In standby: page a handset or start an intercom call (see page 17). During a call: put the call on hold and start a call transfer.
MENU/SELECT	 In standby: open the menu. In any menu or list: select the highlighted item.
CLEAR	While entering text: delete one character, or press and hold to delete all the characters.
PHONEBOOK/ REV (Ŭ)(I44)	 In standby or during a call: open the phonebook. In the menu: go back to the previous screen. When entering text: move the cursor to the left. In the first 2 seconds of a message: go to the previous message. Anytime after that: go to the beginning of this message. While playing a message: restart the message. In the first 2 seconds of a message: play the previous message.

Key name (and icon)	What it does
PLAY/STOP (► 🖿)	 In standby: begin message playback. While screening calls: mute Call Screen. In any menu or list, or while a message is playing: stop the current operation and exit completely.
UP (_)	 In standby: increase the ringer volume. During a call or while a message is playing: increase the audio volume. In any menu or list: move the cursor up one line.
CID/SKIP (►►)	 In standby or during a call: open the Caller ID list. When entering text: move the cursor to the right. While a message is playing: skip to the next message. While playing a message: skip to the next message.
DOWN (V)	 In standby: decrease the ringer volume. During a call or while a message is playing: decrease the audio volume. In any menu or list: move the cursor down one line.
DELETE	 In standby: delete all messages. In message playback: delete the current message.
ANS ON/OFF	In standby: turn the answering system on and off.
REDIAL/PAUSE	 In standby: open the redial list. When entering a phone number: insert a 2-second pause.
SILENT	• In standby: press and hold to turn off the ringer on the base and any registered handset (see page 15).
MUTE	 While the phone is ringing: ignore this call (mute the ringer). During a call: mute the microphone.
FLASH	During a call: switch to a waiting call.
SPEAKER (🛋))	 In standby: start a speakerphone call (get a dial tone). During a normal call: switch to the speakerphone. During a speakerphone call: hang up.

Parts of the Handset




Key (icon)	What it does
PHONEBOOK ())	 In standby or during a call: open the phonebook. In the menu: go back to the previous screen. When entering text: move the cursor to the left.
SPEAKER (🛋))	Switch a normal call to the speakerphone (and back).
TALK/FLASH	 In standby: start a telephone call (get a dial tone). During a call: switch to a waiting call.
DOWN (V)	 In standby: decrease the ringer volume. During a call: decrease the volume. In any menu or list: move the cursor down one line.
REDIAL/PAUSE	 In standby: open the redial list. When entering a phone number: insert a 2-second pause.
UP (_)	 In standby: increase the ringer volume. During a call: increase the volume. In any menu or list: move the cursor up one line.
MENU/SELECT	 In standby: open the menu. In any menu or list: select the highlighted item.

Key (icon)	What it does
END	 During a call: hang up. In any menu or list: exit and go to standby.
CID	 In standby or during a call: open the Caller ID list. When entering text: move the cursor to the right.
INTERCOM/ CLEAR	 In standby: start an intercom call. During a call: put the call on hold and start a call transfer. When entering text or numbers: erase the character at the cursor (press & hold to erase all characters).
MESSAGE/ MUTE (QQ)	 In standby: access your answering system. During a call: mute the microphone. While the phone is ringing: ignore this call (mute the ringer).

Reading the Display

On the Base



On the Handset



lcon	What it means
Ø	The ringer is turned off and will not ring for new calls.
\mathbf{N}	You have a voice message waiting.
P	Privacy Mode is on: no other station can join the call.
[Aa] [aA]	Enter 1) capital or 2) lower case letters (see page 12).
00	Telephone Answering Device on.
ON OFF	Indicates when Answer is on or off.
NEW	Indicates a new message received.

lcon	What it means
Handset	Only Icons
¥ŧ	The signal from the base is 1) strong or 2) weak.
■ 》	The speakerphone is on.
টি	T-coil mode is on.
AAAA	The battery is 1) full, 2) half charged, 3) getting low or 4) empty.
ECO	The handset is using ECO (power save) mode.

USING THE MENUS

Basic Menu Operation



press END on the handset or PLAY/STOP on the base to exit the menu.

- The phone exits the menu after 30 seconds of no key press.
- Use **PHONEBOOK** during a call to back out of the menu without hanging up.

Menu Functions

Base Setup Menu

Use the *Base Setup* menu to select the base display language and to turn the base's key touch tone on and off.

Menu Option	What it does
Language	Select the desired Language, using up or down key and then press MENU/SELECT.
Key Touch Tone	Select Key Touch Tone On or Off using up or down key and then press MENU/SELECT. .

Handset Setup Menu

You can change these settings separately for each handset.

Menu Option	What it does
Ringer Tones	Choose this handset's ring tone. As you highlight each ring tone, the phone plays a sample. When you hear the tone you want, press MENU/SELECT .
Personal Ring	Turn on personal ring so you can assign a special ring tone to people in your phonebook. With Caller ID, this handset uses the assigned tone when the person calls.
Banner	Change the name used on the handset's display.
Handset Language	Change the display language.

Answering Setup Menu

Refer to page 18 for details on setting up your answering system.

Date & Time Menu

This menu sets the clock (if you have Caller ID, the phone sets the date and time automatically). Enter the date and time; select *AM* or *PM*. Use **CID** to move the cursor past a digit without changing it.

Global Setup Menu

The settings on this menu affect all handsets and the base. Only one handset at a time can change these menu options.

Dial Mode	Choose tone or pulse dialing (see page 10).	
Set Line Mode	Do not change this setting unless instructed to by customer service.	
Voice Mail Tone	Turn the tone indicating a new voice mail on or off.	
VMWI Reset	Reset the Voice Message Waiting Indicator (see page 18).	
Time Adjustment	Select <i>Set by Caller ID</i> to allow phone network to automatically set cordless phone system time.	
Register Accy.	Select <i>Register Accy.</i> using the up or down key and then press MENU/SELECT . This puts the base in registration mode (see page 24).	

Register Accy. Menu

This menu puts the base/range extender in registration mode (see page 24).

Entering Text on Your Phone

- Use the 12-key dial pad anytime you want to enter text into your phone (a name in the phonebook, the handset banner, etc.).
- If two letters in a row use the same key, enter the first letter; wait for the cursor to move to the next space and enter the second letter.

USING YOUR PHONE

	From Base		From Handset	
То	Corded Handset	Speaker- phone	Earpiece	Speaker- phone
make a call, dial the number, then	Pick up the handset.	Press SPEAKER.	Press TALK/ FLASH.	Press SPEAKER .
answer a call	Pick up the handset.	Press SPEAKER .	Press TALK/ FLASH.	Press SPEAKER .
hang up	Place handset in cradle.	Press SPEAKER.	Press END or place the handset in the cradle.	
Switch to the speaker and back	Press SPEAKER .	Pick up the handset.	Press SPEAKER.	
put a call on hold	Press FIND HS/INTERCOM.*		Press INTERCOM	/CLEAR*.
return to a call on hold	Press the hook switch or pick up the handset.	Press SPEAKER .	Press TALK/ FLASH.	Press SPEAKER .
make a speed dial call	Press and hold the speed dial number for 1.5 seconds. After you verify that the system is displaying the correct phonebook data for that speed dial number, press TALK / FLASH or SPEAKER on the handset, press SPEAKER on the base, or take the corded handset off hook.			

* After 5 minutes on hold, the call will be disconnected.

Assigning a Speed Dial Number

You can assign a speed dial number to a phonebook entry when you create that entry for the first time or when you edit it. Press **PHONEBOOK** and select *Create New.* As you enter the phonebook number, one of the options you will see is to assign a speed dial number to that phonebook entry. You can assign up to 10 speed dials, 0 - 9.

Changing the Volume

Each station is independent of each other so adjusting the volume on one station will not affect the other stations. Press **UP** or **DOWN** to increase or decrease the earpiece or speaker volume when you are on a call. You can adjust the ringer volume only when the phone is in standby.

🖎 Turning the ringer volume all the way down turns off the ringer.

Using the Caller ID and Redial Lists

Caller ID (CID) is a service available from your telephone provider that shows the phone number (and sometimes the caller's name) of incoming calls. Contact your telephone provider for more information.

Caller ID list	Redial list
 The phone saves the information for the last 50 received calls to the <i>CID list</i>. The <i>NEW</i> icon marks any calls received since the last time you checked the list. All stations share the same CID list so only one station can access the list at a time. In standby, all stations show how many calls came in since the last time you checked the CID list. 	 Each station remembers the last 5 numbers you dialed on it. Only one station can access its redial list at a time.

То	Press	
open the lists	CID to open the CID list or REDIAL/PAUSE to open the Redial list.	
scroll through the lists	DOWN to scroll from newest to oldest or UP to scroll from oldest to newest	
dial the	TALK/FLASH or SPEAKER on the handset. On the base, pick up the corded handset.	
highlighted number	(CID record only): If the number is a toll call without 1, press * to add 1 before dialing. With Caller ID showing, press #/ SILENT on the handset or # on the base to toggle the Caller ID area code display.	

For individual record options, highlight a number and press MENU/SELECT:

Menu Option	What it does	
Delete Entry	Erase the number from the list.	
Store Into PB	Add the number to the phonebook. The station prompts you to edit the name and number and select a personal ring.	
Delete All	Erase all numbers from the list.	

Using Call Waiting

- Call Waiting, a service available from your telephone provider, lets you receive calls while you are on another call. Caller ID on Call Waiting (CIDCW) service displays Caller ID information for a waiting call.
- If you get a Call Waiting call, the phone sounds a tone and displays any CID information received from the waiting call. Press **FLASH** on the base or **TALK/FLASH** on the handset to switch between the current call and the waiting call; each time you switch, there is a short pause before you're connected to the other call.

Using the Phonebook

The phone can store up to 100 entries in its phonebook. All stations share the same phonebook, so only one station can access it at a time.

То	Press
open/close the phonebook	PHONEBOOK.
scroll through the entries	DOWN to scroll through the entries from A to Z. UP to scroll from Z to A.
jump to entries that start with a certain letter	the number key corresponding to the letter you want.
dial the summer tents	TALK/FLASH or SPEAKER on the handset.
dial the current entry	On the base, pick up the corded handset.
edit the current entry	MENU/SELECT, then select <i>Edit</i> .
delete the current entry	MENU/SELECT , then select <i>Delete</i> . When the phone prompts you to confirm, select <i>Yes</i> .
make a speed dial call	Press and hold the speed dial number (0 - 9) for 1.5 seconds. The speed dial entry displays. Press TALK or SPEAKER to dial the number.

Adding Phonebook Entries

- 1. With the phone in standby, open the phonebook.
- 2. Press MENU/SELECT and select Create New.
- 3. The screen displays Edit Name. Enter the name and press MENU/SELECT.
- 4. The screen displays *Edit Number*. Enter the phone number (up to 20 digits) exactly as you would dial it. Press MENU/SELECT. If you need the phone to wait before sending the next set of digits, press REDIAL/PAUSE to insert a 2-second pause. You can insert multiple pauses, but each one counts as a digit (you'll see *P* in the display).

If you are adding entries from a cordless handset, you will be prompted to enter a speed dial number and then select a personal ring for that entry.

Deleting all Phonebook Entries

- 1. With the phone in standby, open the phonebook.
- 2. Press MENU/SELECT and select Delete All.
- 3. When the screen prompts you to confirm, select Yes.

USING SPECIAL FEATURES

Silent Mode

You can silence the ringers on the base and all handsets for a specific period of time (1 to 9 hours) or set the ringers to be off all the time; the answering system answers any incoming calls without playing anything through the speaker.

- 1. With the phone in standby, press and hold **#SILENT** on any handset or **SILENT** on the base for one second. The phone prompts you to select the number of hours (*1 9* or *Always On*) that you want it to stay in silent mode.
- 2. Select the number of hours using the up or down key.
- 3. To confirm, press **#SILENT** on any handset or **SILENT** on the base. You can also just wait about 5 seconds. The phone turns on the answering system and displays *Silent Mode On*.
- 4. After the selected number of hours, the phone automatically exits silent mode. To exit silent mode manually, press and hold **#SILENT** on any handset or **SILENT** on the base again.
- If you do not make an entry, after 5 seconds the phone goes into Standby mode without the confirmation tone but will turn on Silent mode.
- If the phone is in silent mode and you turn off the answering system, the phone exits silent mode.

Multistation Features

- > To use the features in this section, you need at least 1 cordless handset and 1 cordless handset for accessory handset.
- Your base supports a total of 12 cordless accessory handsets, including any that came with your phone.

• You must register accessory handsets to the base before using them. Handsets that aren't registered display a "not registered" message. For registration instructions, see page 24, or the accessory handset manual.

Conference Calling

- When an outside call comes in, two cordless handsets and the base can join in a conference call with the outside caller.
- To join a call that's already in progress, just press TALK/FLASH on the handset or SPEAKER on the base. You can also pick up the corded handset.
- To leave the conference call, hang up normally; the other stations remain connected to the call.

То	From the base	From a cordless handset
	1. Press FIND HS/INTERCOM to put the call on hold.	1. Press INTERCOM/CLEAR to put the call on hold.
transfer a call	2. Select the station you want to transfer the call to, or select <i>All</i> to page all the stations at the same time.When the other station accepts the call, you'll be disconnected but you can join the call again.	
cancel a transfer	Press SPEAKER to return to the call.	Press TALK/FLASH to return to the call.
	1. To answer the page and speak to the transferring station,	
accept a transferred call	pick up the corded handset or press FIND HS / INTERCOM.	press INTERCOM/CLEAR.
	2. To accept the call,	
	press SPEAKER.	press TALK/FLASH.

Call Transfer

Privacy Mode

- With a call in progress, press **MENU/SELECT** twice to activate Privacy mode. As long as privacy mode is on, you'll see a **P** in the display, and no other stations can join your call.
- Privacy mode turns off automatically when you hang up or put the call on hold; you can also turn it off by pressing **MENU/SELECT** twice.
- To use privacy mode during a conference call, wait until all stations have joined the call before turning on privacy mode. If a station disconnects, that station cannot rejoin the call as long as privacy mode remains on.

English - 16

Intercom

- Whenever the phone is in standby, you can make an intercom call between stations without using the phone line.
- You can make an intercom call from any station, but only two stations can be in an intercom call at any time.
- If an outside call comes in during an intercom page, the phone cancels the page so you can answer the incoming call.
- If an outside call comes in during an intercom call, press **SPEAKER** on the base or **TALK/FLASH** on the handset to hang up the intercom call and answer the outside call.

То	From the base press	From a cordless handset, press
make an intercom	FIND HS/INTERCOM.	INTERCOM/CLEAR.
page	Select the station you want to talk with or <i>All</i> to page all stations at the same time.	
cancel a page	FIND HS /INTERCOM or hang up the corded handset.	END.
answer a page	SPEAKER or pick up the corded handset.	INTERCOM/CLEAR or TALK/ Flash.
end an intercom call	FIND HS/INTERCOM.	END.

Finding a Lost Handset

You can use the intercom to page a lost handset. When the intercom tone sounds, you can track the tone to the lost handset.

Chain Dialing

If you often have to enter a series of digits or a code number during a call, you can save that code number as a regular phonebook entry and use the phonebook to send the code number. See page 14 for phonebook entry instructions.

Using Chain Dialing

- 1. Make your call normally.
- 2. When you hear the prompt that asks you to enter the code number, open the phonebook and find the entry that contains your code number.

3. Press **MENU/SELECT** to send the code. If you change your mind, just close the phonebook.

Voice Message Notification

- If you subscribe to a voice mail service, your phone can notify you when you have a new message. This feature supports Frequency-Shift Keying (FSK) notification. Contact your voice mail provider for information.
- When you have new messages, the display shows a message icon. After you listen to your messages, the message icon turns off. If it doesn't, you can reset it. With the phone in standby, open the menu and select *Global Setup*; select *VMWI Reset*, then select *Yes*.

Using Your Phone During a Power Failure

If there is a power failure, you can still make and receive phone calls using the base corded handset, including Call Waiting calls and changing the earpiece volume. All other features of the base and all cordless handsets will not function.

S While the power is out, the base uses a special ringer; you cannot adjust the volume of this ringer.

USING THE ANSWERING SYSTEM

Answering System Options (Answering Setup)

You can set or change the answering system options from any station. Just open the menu and select *Answering Setup*. Select one of the submenus:

Submenu	Purpose	
Security Code	Enter a 2-digit PIN so you can access your answering system from any touch-tone phone (seepage 21).	
Ring Time	Set the number of rings $(2, 4, \text{ or } 6)$ before the system answers. If you call in remotely to check your messages, <i>Toll Saver</i> makes the system answer after 2 rings if you have new messages or after 4 rings if you don't.	
Record Time	Set the amount of time (1 or 4 minutes) callers have to leave a message. Choose Announce Only if you don't want the system to let callers leave a message.	

Submenu	Purpose	
Message Alert	Have the base beep every 15 seconds when you have a new message. The alert stops after you listen to all your new messages or if you press any key on the base.	
Ans. Language	Change the language of the system's voice prompts.	
Call Screen	Turn on Call Screen feature (see page 20).	
Ans. On/Off	Turn your answering system on or off. You can also press ANS ON/OFF on the base.	
Record Greeting	Record an outgoing message or greeting (see below).	
Greeting Options	Switch greetings or delete your greeting (see below).	

Recording the Outgoing Message

Your personal outgoing message or greeting can be from 2 to 30 seconds long. If you don't record a greeting, the system uses the pre-recorded greeting: *Hello, no one is available to take your call. Please leave a message after the tone.*

То	Follow these steps from the base or the cordless handset:
Record a personal greeting	 Open the menu with the phone in standby. Select Answering Setup, then select Record Greeting. Press MENU/SELECT to start recording. Wait until the system says "Record greeting" before speaking. Press MENU/SELECT to stop recording. The system plays back your new greeting. To keep the greeting, press PLAY/STOP on the base or press END on the handset. To re-record it, press MENU/SELECT. The last greeting recorded will be the one replayed.
Switch between greetings	 Open the menu with the phone in standby. Select Answering Setup, then Greeting Options. The system plays back the current greeting. Press MENU/ SELECT to switch greetings.
Delete your greeting	Switch to your personal greeting; press DELETE on the base or INTERCOM/CLEAR on the handset while the greeting is playing.

Accessing the Answering System

With the phone in standby, you can access the system from the base or remotely from any handset:

- Only 1 station can access the system at a time.
- If you do nothing for 30 seconds, the phone returns to standby.
- During remote access, the system beeps so you know it's waiting for the next command.
- You can press the number key shown next to each command instead of scrolling through the screens.

Getting Your Messages

То	From the base	From a handset
play new messages	Press PLAY/STOP. The system announces the number of new & old messages, then plays each new message (followed by the day and time if set) in the order it was received.	
restart this message	Wait 5 seconds after the message begins, then press PHONEBOOK. select 1:Repeat.	
replay an earlier message	During the first 2 second press PHONEBOOK.	s of a message, select 1:Repeat.
skip a message	Press CID.	Select 3:Skip.
delete a	While a message is playing,	
message	press DELETE.	select 4:Delete.
delete all messages	With the phone in standby, press DELETE ; press DELETE ; press DELETE again to confirm.	Not available.
play old	After the system plays all new messages,	
messages	press PLAY/STOP again.	select 2:Play.
stop playback	Press PLAY/STOP.	Select 5:Stop.

Screening Your Calls

You can use the answering system for *call screening*. While the system takes a message, you can listen on the base speaker (if you turn on *Call*



Press a corresponding number key to choose an operation OR END to exit remote operation mode. *Screen*) or from a handset. Only one handset can screen calls at a time. If another handset tries to screen calls, it beeps and returns to standby.

То	From the base	From a handset
hear the caller leaving a message	Listen to the caller over the speaker.	Press MESSAGE/MUTE.
answer the call	Pick up the corded handset.	Press TALK/FLASH.
mute the call screen without answering*	Press PLAY/STOP.	Press END or return the handset to the cradle.

* If you mute the call screen, the system continues taking the message: it just stops playing through the speaker.

Using the System While You're Away from Home

You can dial in to your answering system from any touch-tone phone. Before you can use this feature, you must program a security code.

Programming a Security Code

With the phone in standby, open the menu; select *Answering Setup*, then select *Security Code*. Use the number keypad to enter a two-digit security code (01 to 99). Press **MENU/SELECT** when you're finished.

>>> Remember to make a note of your new security code!

Dialing In to Your System

- 1. Call your phone number & wait until the system answers. (If the system is turned off, it answers after 10 rings & sounds a series of beeps.)
- 2. During the greeting or beeps, press **0** and **immediately** enter your security code. If you enter it incorrectly 3 times, the system hangs up and returns to standby.
- 3. The system announces the time, the number of messages in memory, and a help prompt. It beeps to let you know it's waiting for a command.
- 4. When you hear beeping, enter a 2-digit command from the chart. Each key must be pressed within 2 seconds of each other or the entry will be timed out.
- If you don't press any keys for 15 seconds, the system hangs up and returns to standby.

01	Repeat message
02	Play message
03	Skip message
04	Delete message
05	Stop playback
06	Turn the system on
09	Turn the system off
10	Hear help prompts

IMPORTANT INFORMATION

Solving Problems

If you have any trouble with your phone, check this section first. If you need help, call our Customer Care Line listed on the front cover.

Audio issues	Possible solutions		
Callers sound weak or soft.	 Move the handset closer to the base or Range Extender. Keep the handset's battery fully charged. Increase the earpiece volume. 		
There is noise/ static on the cordless handset.	 Check for interference from appliances (microwave ovens, TVs, etc.) or wireless devices (baby monitors, WiFi equipment, etc.). Move the handset or base away from the interference source. If you use a telecoil hearing aid, turn on T-coil mode in the <i>Handset Setup</i> menu. T-coil mode shortens talk time, so keep your battery fully charged. If you have any service that uses the phone line, add a DSL or telephone line filter (see page 23). 		
Caller ID problem	lems Possible solutions		e solutions
			s ring twice before answering. ure your Caller ID service is active.
Caller ID displays br and then clears.			ay have to change the line mode. Contact her Service for instructions.
Multistation problems			Possible solutions
l can't transfer calls.			Reset all the stations (seepage 23).
Two handsets can't talk to a caller.			See if any station is in Privacy Mode.
A handset says Unavailable.			 Move the handset closer to the base. See if any station is in Privacy Mode. Reset the handset (see page 24).
l can't register a new handset (handset says "Not registered.")			 Reset the handset (see page 24). See if you have 12 registered handsets.
Answering system problems Po		Ро	ssible solutions
			lake sure the answering system is on. lake sure the base is plugged in.
			ee if Record Time is set to Announce Only. Pelete messages (memory may be full).
			ee if another handset is using the system. Iake sure the phone is in standby.

Answering system problems	Possible solutions
My outgoing message is gone.	 If there was a power failure, re-record your personal outgoing message.
I can't hear the base speaker.	 Make sure call screening is turned on. Change the base speaker volume.
Messages are incomplete.	 Increase the <i>Record Time</i>. Delete messages (memory may be full).
The system keeps recording when I answer on an extension.	 You may have to change the line mode. Contact Customer Service for instructions.

Installing a Line Filter or DSL Filter

A telephone line filter or DSL filter prevents services that use the phone line from causing interference on your phone. To get a line filter, contact your service provider or look in an electronics store.

Plug the filter into the telephone wall jack and plug the base into the filter. Make a test call to make sure the noise is gone.

Liquid Damage CAUTION: If the base is covered in liquid, disconnect the adapter and phone cord from the wall before touching it.

If the liquid is only on the exterior housing of the base or handset, wipe it off and use as normal. If you can hear liquid inside the housing:

- 1. Remove all compartment covers, and disconnect all cables and cords.
- 2. If liquid is leaking from any vent or hole, turn the phone so that the leaking vent faces down. If not, place the largest vent face down.
- 3. Let dry for at least 3 days. Check for liquid inside the phone before replacing compartment covers & reconnecting cords.

Resetting Stations

Unplug the base to reset it. Plug it back in after at least a minute.

If you have trouble with a handset or if you want to replace one, clear the registration information from the base and the handset:

- 1. Press & hold END and # at the same time until you see the *System Reset* menu.
- 2. If you still have the base the handset is registered to, select *Deregister HS*, then select the handset you want to reset. If you don't have that base anymore, select *Base Unavailable*.
- 3. To confirm, select Yes. The handset displays Handset not registered.

Registering Handsets

If you see a "not registered" message on a handset, you must register it to a base before using it.

- 1. Place the handset in the base; the display should say *Registering*. If the handset does not fit in the base, open the base menu and select *Register Accy*.
- 2. Press and hold # until *Registering* displays on the handset screen.
- 3. Wait until the display says Registration Complete (about 30 seconds), then pick up the handset and press TALK/FLASH.
- If you don't hear a dial tone or the display says Registration Failed, charge the battery completely, then try again.

Adapter and Battery Information

AC Adapter	Base
Part number	PS-0034
Input voltage	120V AC, 60 Hz
Output voltage	7.8V AC @ 450mA

AC Adapter	Charger
Part number	PS-0035
Input voltage	120V AC, 60 Hz
Output voltage	8V AC @ 300mA

- Use only the supplied AC adapters.
- Use the proper adapter for the base & any chargers.
- Do not place the unit in direct sunlight or subject it to high temperatures.

Battery pack (with normal use)Part numberBT-1021Capacity300mAh, 2.4V DCTalk timeabout 7 hoursStandby timeabout 7 daysBattery lifeabout 1 year

- Replace the battery when the talk or standby time becomes noticeably reduced. For replacements, call the Parts Department (see the front cover).
- When the battery gets low, the handset beeps and shows a low battery alert; recharge the battery.

Rechargeable Battery Warning

- This equipment contains a rechargeable Nickel-Metal-Hydride (Ni-MH) battery.
- Nickel is a chemical known to the state of California to cause cancer.
- · Do not short-circuit the battery.
- The batteries in this equipment may explode if disposed of in a fire.
- Do not charge the batteries in any charger other than the one specified in the owner's manual. Using another charger may damage the battery or cause it to explode.

As part of our commitment to protecting our environment and conserving natural resources, Uniden voluntarily



participates in an RBRC* industry program to collect and recycle used Ni-MH batteries within the United States. Please call 1-800-8-BATTERY for information on Ni-MH battery recycling in your area. (RBRC* is a registered trademark of the Rechargeable Battery Recycling Corporation.)

Rechargeable batteries must be recycled or disposed of properly.

Warning! The cords on this product and/or accessories contain lead, a chemical known to the state of California to cause birth defects or other reproductive harm. Wash hands after handling.

Uniden works to reduce lead content in our products & accessories.

Compliance Information FCC Part 68 Information

This equipment complies with Part 68 of the FCC rules and the requirements adopted by the ACTA. On the bottom of this equipment is a label that contains, among other information, a product identifier in the format US: AAAEQ##TXXXX. If requested, this number must be provided to the phone company.

An applicable Universal Service Order Codes (USOC) certification for the jacks used in this equipment is provided (i.e., RJ11C) in the packaging with each piece of approved terminal equipment. A plug and jack used to connect this equipment to the premises wiring and telephone network must comply with the applicable FCC Part 68 rules and requirements adopted by the ACTA. A compliant telephone cord and modular plug is provided with this product. It is designed to be connected to a compatible modular jack that is also compliant. See installation instructions for details.

The REN is used to determine the number of devices that may be connected to a phone line. Excessive RENs on a phone line may result in devices not ringing in response to an incoming call. In most but not all areas, the sum of RENs should not exceed five (5.0). To be certain of the number of devices that may be connected to a line, as determined by the total RENs, contact the telephone provider. The REN for this product is part of the product identifier that has the format US:AAAEQ##TXXXX. The digits represented by ## are the REN without a decimal point (e.g., 03 is a REN of 0.3). If this equipment causes harm to the telephone network, the telephone company will notify you in advance that temporary discontinuance of service may be required. But if advance notice isn't practical, the telephone company will notify the customer as soon as possible. Also, you will be advised of your right to file a complaint with the FCC if you believe it is necessary. The telephone company may make changes in its facilities, equipment, operations or procedures that could affect the operation of the equipment. If this happens the telephone company will provide advance notice in order for you to make necessary modifications to maintain uninterrupted service.

Please follow instructions for repairing, if any (e.g. battery replacement section); otherwise do not substitute or repair any parts of the device except as specified in this manual. Connection to party line service is subject to state tariffs. Contact the state public utility commission, public service commission or corporation commission for information. This equipment is hearing aid compatible.

If you experience trouble with this equipment, contact the manufacturer (see the cover of this manual for contact information) or an authorized agent. If the equipment is causing harm to the telephone network, the telephone company may request that you disconnect the equipment until the problem is resolved.

If your home has wired alarm equipment connected to a phone line, be sure that installing the system does not disable your alarm equipment. If you have questions about what will disable alarm equipment, contact your telephone company or a qualified installer. Any changes or modifications to this product not expressly approved by the manufacturer or other party responsible for compliance could void your authority to operate this product.

NOTICE: According to telephone company reports, AC electrical surges, typically resulting from lightning strikes, are very destructive to telephone equipment connected to AC power sources. To minimize damage from these types of surges, a surge arrestor is recommended.

FCC Part 15 Information

This device complies with part 15 of the FCC rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) This device must accept any interference received, including interference that may cause undesired operation. Privacy of communications may not be ensured when using this phone.

FCC PART 15.105(b): Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.

- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

FCC RF Exposure Information

This product complies with FCC radiation exposure limits under the following conditions:

- The base must be placed to allow a minimum of 20 cm (8 inches) between the antenna and all persons during normal operation.
- The base must not be collocated or operated in conjunction with any other antenna or transmitter.
- The handset is designed for body-worn operation and meets FCC RF exposure guidelines when used with any belt clip, carrying case, or other accessory supplied with this product. (All necessary accessories are included in the package; any additional or optional accessories are not required for compliance with the guidelines.) Third party accessories (unless approved by the manufacturer) should be avoided as these might not comply with FCC RF exposure guidelines.

Industry Canada (I.C.) Notice

Terminal equipment

NOTICE: This equipment meets the applicable Industry Canada Terminal Equipment Technical Specifications. This is confirmed by the registration number. The abbreviation *IC* before the registration number signifies that registration was performed based on a Declaration of Conformity indicating that Industry Canada technical specifications were met. It does not imply that Industry Canada approved the equipment.

NOTICE: The Ringer Equivalence Number (REN) for this terminal equipment is marked on the equipment itself. The REN assigned to each terminal equipment provides an indication of the maximum number of terminals allowed to be connected to a telephone interface. The termination on an interface may consist of any combination of devices subject only to the requirement that the sum of the Ringer Equivalence Numbers of all the devices does not exceed 5.

Radio equipment

The term *IC* before the radio certification number only signifies that Industry Canada technical specifications were met. Operation is subject to the following two conditions: (1) this device may not cause interference, and (2) this device must accept any interference, including interference that may cause undesired operation of the device. "Privacy of communications may not be ensured when using this telephone".

1-Year Limited Warranty Evidence of original purchase is

required for warranty service.

WARRANTOR: UNIDEN AMERICA CORPORATION ("Uniden") ELEMENTS OF WARRANTY: Uniden warrants, for one year, to the original retail owner, this Uniden Product to be free from defects in materials and craftsmanship with only the limitations or exclusions set out below.

WARRANTY DURATION: This warranty to the original user shall terminate and be of no further effect 12 months after the date of original retail sale. The warranty is invalid if the Product is (A) damaged or not maintained as reasonable or necessary, (B) modified, altered, or used as part of any conversion kits, subassemblies, or any configurations not sold by Uniden, (C) improperly installed, (D) serviced or repaired by someone other than an authorized Uniden service center for a defect or malfunction covered by this warranty, (E) used in any conjunction with equipment or parts or as part of any system not manufactured by Uniden, or (F) installed or

programmed by anyone other than as detailed by the owner's manual for this product.

STATEMENT OF REMEDY: In the event that the product does not conform to this warranty at any time while this warranty is in effect, warrantor will either, at its option, repair or replace the defective unit and return it to you without charge for parts, service, or any other cost (except shipping and handling) incurred by warrantor or its representatives in connection with the performance of this warranty. Warrantor, at its option, may replace the unit with a new or refurbished unit. THE LIMITED WARRANTY SET FORTH ABOVE IS THE SOLE AND ENTIRE WARRANTY PERTAINING TO THE PRODUCT AND IS IN LIEU OF AND EXCLUDES ALL OTHER WARRANTIES OF ANY NATURE WHATSOEVER, WHETHER EXPRESS, IMPLIED OR ARISING BY OPERATION OF LAW, INCLUDING, BUT NOT LIMITED TO ANY IMPLIED WARRANTIES OF MERCHANTABIL-ITY OR FITNESS FOR A PARTICULAR PURPOSE. THIS WARRANTY DOES NOT COVER OR PROVIDE FOR THE REIMBURSEMENT OR PAYMENT OF INCIDENTAL OR CONSEQUENTIAL DAMAGES. Some states do not allow this exclusion or limitation of incidental or consequential damages so the above limitation or exclusion may not apply to you.

LEGAL REMEDIES: This warranty gives you specific legal rights, and you may also have other rights which vary from state to state. This warranty is void outside the United States of America and Canada.

PROCEDURE FOR OBTAINING PER-FORMANCE OF WARRANTY: If, after following the instructions in the owner's manual you are certain that the Product is defective, pack the Product carefully (preferably in its original packaging). Disconnect the battery from the Product and separately secure the battery in its own separate packaging within the shipping carton. The Product should include all parts and accessories originally packaged with the Product. Include evidence of original purchase and a note describing the defect that has caused you to return it. The Product should be shipped freight prepaid, by traceable means, to warrantor at:

Uniden America Service 4700 Amon Carter Blvd. Fort Worth, TX 76155

As an Energy Star* Partner, Uniden has determined ti meets the Energy Star* guid energy efficiency. Energy Sta registered mark.



- Uniden[®] is a registered tracemark of Uniden America Corporation.
- The pictures in this manual are for example only. Your phone may not look exactly like the pictures.

Free Manuals Download Website <u>http://myh66.com</u> <u>http://usermanuals.us</u> <u>http://www.somanuals.com</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.com</u> <u>http://www.404manual.com</u> <u>http://www.luxmanual.com</u> <u>http://aubethermostatmanual.com</u> Golf course search by state

http://golfingnear.com Email search by domain

http://emailbydomain.com Auto manuals search

http://auto.somanuals.com TV manuals search

http://tv.somanuals.com