

INTRODUCTION

Uniden is a world leader in telecommunications and wireless products offering the most superior and comprehensive range in the market today. Whether it is a sophisticated UHF Handheld or Mobile Transceiver, Scanning Receiver or Marine Radio, Uniden is innovative in its design and its performance is second to none. Uniden has a high quality product suitable for your personal or professional needs, developed and engineered for Australian and New Zealand conditions.



A·S·C· Technology

Advanced Signal Clarity

Only Uniden's UHF A.S.C. Technology uses an advanced microprocessor and surface mount components to provide the following outstanding benefits:

- Advanced Performance and Clear Reception
- Extended Transmission Range – longer transmission ranges
- Extended Operating Time – longer battery life due to the efficient high performance power module and a Long Life Super Switch on certain models
- Selectable Power Levels – from 40mW to 5 Watts Power depending on the model
- Designed and Engineered in Japan

	UNIDEN A.S.C. Technology	TYPICAL UHF Technology
Advanced Performance / Clear Reception	Yes	No
Extended Transmission Range	Yes	No
Extended Operating Time	Yes	No
Selectable Power Levels	Yes	No

MARINE

Durable enough to take anywhere and ideal for boating, marine, fisherman and commercial use, Uniden's Atlantis 250 offers outstanding performance in all conditions. This compact and powerful 5-watt unit has a world standard certified water resistant grading of JIS4 enabling it to withstand splashes of water from any direction. With extended range and crystal clear sound the Atlantis 250 provides the very best in marine communication.

atlantis 250

waterproof VHF

- Ergonomic Design Marine Radio
- 5 Watts Maximum TX Output Power
- Waterproof*
- Built for Rugged Australian and New Zealand Conditions
- Backlit Keypad and LCD Display
- Triple Watch Mode
- One Touch Emergency Channel 16
- Memory Scan
- Auto Battery Save
- Keypad Lock
- Includes 1 x Atlantis 250 VHF Marine Radio, 1 x Cradle and Mounting Screws, 1 x NiMH Rechargeable Battery Pack, 1 x Alkaline Battery Case, 1 x AC Adaptor, 1 x Cigarette Lighter Charger, 1 x Belt Clip, 1 x Wrist Strap

* Certified to meet the world standard JIS4 waterproof level. Being defined as having no harmful influence by receiving a splash of water from any direction.

10/13 hrs

A·S·C· Technology

Advanced Signal Clarity



5 WATT POWER

WATERPROOF

uh078sx

- Compact Design
- 5 Watt Power
- Built for Rugged Australian and New Zealand Conditions with its Metal Alloy Casing
- 40 UHF Channels
- Digital Coded Squelch (104 Privacy Codes)
- Interference Eliminator (38 CTCSS Codes)
- Waterproof
- Voice Scramble Function
- 60 Extra RX Programmable Channels for Scanning
- Bearcat Engine
- Life Long Super Switch
- Range Extender (Duplex) Capability
- VOX Hands Free Capable
- Backlit Keypad and LCD Display
- Auto Battery Save
- Includes 1 x uh078sx UHF Radio, 1 x Speaker Microphone, 1 x Dual Desktop Charge Cradle, 2 x High Capacity Lithium-Ion Rechargeable Battery Packs, 1 x AC Adaptor and 1 x Belt Clip

5 WATT POWER

WATERPROOF

Bearcat ENGINE INSIDE

2 YEAR WARRANTY



15 kms 15 hrs

uh073sx

- Compact Design
- 3 Watt Power
- Built for Rugged Australian and New Zealand Conditions with its Metal Alloy Casing
- 40 UHF Channels
- Interference Eliminator (38 CTCSS Codes)
- Waterproof
- Life Long Super Switch
- Range Extender (Duplex) Capability
- VOX Hands Free Capable
- Backlit Keypad and LCD Display
- Auto Battery Save
- Open Scan
- Group Scan
- Battery Level Indicator
- Busy Channel Lockout Function
- Includes 1 x uh073sx UHF Radio, 1 x Belt Clip, 1 x Lithium-Ion Rechargeable Battery, 1 x Desktop Charge Cradle and 1 x AC Adaptor

3 WATT POWER

WATERPROOF

2 YEAR WARRANTY



12 kms 15 hrs

uh064sx-2 premium pack

- Compact Design
- 2 Watt Power
- Built for Rugged Australian and New Zealand Conditions
- 40 UHF Channels
- Digital Coded Squelch (104 Privacy Codes)
- Interference Eliminator (38 CTCSS Codes)
- D+ Booster (Extreme Distance Booster)
- Long Life Super Switch
- Range Extender (Duplex) Capability
- VOX Hands Free Capable
- Backlit LCD Display
- Auto Battery Save
- Roger Beep
- Busy Channel Lockout Function
- Channel Scan
- Includes 2 x uh064sx UHF Radios, 2 x Speaker Microphones, 2 x Voice Activated (VOX) Headsets, 2 x NiMH Rechargeable Battery Packs, 2 x Belt Clips, 1 x Twin Desktop Charge Cradle with 1 x AC Adapter

2 WATTS QUAD POWER

D+ BOOSTER

DCS

ADDITIONAL 104 PRIVACY CODES



10+ kms 24/19 hrs

uh044dp deluxe pack

- Compact Design
- 2 Watt Power
- Built for Rugged Australian and New Zealand Conditions
- 40 UHF Channels
- Long Life Super Switch
- Range Extender (Duplex) Capability
- Backlit LCD Display
- Auto Battery Save
- Battery Level Indicator
- Keypad Lock
- Auto Squelch
- Includes 1 x uh044 UHF Radio, 3 x AA NiCad Batteries, 1 x Wrist Strap, 1 x AC Adaptor, 1 x Belt Clip

2 WATTS QUAD POWER

LONG LIFE SUPER SWITCH



8 kms 42/15 hrs

uh047sx-2 deluxe pack

- Compact Design
- 1 Watt Power
- Built for Rugged Australian and New Zealand Conditions
- 40 UHF Channels
- Digital Coded Squelch (104 Privacy Codes)
- Interference Eliminator (38 CTCSS Codes)
- D+ Booster (Extreme Distance Booster)
- Long Life Super Switch
- Range Extender (Duplex) Capability
- VOX Hands Free Capable
- Backlit LCD Display
- Auto Battery Save
- Roger Beep
- Busy Channel Lockout Function
- Channel Scan
- Includes 2 x uh047sx UHF Radios, 2 x Speaker Microphones, 2 x NiMH Rechargeable Battery Packs, 2 x Belt Clips, 1 x Twin Desktop Charge Cradle with 1 x AC Adaptor

1 WATT POWER

D+ BOOSTER

DCS

ADDITIONAL 104 PRIVACY CODES



6+ kms 28/17 hrs

uh047sx

- Compact Design
- 1 Watt Power
- Built for Rugged Australian and New Zealand Conditions
- 40 UHF Channels
- Digital Coded Squelch (104 Privacy Codes)
- Interference Eliminator (38 CTCSS Codes)
- D+ Booster (Extreme Distance Booster)
- Long Life Super Switch
- Range Extender (Duplex) Capability
- VOX Hands Free Capable
- Backlit LCD Display
- Auto Battery Save
- Roger Beep
- Metal Alloy Case
- Busy Channel Lockout Function
- Channel Scan
- Includes 1 x uh047sx UHF Radio, 1 x Speaker Microphone, 1 x NiMH Rechargeable Battery Pack, 1 x Belt Clip, 1 x Single Desktop Charge Cradle with 1 x AC Adaptor

1 WATT POWER

D+ BOOSTER

DCS

ADDITIONAL 104 PRIVACY CODES



6+ kms 28/17 hrs

uh043sx-2 twin pack

- Compact Design
- 0.7 Watt Power
- Built for Rugged Australian and New Zealand Conditions
- 40 UHF Channels
- Digital Coded Squelch (104 Privacy Codes)
- Interference Eliminator (38 CTCSS Codes)
- D+ Booster (Extreme Distance Booster)
- Long Life Super Switch
- Range Extender (Duplex) Capability
- VOX Hands Free Capable
- Backlit LCD Display
- Auto Battery Save
- Includes 2 x uh043sx UHF Radios, 2 x Voice Activated (VOX) Headsets, 2 x NiMH Rechargeable Battery Packs, 2 x Belt Clips, 1 x Twin Desktop Charge Cradle with 1 x Adaptor

0.7 WATT POWER

D+ BOOSTER



4+ kms 25/14 hrs

uh036sx-4 quad pack

- Ultra Compact Design
- 0.5 Watt Power
- Built for Rugged Australian and New Zealand Conditions
- 40 UHF Channels
- D+ Booster (Extreme Distance Booster)
- Range Extender (Duplex) Capability
- LCD Display
- Auto Battery Save
- Channel Scan
- Battery Level Indicator
- Includes 4 x uh036sx UHF Radios

D+ BOOSTER

ULTRA COMPACT DESIGN



3+ kms 30 hrs

uh036sx-2 twin pack

- Ultra Compact Design
- 0.5 Watt Power
- Built for Rugged Australian and New Zealand Conditions
- 40 UHF Channels
- D+ Booster (Extreme Distance Booster)
- Range Extender (Duplex) Capability
- LCD Display
- Auto Battery Save
- Channel Scan
- Battery Level Indicator
- Includes 2 x uh036sx UHF Radios

D+ BOOSTER

ULTRA COMPACT DESIGN



3+ kms 30 hrs

STANDARD UHF ACCESSORIES



COMMERCIAL QUALITY UHF ACCESSORIES



UHF

Key Features	uh036sx-2*	uh043sx-2	uh047sx	uh047sx-2	uh044dp	uh064sx-2	uh073sx	uh078sx
ASC Technology	●	●	●	●	●	●	●	●
Maximum Output Power	0.5W	0.7W	1W	1W	2W	3W	3W	5W
Number of Channels	40	40*	40*	40*	40*	40*	40	40
Digital Coded Squelch	●	●	●	●	●	●	●	●
D+ Booster - Extreme Distance Booster	●	●	●	●	●	●	●	●
Range Extender (Duplex) Capability	●	●	●	●	●	●	●	●
Long Life Super Switch	●	●	●	●	●	●	●	●
VOX Hands Free Capability	●	●	●	●	●	●	●	●
Waterproof	●	●	●	●	●	●	●	●
Interference Eliminator CTCSS	●	●	●	●	●	●	●	●
Calling Tones	●	●	●	●	●	●	●	●
Compact Design	●	●	●	●	●	●	●	●
Backlit LCD Display	●	●	●	●	●	●	●	●
Backlit Keypad	●	●	●	●	●	●	●	●
Speaker Microphone Capable	●	●	●	●	●	●	●	●
Auto Battery Save	●	●	●	●	●	●	●	●
Extra RX Channels	●	●	●	●	●	●	●	60 CH (450-512MHz)
Scanning - All Channels	●	●	●	●	●	●	●	●
Scanning - Open	●	●	●	●	●	●	●	●

* Also available in Quad Pack
* Please note CH 22 + 23 are used for telemetry and telecommand applications, voice communications are not permitted on these channels and transmission is prohibited.

Key Features Cont.	uh036sx-2*	uh043sx-2	uh047sx	uh047sx-2	uh044dp	uh064sx-2	uh073sx	uh078sx
Scanning - Group (With Priority Watch)	●	●	●	●	●	●	●	●
Scanning Memory	●	●	●	●	●	●	●	●
Battery Level Indicator	●	●	●	●	●	●	●	●
Channel - Busy Lockout Function	●	●	●	●	●	●	●	●
Roger Beep	●	●	●	●	●	●	●	●
Keypad Lock	●	●	●	●	●	●	●	●
Rotary Squelch	●	●	●	●	●	●	●	●
Auto Squelch	●	●	●	●	●	●	●	●
Monitor	●	●	●	●	●	●	●	●
Range	3+kms	4+kms	6+kms	6+kms	8kms	10+kms	12kms	15kms
Operating Time	30hrs	25/14hrs	28/17hrs	28/17hrs	42/15hrs	24/19hrs	15hrs	15hrs
Power Source	3xAAA Alkaline Batteries (not included)	4xAAA Alkaline Batteries (not included) or NiMH Battery Pack (included)	4xAAA Alkaline Batteries (not included) or NiMH Battery Pack (included)	4xAAA Alkaline Batteries (not included) or NiMH Battery Pack (included)	4xAAA Alkaline Batteries (not included) or NiMH Battery Pack (included)	1xLithium Ion Rechargeable Battery Pack (included)	2xNiMH Ion Rechargeable Battery Pack (included)	2xNiMH Ion Rechargeable Battery Pack (included)
Receiving (RX) Indicator	●	●	●	●	●	●	●	●
Transmitting (TX) Indicator	●	●	●	●	●	●	●	●
Built-in Headset Jack	●	●	●	●	●	●	●	●

Standard Items Included	uh036sx-2*	uh043sx-2	uh047sx	uh047sx-2	uh044dp	uh064sx-2	uh073sx	uh078sx
Belt Clip	●	●	●	●	●	●	●	●
Single Desktop Charge Cradle	●	●	●	●	●	●	●	●
Twin Desktop Charge Cradle	●	●	●	●	●	●	●	●
AC Adaptor	●	●	●	●	●	●	●	●
NiMH Rechargeable Battery Pack	●	●	●	●	●	●	●	●
NiCad Rechargeable Battery Pack	●	●	●	●	●	●	●	●
Lithium Ion Rechargeable Battery	●	●	●	●	●	●	●	●
Voice Activated (VOX) Headsets	●	●	●	●	●	●	●	●
Speaker Microphone	●	●	●	●	●	●	●	●
Standard Optional Accessories Available								
Headset Microphone	●	●	●	●	●	●	●	●
Earpiece Microphone	EM-060	EM-060	EM-060	EM-060	EM-060	EM-060	EM-060	EM-060
Speaker Microphone	SM-060	SM-060	SM-060	SM-060	SM-060	SM-060	SM-060	SM-060
Voice Activated (VOX) Headset	VM-041	VM-041	VM-041	VM-041	VM-041	VM-041	VM-041	VM-041
Cigarette Lighter Charger	CL-040	CL-040	CL-040	CL-040	CL-040	CL-040	CL-040	CL-040
Desk Top Charger / Battery Pack	DT-040S	DT-040S	DT-040S	DT-040S	DT-040S	DT-040S	DT-040S	DT-040S
Leather Case	LC-047	LC-047	LC-047	LC-047	LC-047	LC-047	LC-047	LC-047
Commercial Quality Optional Accessories Available								
Speaker Microphone	SM-060CQ	SM-060CQ	SM-060CQ	SM-060CQ	SM-060CQ	SM-060CQ	SM-060CQ	SM-060CQ
Rubber Ear Hook	EM-060CQ	EM-060CQ	EM-060CQ	EM-060CQ	EM-060CQ	EM-060CQ	EM-060CQ	EM-060CQ
Dual Earmuff	HM-064CQ	HM-064CQ	HM-064CQ	HM-064CQ	HM-064CQ	HM-064CQ	HM-064CQ	HM-064CQ
Air Tube	EM-064CQ	EM-064CQ	EM-064CQ	EM-064CQ	EM-064CQ	EM-064CQ	EM-064CQ	EM-064CQ
References Kit	RK-060CQ	RK-060CQ	RK-060CQ	RK-060CQ	RK-060CQ	RK-060CQ	RK-060CQ	RK-060CQ
Speaker Headset	SM-078CQ	SM-078CQ	SM-078CQ	SM-078CQ	SM-078CQ	SM-078CQ	SM-078CQ	SM-078CQ

Key Features	Atlantis 250
ASC Technology	●
Output Power	5 Watts
Waterproof	●
Backlit Keypad	●
Triple Watch Mode	●
One Touch Emergency Channel 16	●
Memory Scan	●
Auto Battery Save	●
Keypad Lock	●
Design	Ergonomic and Rugged
Power Source	NiMH Rechargeable Battery Pack, DC Cord, Cigarette Lighter Cord, 6 AA Alkaline batteries (not included)

Standard Items Included	Atlantis 250
Antenna	●
AC Adaptor	●
Cigarette Lighter Charger	●
Backlit Keypad	●
Triple Watch Mode	●
One Touch Emergency Channel 16	●
Memory Scan	●
Auto Battery Save	●
Keypad Lock	●
Optional Accessories Available	
Speakerphone Microphone	SM-075

KEY	
	Operating time (in hours) based on 5% transmitting, 5% receiving and 90% waiting mode with low output power and alkaline batteries. If there are 2 numbers displayed (for eg. 38/25hrs) the first number is based on low output power and alkaline batteries and the second number is the operating time with the battery pack supplied.

UHF SCANNERS

& 27MHz CB Radio

Uniden Scanners listen to a wide range of communication being transmitted over public airways. Uniden Scanners are specifically designed and developed for the Australian and New Zealand Market.

These receivers can offer:

- A simple way to monitor activity by the emergency services, CB radios, aeronautical channels and a lot more
- Access to alternative radio stations – such as ethnic or community radio

Ideal for many people including:

- CB Enthusiasts
- Volunteer Services
- Community Groups
- Emergency Services
- Tow Truck Industry
- Security Services
- Journalists
- Aeronautical Enthusiasts
- Truck Drivers

CLOSE CALL™

RF CAPTURE TECHNOLOGY

Allows you to immediately lock onto nearby transmissions. If someone transmits nearby, the scanner immediately detects and locks in to the transmission. Ideal for use at events when the frequency being used is unknown.

CLOSE CALL™

RF CAPTURE TECHNOLOGY

TRUNKTRACKER IV™

TRUNKING RADIO TRACE TECHNOLOGY

DIGITAL SCANNER APCO 25



UBCD996T DIGITAL

- Desktop / In-Car Digital Scanner – DIN Size
- 6000 Dynamically Allocated Memory Locations
- Specifically Customised for the Australian and New Zealand Market
- Close Call™ RF Capture Technology
- Trunktracker IV™
- APCO 25 Digital Capability
- Dual Colour LCD and Keypad
- Multi-Site Trunking
- GPS Support: Location Based Scanning, Point of Interest
- GPS Alert, GPS Display Modes
- Pre-Programmed Service Searches (Police, UHF CB Radio, Marine, Railroad, Air, CB Radio, Racing, TV Broadcast, FM Broadcast)
- 100 Quick Key System Access
- Scanner Frequency Range: 25-512 MHz, 764-776 MHz, 794-806 MHz, 806-956 MHz, 1240-1300 MHz.
- PC Programmable
- Includes 1 x Telescopic Antenna, 1 x Window Mount Antenna, 1 x AC Adaptor, 1 x DC Power Cord, 1 x Cigarette Lighter Cord, 1 x Remote PC to Scanner Cable, 1 x DIN-E Sleeve



uh095sx

- UHF and AM Transceiver in One
- Mobile / DIN Size
- Size: 51mm (H) x 171mm (W) x 141mm (D)
- 5 Watts UHF CB Maximum Output Power
- 4 Watts UHF AM Maximum Output Power
- Built for Rugged Australian and New Zealand Conditions
- 40 UHF and 40 AM Channels
- Bearcat Engine
- 40 Extra RX Channels
- Voice Scramble Function
- Interference Eliminator (38 CTCSS Codes)
- Dual Watch
- One Touch UHF/AM Mode Selection
- Backlit Keypad and LCD Display
- VOX Hands-Free Capable
- Open Scan / Group Scan

2 YEAR WARRANTY

2 in 1 TRANSCIVER UHF & AM IN 1

DCS™ ADDITIONAL 100 PRIVACY CODES

18 kms

uh015sx

- UHF and Scanner in One
- Detachable Remote or In-Dash Control Head
- Built for Rugged Australian and New Zealand Conditions
- Super Compact Size: 36mm (H) x 127mm (W) x 157.5mm (D)
- Transceiver
 - 5 Watts Maximum TX Output Power
 - 40 UHF CB Channels
 - Interference Eliminator (38 CTCSS Codes)
 - Digital Coded Squelch (104 Privacy Codes)
 - Built-in SELCALL
 - Backlit Keypad and LCD Display
 - VOX Hands Free Capable
 - Range Extender (Duplex) Capability
- Scanner
 - Scan over 8500 receivable channels
 - 60 Extra RX Channels
 - Bearcat Engine
 - Dual Listening Circuitry
 - Band Search Function (400-512MHz)
 - Open Scan / Group Scan
 - Pre-programmed Analogue Police Channels

2 YEAR WARRANTY

18 kms

uh089sx

- Super Compact Size: 36mm (H) x 127mm (W) x 148mm (D)
- 5 Watts Maximum TX Output Power
- Built for Rugged Australian and New Zealand Conditions
- 40 UHF Channels
- Interference Eliminator (104 Privided Codes)
- Built-in VOX Circuitry
- Interference Eliminator (38 CTCSS Codes)
- Large Backlit LCD Display & Keypad
- Range Extender (Duplex) Capability
- Open Scan / Group Scan

2 YEAR WARRANTY

18 kms

DETACHABLE REMOTE HEAD

2 in 1 TRANSCIVER UHF & AM IN 1

8500+ Scannable Channels

BEARCAT

uh088sx+1

Combined uh088sx Mobile + uh064sx Handheld Pack

- Mobile / DIN Size
- Size: 51mm (H) x 171mm (W) x 141mm (D)
- Built for Rugged Australian and New Zealand Conditions
- 5 Watts Maximum TX Output Power
- 40 UHF Channels
- Interference Eliminator (38 CTCSS Codes)
- Front Fire Speaker
- Backlit Keypad and LCD Display
- Range Extender (Duplex) Capability
- Programmable Scan Function
- Open Scan / Group Scan

2 YEAR WARRANTY

18+ kms

2 WATTS QUAD POWER

CTCSS INTERFERENCE ELIMINATOR

2 YEAR WARRANTY applies to Mobile Unit only.

uh012sx+1

Combined uh012sx Mobile + uh047sx Handheld Pack

- Super Compact Size: 36mm (H) x 127mm (W) x 148mm (D)
- 5 Watts Maximum TX Output Power
- Built for Rugged Australian and New Zealand Conditions
- 40 UHF Channels
- Interference Eliminator (38 CTCSS Codes)
- LED Display
- Range Extender (Duplex) Capability
- One Touch Instant Channel Recalling
- Instant Channel Programmable
- Open Scan

2 YEAR WARRANTY

18+ kms

1 WATT POWER

D+ BOOSTER Extreme Distance Booster

2 YEAR WARRANTY applies to Mobile Unit only.

uh088sx

- Mobile / DIN Size
- Size: 51mm (H) x 171mm (W) x 141mm (D)
- Built for Rugged Australian and New Zealand Conditions
- 5 Watts Maximum TX Output Power
- 40 UHF Channels
- Interference Eliminator (38 CTCSS Codes)
- Front Fire Speaker
- Backlit Keypad and LCD Display
- Range Extender (Duplex) Capability
- Programmable Scan Function
- Open Scan / Group Scan

2 YEAR WARRANTY

18+ kms

FRONT FIRE SPEAKER

pro530xl

- Super Compact Size: 36mm (H) x 127mm (W) x 148mm (D)
- 4 Watts Maximum TX Output Power
- Built for Rugged Australian and New Zealand Conditions
- 40 AM CB Channels
- Dual Watch Channel
- One Touch Road Channel Recalling
- ANL (Auto Noise Limiter) Function
- Channel Display
- Variable Squelch Level Knob

2 YEAR WARRANTY

27MHz CB RADIO

2 YEAR WARRANTY applies to Mobile Unit only.

UBCD396T DIGITAL

- 6000 Dynamically Allocated Memory Locations
- Specifically Customised for the Australian and New Zealand Market
- Ultra Compact Design
- Close Call™ RF Capture Technology
- Trunktracker IV™
- APCO 25 Digital Capability
- Pre-Programmed Service Searches (Police, UHF CB Radio, Marine, Railroad, Air, CB Radio, Racing, TV Broadcast, FM Broadcast)
- 100 Quick Key System Access
- Scanner Frequency Range: 25-512 MHz, 764-776 MHz, 794-806 MHz, 806-956 MHz, 1240-1300 MHz
- DCS/CTCSS Rapid Decode
- Includes AC Adaptor and 3 x NiMH Rechargeable Batteries
- PC Programmable

DIGITAL SCANNER APCO 25

BEARCAT

UBC92XLT

- Scanner Frequency Range: 25-88 MHz, 108-174 MHz, 400-512 MHz, 806-956 MHz
- 100 Channels
- 8 Bands
- Ultra Compact Design
- Close Call™ RF Capture Technology
- Frequency Searching: Program Search, Chain Search, Direct Entry Search, Frequency Skip
- Pre-Programmed Service Search (Police, Railroad, Air, Marine, UHF CB, AM CB)
- Channel Scanning
- Backlit LCD Display
- Includes AC Adaptor 2 x NiMH Rechargeable Batteries

800MHz FREQUENCIES

BEARCAT

UBC72XLT

- Scanner Frequency Range: 25-88 MHz, 108-174 MHz, 400-512 MHz
- 100 Channels
- 7 Bands
- Ultra Compact Design
- Close Call™ RF Capture Technology
- Frequency Searching: Program Search, Chain Search, Direct Entry Search, Frequency Skip
- Pre-Programmed Service Search (Police, Railroad, Air, Marine, UHF CB, AM CB)
- Channel Scanning
- Backlit LCD Display
- Requires 3 x AA Alkaline or NiMH Rechargeable Batteries (not included)

BEARCAT

UBCT-8

- Desk top/In-Car Unit – Size: 51mm (H) x 177mm (W) x 154mm (D)
- Scanner Frequency Range: 25-512 MHz, 806-956 MHz, 1240-1300 MHz
- 250 Channels
- 12 Bands
- Trunktracker III
- Close Call™ RF Capture Technology
- Frequency Searching: Band Search, Turbo Search, Lockout Search, Frequency Skip, Data Skip
- Pre-Programmed Service Search (Police, Railroad, Air, Marine, UHF CB, AM CB)
- Channel Scanning
- PC Programmable
- Includes 1 x Telescopic Antenna, 1 x Window Mount Antenna, 1 x AC Adaptor, 1 x DC Power Cord, 1 x Mounting Bracket, 1 x Cigarette Lighter Cord

BEARCAT

TRUNKTRACKER III

FEATURES UHF 2 WAY CB RADIOS

Key Features	uh012sx	uh015sx	uh088sx	uh089sx	uh095sx
A.S.C. Technology	•	•	•	•	•
Output Power	5 Watts	5 Watts	5 Watts	5 Watts	5 Watts UHF / 4 Watts AM
Number of Channels	40*	40*	40	40*	40 UHF / 40 AM*
Digital Coded Squelch (DCS)	•	•	•	•	•
Interference Eliminator CTCSS	•	•	•	•	•
Dual Function	•	•	•	•	•
Range Extender Duplex Capability	•	•	•	•	•
External Speaker Jack	•	•	•	•	•
Mounting - Remote or in dash	•	•	•	•	•
TX Indicator	•	•	•	•	•
Scanning Receiver Functions					
Channels	60 Extra RX CH	400-512MHz			40 Extra RX CH
Frequency Search	•	•	•	•	•
Memory Scan Functions	•	•	•	•	•
Scanning - Channel	•	•	•	•	•
Scanning Group (with Priority Watch)	•	•	•	•	•
Scanning Open	•	•	•	•	•
Size	Mobile/ Compact	Mobile/ Compact	Mobile/ Compact	Mobile/ Compact	Mobile/ Din Size
User Programmable SELCALL	•	•	•	•	•
VOX Circuitry Built-in	•	•	•	•	•
Roger Beep	•	•	•	•	•
Calling Tone	•	•	•	•	•
Instant Channels	•	•	•	•	•

* Please note CH 22 + 23 are used for telemetry and telecommand applications, voice communications are not permitted on these channels and transmission is prohibited.

UHF ACCESSORIES

Standard Items Included	uh012sx	uh015sx	uh088sx	uh089sx	uh095sx
Handheld Microphone	•	•	•	•	•
Mounting Brackets	•	•	•	•	•
Mic Mounting Clips	•	•	•	•	•
DC Power Cord with Fuse	•	•	•	•	•
Extension Lead for Remote Control Head	•	•	•	•	•
Optional Accessories Available					
DIN Mounting Kit (DMK-8990)	•	•	•	•	•
Mobile Antenna - 60B Ground Independent (AT-470)	•	•	•	•	•
SELCALL Chip	•	•	•	•	•

KEY Typical range in km (line of sight)

AT-470 Mobile Antenna - 60B Ground Independent

DMK-8990 DIN Mounting Kit

SK-088 SELCALL Chip

FEATURES SCANNERS

Key Features	UBC72XLT	UBC92XLT	UBCT-8
Scanner Frequency	25-88 MHz, 108-174 MHz, 400-512 MHz	25-88 MHz, 108-174 MHz, 400-512 MHz, 806-956 MHz, 1240-1300 MHz	25-512 MHz, 806-956 MHz, 1240-1300 MHz
Channels	100	200	250
Bands	7	8	12
Trunk Tracker III	•	•	•
Trunk Tracker IV	•	•	•
Backlit LCD	•	•	•
Backlit Keypad	•	•	•
Close Call RF Capture Technology	•	•	•
Frequency Searching	•	•	•
Max. Search Speed	140 Steps/sec	140 Steps/sec	150 Steps/sec
Power Source	2AA Alkaline or NiMH batteries (not included)	AC Adaptor, 2 NiMH Rechargeable Batteries	AC Adaptor, DC Cord, Cigarette Lighter Cord
Keypad Lock	•	•	•
Pre-Programmed Service Searches	•	•	•
DCS/CTCSS Rapid Decode	•	•	•
6000 Dynamically Allocated Channels	•	•	•
More Features	See website	See website	See website

FEATURES DIGITAL SCANNERS

Key Features	UBCD996T	UBCD396T
Scanner Frequency	25-512 MHz, 764-776 MHz, 794-806 MHz, 806-956 MHz, 1240-1300 MHz	25-512 MHz, 764-776 MHz, 794-806 MHz, 806-956 MHz, 1240-1300 MHz
Channels	6000	6000
Bands	14	14
Desktop / In-Car	•	•
Trunk Tracker IV	•	•
APCO 25	•	•
Backlit LCD	•	•
Backlit Keypad	•	•
Multi-Site Trunking	•	•
GPS Support	•	•
Close Call RF Capture Technology	•	•
Frequency Searching	•	•
Max. Search Speed	140 Steps / sec	110 Steps / sec
Power Source	AC Adaptor, DC Cord, Cigarette Lighter Cord	AC Adaptor, 3 NiMH Rechargeable Batteries
Keypad Lock	•	•
Pre-Programmed Service Searches	•	•
Alpha Tagging	•	•
DCS/CTCSS Rapid Decode	•	•
6000 Allocated Channels	•	•
More Features	See website	See website

SCANNER ACCESSORIES

Standard Items Include	UBC72XLT	UBC92XLT	UBCT-8	UBCD996T	UBCD396T
Antenna	•	•	Telescopic & window mount	•	Telescopic & window mount
AC Adaptor	•	•	•	•	•
DC Power Cord	•	•	•	•	•
Cigarette Lighter Changer - Colored	•	•	•	•	•
Mounting bracket	•	•	•	•	•
Belt Clip	•	•	•	•	•
NiMH Rechargeable Batteries	•	•	•	•	•
Remote PC to Scanner Cable	•	•	•	•	•
DIN-E Sleeve	•	•	•	•	•

SCANNER FREQUENCIES

To view all Australian Scanner Frequencies and Repeater Station Locations please visit our website at www.uniden.com.au & www.uniden.co.nz

All specifications are subject to change without notice.

GLOSSARY

- **A.S.C. Technology:** Advanced Signal Clarity Technology ensures optimum sound clarity.
- **APCO 25:** Monitor any un-encrypted APCO 25 phase 4FM and QPSK system, including Motorola systems, using 3600 or 9600 bps control channels.
- **Auto Battery Save:** Automatically saves and conserves power when not in use.
- **Auto Search and Store:** Search a given band of frequencies and store the active channels into specific channel locations.
- **Auto Squelch:** Automatically blocks the unwanted low hissing noise allowing only strong incoming signals.
- **Band:** A designated group of frequencies.
- **Bank:** A bank of memories or channels that aids sorting and faster scanning.
- **Bearcat Engine:** Allows the unit to scan UHF CB channels, AM CB channels and user programmable channels at the same time. Dual watch, open scan and group scan give seamless communication across the channels and bands.
- **Busy Channel Lockout:** Disables your transmitter while activity is detected on the channel.
- **Channels:** The number of transmission frequencies available to transmit or receive messages.
- **D+ Booster (Extreme Distance Booster):** Uses precision matched antennas to deliver superior range and enhance battery efficiencies compared to standard UHF systems.
- **Data Skip:** Allows the scanner to skip unwanted data transmissions and reduces birdies.
- **Digital Coded Squelch (DCS):** Allows you to choose from 104 alternative digital codes that can be sent with your transmission. The digital code is recognized by the selected receivers enabling them to receive the transmission. Receivers that do not recognize the digital code remain silent therefore blocking out unwanted conversations.
- **DIN Size:** The correct size for all in-dash vehicle installations.
- **Dual Listening Circuitry:** Allows you to listen to your UHF and Scanner Channels without having to switch between Scanner and UHF mode.
- **Dual Watch:** Allows you to monitor the priority channel for activity every two seconds while monitoring another UHF or AM CB channel at the same time.
- **Frequency Skip:** Allows you to skip frequencies in Band Search, Service Search and Close Call Search if the frequency is not a preferred one.
- **Interference Eliminator (CTCSS):** Allows you to only hear transmissions using the same code on the same channel, effectively blocking out unwanted conversations.
- **Instant Channel Programmable:** Allows you to select the channel you want to set as your priority channel.
- **Key Touch Tone:** Alerts you with a tone after a key is pushed.
- **Keypad Lock:** Allows keys to be frozen.
- **LCD:** Liquid Crystal Display.
- **Long Life Super Switch:** Select between high, medium and low RF output power to extend your battery power supply.
- **Manual Channel Access:** Allows you to go directly to a channel without stepping through other channels.
- **Memory Channel Scan:** Allows you to scan all channels saved in memory.
- **Monitor:** Listen to weak signals normally muted by the automatic squelch unit.
- **Memory Backup:** Keeps a backup in the memory of previously programmed frequencies and settings once power is turned off.
- **Multi-Site Trunking:** Lets you share system channels across multiple sites allowing you to efficiently use the scanners memory and more easily select sites to monitor.
- **One Touch Emergency Channel 16:** At the touch of a button you have access to emergency channel 16 or channel 9.
- **Open Scan:** Scans all channels and locks on active channels.
- **Priority Channel Scan:** Allows you to monitor the priority channel while scanning other channels.
- **Priority Watch:** One Channel per bank can be designated as a priority channel. Once activated, the scanner will regularly monitor the selected channel and automatically return upon sensing activity.
- **Range Extender (Duplex) Capability:** Allows the unit to operate via a local repeater station, if available, which transmits your signal over a wider area. Up to an extra 30-100km depending on location, height and availability of local repeater station.
- **Remote or In-Dash Control Head:** Allows you to mount the front control of the radio in a convenient location whilst fixing the body of the unit in a separate location.
- **Repeater:** A high power transceiver mounted on high ground to give maximum coverage, limited to 21 Watts EIRP, which retransmits the original signal to give extended range.
- **Roger Beep:** Confirmation tone indicating the completion of your transmission.
- **Search:** To scan between designated upper and lower frequency limits for activity.
- **SELCALL:** Selective Calling or Tone Calling allows the user to send a series of tones that equate to a 5 or 6 digit number (like a telephone number) to selectively call a similarly equipped person.
- **Splashproof:** Certified to meet the standard JIS2. Being defined as having no harmful influence by the range covering 15° from perpendicular.
- **Transceiver:** Abbreviation for Transmitter/Receiver, or Two-Way Radio.
- **Trunktracker IV™ (Motorola APCO 25™ Digital™, Motorola™, EDACS™, LTR™):** Search for and monitor all the groups within a specific trunked digital or analogue system. Lockout unwanted groups during the search and save other groups to scan lists.
- **VOX Built-In:** Handsfree operation is possible with Voice Activated Circuitry and optional headset or speaker microphone.
- **Waterproof:** Certified to meet the world standard JIS4 waterproof level. Being defined as having no harmful influence by receiving splash of water from any direction.

2006

- UHF & 27MHz CB Radios
- UHF Handheld Radios
- Scanning Receivers
- Marine Transceivers

UNIDEN AUSTRALIA PTY LTD
345 Princes Highway
Rockdale NSW 2216 Australia
Tel: 02 9599 3355 Fax: 02 9599 4018
www.uniden.com.au

UNIDEN NEW ZEALAND PTY LTD
150 Harris Road
East Tamaki Auckland New Zealand
Tel: 09 273 8383 Fax: 09 274 0009
www.uniden.co.nz

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>