



Only Uniden's UHF A.S.C. Technology uses an advanced microprocessor and surface mount components to provide the following outstanding benefits:

- Advanced Performance and Clear Reception
- Extended Transmission Range longer transmission ranges
- Extended Operating Time longer battery life due to the efficient high
- performance power module and a Long Life Super Switch on certain models

 Selectable Power Levels from 40mW to 5 Watts Power depending on the model
- Designed and Engineered in Japan

	UNIDEN A.S.C. Technology	TYPICAL UHF Technology
Advanced Performance / Clear Reception	Yes	No
Extended Transmission Range	Yes	No
Extended Operating Time	Yes	No
Selectable Power Levels	Yes	No

MARINE Durable enough to take anywhere and ideal for boating, marine, fisherman and commercial use, Uniden's Atlantis 250 offers outstanding performance in all conditions. This compact and powerful 5-watt unit has a world standard certified water resistant grading of JIS4 enabling it to withstand splashes of water from any direction. With extended range and crystal clear sound the Atlantis 250 provides the very best in marine communication. atlantis 250 waterproof VHF ■ Ergonomic Design Marine Radio ■ 5 Watts Maximum TX Output Power Built for Rugged Australian and New Zealand Conditions ■ Backlit Keypad and LCD Display Triple Watch Mode ■ One Touch Emergency Channel 16 Memory Scan ■ Auto Battery Save ■ Keypad Lock Includes 1 x Atlantis 250 VHF Marine Radio 1 x Cradle and Mounting Screws, 1 x NiMH Rechargeable Battery Pack, 1 x Alkaline Battery Case, 1 x AC Adaptor, 1 x Cigarette Lighter Charger, 1 x Belt Clip, 1 x Wrist Strap

Certified to meet the world standard JIS4 waterproof leve Being defined as having no harmful influence by receiving

plash of water from any direction.

10/13 hrs

uh078sx

- Compact Design ■ 5 Watt Power
- Built for Rugged Australian and New Zealand Conditions with its
- Metal Alloy Casing ■ 40 UHF Channels
- Digital Coded Squelch (104 Privacy Codes) Interference Eliminator (38 CTCSS Codes)
- Waterproof
- Voice Scramble Function ■ 60 Extra RX Programmable
- Channels for Scanning
- Bearcat Engine
- Life Long Super Switch Range Extender (Duplex) Capability
- VOX Hands Free Capable
- Backlit Keypad and LCD Display
- Auto Battery Save III Includes 1 x uh078sx UHF Radio,
- 1 x Speaker Microphone.
- 1 x Dual Desktop Charge Cradle, 2 x High Capacity Lithium-Ion
- Rechargeable Battery Packs, 1 x AC Adaptor and 1 x Belt Clip





uh073sx

- Compact Design 3 Watt Power
- Built for Rugged Australian and New Zealand Conditions with its
- Metal Alloy Casing ■ 40 UHF Channels
- Interference Eliminator (38 CTCSS Codes)
- Waterproof
- Life Long Super Switch Range Extender (Duplex) Capability
- VOX Hands Free Capable
- Backlit Keypad and LCD Display
- Auto Battery Save
- Open Scan
- Group Scan
- Battery Level Indicator
- Busy Channel Lockout Function
- Includes 1 x uh073sx UHF Radio, 1 x Belt Clip, 1 x Lithium-Ion
- Rechargeable Battery, 1 x Desktop Charge Cradle and 1 x AC Adaptor





uh064sx-2 premium pack

■ Compact Design

3 WATTI POWER

WATERPROOF

2 YEAR

- 2 Watt Power
- Built for Rugged Australian and New Zealand Conditions
- 40 UHF Channels
- Digital Coded Squelch (104 Privacy Codes)
- Interference Eliminator (38 CTCSS Codes) ■ D+ Booster (Extreme Distance Booster)
- Long Life Super Switch
- Range Extender (Duplex) Capability
- VOX Hands Free Capable
- Backlit LCD Display Auto Battery Save
- Roger Beep
- Busy Channel Lockout Function
- Channel Scan ■ Includes 2 x uh064sx UHF Radios,
- 2 x Speaker Microphones, 2 x Voice Activated
- (VOX) Headsets, 2 x NiMH Rechargeable Battery Packs, 2 x Belt Clips, 1 x Twin Desktop Charge Cradle with 1 x AC Adapter







uh044dp

deluxe pack

■ Compact Design

■ 40 UHF Channels

■ Backlit LCD Display

■ Battery Level Indicator

3 x AA NiCad Batteries,

■ Auto Battery Save

■ Keypad Lock

■ Auto Squelch

■ Built for Rugged Australian and

Range Extender (Duplex) Capability

■ Includes 1 x uh044 UHF Radio,

New Zealand Conditions

■ Long Life Super Switch

■ 2 Watt Power







27/41/8

LONG LITE

uh047sx-2

- deluxe pack
- Compact Design
- 1 Watt Power Built for Rugged Australian and
- New Zealand Conditions
- **# 40 UHF Channels**
- Digital Coded Squelch (104 Privacy Codes)
- Interference Eliminator (38 CTCSS Codes)
- D+ Booster (Extreme Distance Booster)
- III Long Life Super Switch
- Range Extender (Duplex) Capability
- VOX Hands Free Capable
- Backlit LCD Display Auto Battery Save
- Roger Beep
- Busy Channel Lockout Function
- Channel Scan ■ Includes 2 x uh047sx UHF Radios, 2 x Speaker
- Microphones, 2 x NiMH Rechargeable Battery Packs, 2 x Belt Clips, 1 x Twin Desktop Charge Cradle with 1 x AC Adaptor







5 WATT POWER

WATERPROOF

Bearcat





- - - Metal Alloyed Case

 - Microphone, 1 x NiMH Rechargeable Battery Pack, 1 x Belt Clip, 1 x Single Desktop Charge Cradle with 1 x AC Adaptor



- III 1 Watt Power ■ Built for Rugged Australian and
- New Zealand Conditions ■ 40 UHF Channels
- Digital Coded Squelch (104 Privacy Codes)
- Interference Eliminator (38 CTCSS Codes)
- D+ Booster (Extreme Distance Booster)
- Long Life Super Switch
- Range Extender (Duplex) Capability ■ VOX Hands Free Capable
- Backlit LCD Display Auto Battery Save
- Roger Beep
- Busy Channel Lockout Funct
- Channel Scan ■ Includes 1 x uh047sx UHF Radio, 1 x Speaker



6+ kms 28/17 hrs

1 WATT POWER

uh043sx-2

- twin pack ■ Compact Design
- 0,7 Watt Power
- Built for Rugged Australian and New Zealand Conditions
- 40 UHF Channels
- Digital Coded Squelch (104 Privacy Codes) ■ Interference Eliminator (38 CTCSS Codes)
- D+ Booster (Extreme Distance Booster) ■ Range Extender (Duplex) Capability
- Backlit LCD Display ■ Auto Battery Save
- Includes 2 x uh043sx UHF Radios, 2'x Voice Activated (VOX) Headsets,
- 2 x NiMH Rechargeable Battery Packs, 2 x Belt Clips, 1 x Twin Desktop Charge Cradle with 1 x Adaptor





uh036sx-4 quad pack


- Ultra Compact Design ■ 0.5 Watt Power
- Built for Rugged Australian and New Zealand Conditions
- 40 UHF Channels ■ D+ Booster (Extreme Distance Booster)
- Range Extender (Duplex) Capability LCD Display

0

Auto Battery Save ■ Channel Scan

UHF ACCESSORIES

■ Battery Level Indicator



uh036sx-2 twin pack

- Ultra Compact Design ■ 0.5 Watt Power ■ Built for Rugged Australian and
- New Zealand Conditions ■ 40 UHF Channels
- D+ Booster (Extreme Distance Booster) Range Extender (Duplex) Capability
- LCD Display Auto Battery Save
- Channel Scan ■ Battery Level Indicator



■ Includes 2 x uh036sx UHF Radios



STANDARD UHF ACCESSORIES Desktop Charger / Battery Pack

COMMERCIAL QUALITY UHF ACCESSORIES



FEATURES UHF	<u>- 2-WAY</u>	<u> HANC</u>	<u>)HELD</u>	CB RA	<u>ADIOS</u>			
Key Features	uh036sx-2*	uh043sx-2	uh047sx	uh047sx-2	uh044dp	uh064sx-2	uh073sx	uh078sx
ASC Technology	•	•	•	•	•	•	•	•
Maximum Output Power	0.5W	0.7W	1W	1W	2W	2W	3W	5W
Number of Channels	40	40*	40*	40*	40	40*	40	40
Digital Coded Squelch		0	0	•		•		0
D+Booster – Extreme Distance Booster	•	•	•	•		•		
Range Extender (Duplex) Capability	•	0	•	•	0	•	0	0
Long Life Super Switch			0	•	0	•	0	0
VOX Hands Free Capability		0	0	•		•	•	0
Waterproof				1		1	0	0
Interference Eliminator CTCSS		0	0	•		•	0	0
Calling Tones		0	0	1		•		0
Compact Design	•	0	•	•	0	•	0	0
Backlit LCD Display		•	0	•	0	•	0	•
Backlit Keypad				1		†i	0	0
Speaker Microphone Capable		0	0	•	0	•	0	0
Auto Battery Save	•	0	•	•	0	•	0	0
Extra RX Channels								60 CH (450-512MHz
Scanning – All Channels	•	0	•	•	0	0	•	•
Scanning - Open	-	0	0	0	0	0	0	0

Key Features Cont.	uh036sx-2*	uh043sx-2	uh047sx	uh047sx-2	uh044dp	uh064sx-2	uh073sx	uh078sx
Scanning – Group (With Priority Watch)			1					
Scanning Memory								
Battery Level Indicator	•	0	1 0		• •	•	0	•
Channel – Busy Lockout Function		0	. 0	0		0	0	0
Roger Beep		0	0	0		0	0	•
Keypad Lock		0	0	0	•	0	0	0
Rotary Squelch							0	0
Auto Squelch	0	•	. 0	•	0	•	0	•
Monitor	•	0	0	0	0	0	0	•
Range	3+kms	4+kms	6+kms	6+kms	8kms	10+kms	12kms	15kms
Operating Time	30hrs	25/14hrs	28/17hrs	28/17hrs	42/15hrs	24/19hrs	15hrs	15hrs
Power Source	3xAAA Alkaline Batteries (not included)	4xAAA Alkaline Batteries (not included) or NIMH Battery Pack (included)	pxAAA Alkaline Batteries (not included) or NiMH Battery Pack (included)	4xAAA Alkaline Batteries (not included) or NIMH Battery Pack (included)	4xAAA Alkaline Batteries (not included) or 3xAA NiCad Battery (included)	4xAAA Alkaline Batteries (not included) or NiMH Battery Pack (included)	1xLithium Ion Rechargeable Battery Pack (included)	2xLithium lor Rechargeabl Battery Pack (included)
Receiving (RX) Indicator	•	•		•	0	•	0	•
Transmitting (TX) Indicator	•	•	1 0	•	•	•	0	•
Built-in Headset Jack		•	•	•	•	•	•	0


Standard Items Included	uh036sx-2*	uh043sx-2	uh047sx	uh047sx-2	uh044dp	uh064sx-2	uh073sx	uh078
Belt Clip	•	•	•	•	•	•	•	4
Single Desktop Charge Cradle								1-
Twin Desktop Charge Cradle							<u>-</u>	φ
AC Adaptor		0	0	0	0	0	•	Q
NiMH Rechargeable Battery Pack		•	0	•		•		
NiCad Rechargeable Battery Pack					0			1-
Lithium Ion Rechargeable Battery						+	0	x2
Voice Activated (VOX) Headsets		•				•		ļ <u>-</u> -
Speaker Microphone			0	•		•		
Standard Optional Accessories Available						+		1-
Headset Microphone					HM-040			I
Earpiece Microphone		EM-060	EM-060	EM-060	EM-040	EM-060		ļ . -
Speaker Microphone		SM-060	SM-060	SM-060	SM-050	SM-060	SM-075	† † -
Voice Activated (VOX) Headset		VM-041	VM-041	VM-041		VM-041	VM-075	
Cigarette Lighter Charger					CL-040	1		† <u>-</u> -
Desk Top Charger / Battery Pack					DT-040S	1		
Leather Case		LC-047	LC-047	LC-047	LC-040	LC-047	LC-075	LC-0
Commercial Quality Optional Accessories Available	e					1		11-
Speaker Microphone		SM-060CQ	SM-060CQ	SM-060CQ		SM-060CQ	SM-078CQ	SM-078
Rubber Ear Hook		EM-060CQ	EM-060CQ	EM-060CQ		EM-060CQ		
Dual Earmuff		HM-064CQ	HM-064CQ	HM-064CQ		HM-064CQ		
Air Tube		EM-064CQ	EM-064CQ	EM-064CQ		EM-064CQ		[] -
Referees Kit		RK-060CQ	RK-060CQ	RK-060CQ		RK-060CQ		Ī
Speaker Headset	-	HM-060CQ	HM-060CQ	HM-060CQ		HM-060CQ	1	1:


FEATURES MAR	RINE	MARINE ACCES	SORIES
Key Features	Atlantis 250	Standard Items Included	Atlantis 2
ASC Technology	•	Antenna	•
Output Power	5 Watts	AC Adaptor	•
Waterproof	•	Cigarette Lighter Charger	•
Backlit LCD	•	Cradle & Mounting Screws	•
Backlit Keypad	•	NiMH Rechargeable Battery Pack	•
Triple Watch Mode	•	Alkaline Battery Case	•
One Touch Emergency Channel 16	•	Belt Clip	•
Memory Scan Function	•	Wrist Strap	•
Auto Battery Save	•	Optional Accessories Available	
Keypad Lock	0	Speakerphone Microphone	SM-075
Design	Ergonomic		
	and Rugged		
Power Source	AC Adaptor,		
	NiMH Rechargeable		
	Battery Pack, DC Cord,		
	Cigarette Lighter Cord,		
	6 AA Alkaline batteries		
	(not included)		

Standard Items Included	Atlantis 250	
Antenna	•	Operating
AC Adaptor	•	receiving of
Cigarette Lighter Charger		and alkalir
Cradle & Mounting Screws	•	(for eg. 38 power and
NiMH Rechargeable Battery Pack	•	the operati
Alkaline Battery Case	•	
Belt Clip		
Wrist Strap	0	Typical rar
Optional Accessories Available		
Speakerphone Microphone	SM-075	

	Operating time (in hours) based on 5% transmitting, 5 receiving and 90% waiting mode with low output powe and alkaline batteries. If there are 2 numbers displayed (for eg. 38/26hrs) the first number is based on low out power and alkaline batteries and the second number i the operating time with the battery pack supplied.
0	Typical range in km (line of sight).

Please note CH 22 ± 23 are used for tel





Standard Items Included	uh012sx	uh015sx	uh088sx	uh089sx	uh095s
Handheld Microphone	•	•	•	•	•
Mounting Brackets	•	•	•	0	•
Mic Mounting Clips	•	•	•	•	•
DC Power Cord with Fuse	•	•	•	•	•
Extension Lead for Remote Control Head		•			
Optional Accessories Available					
DIN Mounting Kit (DMK-8990)	•	•		•	I
Mobile Antenna- 6dB Ground Independent (AT-470)	•	•	•	•	•
SELCALL Chip		I	(SK-088)		I



Key Features	UBC72XLT	UBC92XLT	UBCT-8
Scanner Frequency	25-88 MHz, 108-174 MHz,	25-88 MHz, 108-174 MHz,	25-512 MHz, 806-956 I
. ,	400-512 MHz	400-512 MHz, 806-956 MHz	1240-1300 MHz
Channels	100	200	250
Bands	7	8	12
Trunk Tracker III			•
Trunk Tracker IV			
Backlit LCD	•	•	•
Backlit Keypad			•
Close Call RF Capture Technology	•	•	•
Frequency Searching	•	•	•
Max. Search Speed	140 Steps/sec	140 Steps/sec	150 Steps/sec
Power Source	2AA Alkaline or NiMH batteries (not included)	AC Adapter, 2 NiMH Rechargeable Batteries	AC Adaptor, DC Cord Cigarette Lighter Cord
Keypad Lock	•	•	
Pre-Programmed Service Searches	•	•	•
DCS/CTCSS Rapid Decode			
6000 Dynamically Allocated Channels			
More Features	See website	See website	See website

Key Features	UBCD996T	UBCD396T
Scanner Frequency	25-512 MHz, 764-776 MHz 794-806 MHz, 806-956 MHz 1240-1300 MHz	25-512 MHz, 764-776 MH 794-806 MHz, 806-956 MH 1240-1300 MHz
Channels	6000	6000
Bands	14	14
Desktop / In-Car	•	
Trunk Tracker IV	•	•
APCO 25	•	•
Backlit LCD	Dual Colour	•
Backlit Keypad	Dual Colour	•
Multi-Site Trunking	•	
GPS Support	•	
Close Call RF Capture Technology	•	•
Frequency Searching	•	•
Max. Search Speed	140 Steps / sec	110 Steps / sec
Power Source	AC Adaptor, DC Cord,	AC Adapter, 3 NiMH
	Cigarette Lighter Cord	Rechargeable Batteries
Keypad Lock	•	•
Pre-Programmed Service Searches	•	0
Alpha Tagging	•	•
DCS/CTCSS Rapid Decode	•	•
6000 Allocated Channels	•	•
More Features	See website	See website

SCANNER FREQUENCIES

To view all Australian Scanner Frequencies and Repeater Station Locations please visit our website at www.uniden.com.au & www.uniden.co.nz

All specifications are subject to change without notice.

GLOSSARY

nnology: Advanced Signal Clarity Technology ensures optimum sound clarity 5: Monitor any un-encrypted APCO 25 phase C4FM and CQPSK system, including Motorola systems, using 3600 or 9600 bps control channels.

/ Save: Automatically saves and conserves power when not in use. Store: Search a given band of frequencies and store the active channels into specific channel locations • Auto Squelch: Automatically blocks the unwanted low hissing noise allowing only strong incoming signals. Band: A designated group of frequencies. • Bank: A bank of memories or channels that

UHF systems. aids sorting and faster scanning. gine: Allows the unit to scan UHF CB channels, AM CB channels and user programmable channels at the same time. Dual watch, open scan and group

scan give seamless communication across the channels and bands. kout: Disables your transmitter while activity is detected on the channel. Channels: The number of transmission frequencies available to transmit or receive messages.

ual Watch: Allows you to monitor the priority channel for activity every two seconds while monitoring another UHF Uses precision matched antennas to or AM CB channel at the same time. deliver superior range and enhance battery cy Skip: Allows you to skip frequencies in Band Search. Service Search efficiencies compared to standard and Close Call Search if the frequency is

Data Skip: Allows the scanner to skip not a preferred one. unwanted data transmissions and to only hear transmissions using the same reduces birdies. code on the same channel, effectively you to choose from 104 alternative digital blocking out unwanted conversations. codes that can be sent with your

transmission. The digital code is recognized by the selected receivers enabling them to receive the transmission. Receivers that do not recognize the digital code remain silent therefore blocking out unwanted conversations.

• DIN Size: The correct size for all in-dash vehicle installations. ry: Allows you to

S): Allows you

able: Allows you

listen to your UHF and Scanner Channels

without having to switch between Scanner

to select the channel you want to set as

Kevpad Lock: Allows kevs to be frozen.

• LCD: Liquid Crystal Display.

your priority channel.

• Key Touch Tone: Alerts you with a tone after

and UHF mode.

a key is pushed.

 Long Life Super Switch: Select between high, medium and low RF output power to extend your battery power supply. Access: Allows you to go directly to a channel without stepping through other channels.

el Scan: Allows you to scan all channels saved in memory. Monitor: Listen to weak signals normally muted by the automatic squelch unit. Backup: Keeps a backup in the memory of previously programmed frequencies and settings once power is

turned off. nking: Lets you share system channels across multiple sites allowing you to efficiently use the scanners memory and more easily select sites to monitor. ency Channel 16: At the touch of a button you have access to emergency channel 16 or channel 9.

can: Scans all channels and locks on active channels. nnel Scan: Allows you to monitor the priority channel while scanning

w Watch: One Channel per bank can be designated as a priority channel. Once activated, the scanner will regularly monitor the selected channel and automatically return upon sensing activity.

v: Allows the unit to operate via a local repeater station, if available, which transmits your signal over a wider area. Up to an extra 30-100km depending on location, height and availability of local repeater station. ad: Allows you to mount the front control of the radio in a convenient location whilst fixing the body of the unit in a separate location. ater: A high power transceiver mounted on high ground to give maximum coverage, limited to 21 Watts EIRP, which retransmits the original signal to give

extended range.

Roger Beep: Confirmation tone indicating the completion of your transmission. Search: To scan between designated upper and lower frequency limits for activity.

• SELCALL: Selective Calling or Tone Calling allows the user to send a series of tones that equate to a 5 or 6 digit number (like a telephone number) to selectively call a similarly equipped person. of: Certified to meet the standard JIS2. Being defined as having no harmful influence by drip of water falling/from the range covering 15° from perpendicular.

eiver: Abbreviation for Transmitter/Receiver, or Two-Way Radio cker IV - (Motorola APCO 25/ Digital®, Motorola®, EDACS®, LTR®X.

Search for and monitor all the groups within a specific trunked digital or analogue system. Lockout unwanted groups during the search and save other groups to scan lists. VOX Built-In: Handsfree operation is possible with Voice Activated Circuitry and optional headset or speaker microphone. Waterproof: Certified to meet the world standard JIS4 waterproof level. Being defined as having no harmful influence by

345 Princes Highway Rockdale NSW 2216 Australia Tel: 02 9599 3355 Fax: 02 9599 4018 www.uniden.com.au

www.uniden.co.nz

150 Harris Road East Tamaki Auckland New Zealand Tel: 09 273 8383 Fax: 09 274 0009





UHF & 27MHz CB Radios

2006

UHF Handheld Radios Scanning Receivers

Marine Transceivers

Uniden®

Free Manuals Download Website

http://myh66.com

http://usermanuals.us

http://www.somanuals.com

http://www.4manuals.cc

http://www.manual-lib.com

http://www.404manual.com

http://www.luxmanual.com

http://aubethermostatmanual.com

Golf course search by state

http://golfingnear.com

Email search by domain

http://emailbydomain.com

Auto manuals search

http://auto.somanuals.com

TV manuals search

http://tv.somanuals.com