

MFX-2550 / MFX-2570

INNOVATIVE DESKTOP Document Solutions





BUSINESS-CLASS DOCUMENT SOLUTIONS



MK3213



Download from Www.Somanuals.com. All Manuals Search And Download.

The MFX-2550 and MFX-2570 from Muratec are multifunction document solutions that enable seamless document scanning, faxing, copying, printing and management, without the complicated interface and expensive modifications associated with competing devices.

Document Capture & Workflow Solutions

- High-speed color scanning to PC folders, e-mail addresses, FTP, document management systems and USB flash drives
- Capture two-sided color and monochrome documents quickly with the 80-sheet single pass duplex scanner (MFX-2570 only)
- Automatically index documents into popular document management applications using ScanTag®
- Standard fax functionality enables one-touch fax sending. Groups can be created to quickly broadcast documents to fax numbers and e-mail addresses

Document Output Solutions

- 25 page-per-minute (simplex) & 7 pages-per-minute (duplex) print speed
- Create distribution-ready documents using the standard shiftsorting output tray (MFX-2570 only)
- Built-in duplex printing reduces paper consumption
- Standard Ethernet and USB ports offer robust PC connections for printing
- Standard 500-sheet paper cassette and 50-sheet multipurpose bypass tray enable you to print on a variety of paper types and sizes
- Optional printing solutions include PCL5e/6, PostScript 3, barcode printing and PDF Direct printing

Shift Sorting – Unique to a desktop MFP the MFX-2570 features shift-sorting to create distributionready output.

Flexible Paper Options – Both devices feature a standard 500-sheet paper cassette (letter/ legal) and a 50-sheet multipurpose bypass tray. An optional 500-sheet cassette can be added to increase the paper capacity to 1,050-sheets.

USB Host Drive – The USB host drive is conveniently located at the front of the control panel and enables users to print from, or scan to, a USB flash drive.



Intuitive Operation – The control panel is easy-to-navigate making job execution and machine programming a snap!

Security Solutions

- Route inbound fax documents to an e-mail address or PC folder location
- Secure printing suppresses print jobs until a password has been entered on the control panel
- Users can be required to log-in prior to gaining machine access. The MFX-2550 and MFX-2570 support authentication through Active Directory
- Secure fax reception suppresses fax documents from printing until a password has been entered
- Send scanned documents as secure PDF's that require password entry prior to opening

Intuitive User Interface

- 5.8" touch screen walks users through machine programming, job execution and troubleshooting
- My MFP mode allows users to access commonly used features from a single screen, regardless of the mode in which the feature resides
- Personal address books and custom mode screens can be created for each user to secure contact information and provide quick access to the features used most often
- ScanTag[®] provides step-by-step document indexing instructions when scanning documents into a document management system

AN INTERFACE DESIGNED FOR SIMPLICITY



The MFX-2550 and MFX-2570 feature a 5.8" backlit touch screen that quickly guides users through machine programming, job execution and troubleshooting. Using the illuminated keys on the control panel users can effortlessly toggle between modes, view job status, change settings, adjust the screen view and more.



My MFP – My MFP consolidates the most frequently used features, regardless of mode, onto a single screen. Each user can have their own customized My MFP screen.

| Scan Re | eady Shared |
|-----------------------|----------------------------|
| | 28 2010 4:53am Memory 100% |
| Doc. Type Auto | Browse Add/Edit |
| Contrast Darker | €1001 : test |
| Resolution 300 dpi | |
| File Name | |
| Color Mono | Folder USB FTP User |
| Advanced | Faves e-mail PC/USB Apps |

Scan to Anywhere – Quickly scan documents to PC folders, FTP, e-mail addresses or USB flash drives.



Convenient Desktop Copier Powerful copying features such as digital zoom, contrast adjustment, image combination and ID card copying are available at the touch of a button.

| | Delete Back | Ente |
|---------|------------------------|------|
| Name | : Tom Baker |) |
| Fax No. | : 877-455-1234 |) |
| e-mail | :tbaker@abccompany.com |) |
| Super G | 3:0N | |

Address Book – The address book can store up to 2,000 contacts each containing a fax number, e-mail address and multiple group locations.



Fast Contact Lookup -Quickly locate contacts registered in your MFP address book, and/ or a corporate LDAP server, using this embedded "Search" tool.

| On Line Print Ready Jan | e Mode | Memory | 100% |
|-------------------------------|--------|-----------|------|
| Off Line | | | |
| Security Print | B | 5_ | |
| Print OB Document | | | |
| Print On Demand | | tter 3 | |
| USB Memory | Aut | NIXIN AND | |
| 1 | | | |

Printing Solutions – Access the print menu to release secure print jobs and print documents stored in MFP memory or USB flash drives.

UNIQUE SOLUTIONS TO DRIVE YOUR UNIQUE BUSINESS

The MFX-2550 and MFX-2570 feature a host of unique solutions that were designed based on feedback from our customers. From tighter integration with document management applications, to fax server connectivity and print-for pay applications, these MFP's enable users to enjoy the performance, efficiency and cost-benefits of their technology infrastructure.

ScanTag[®] is a document indexing tool that enables users to input metadata at the MFP control panel users to input metadata at the MFP control panel and then automatically scan and index the document without having to return to their PC. ScanTag® has been integrated with the following document management applications:

DirectScan[™] allows users to scan documents directly into PC folders without having to install any additional hardware or software connectors. PC folder locations can be registered as one-touch buttons or users can browse the network from the MFP touch screen as if they were at their PC using Windows Explorer.

E-mail . E-mail Gateway™ enables the MFX-2550 and Fax Server Integration [™] MFX-2570 to integrate with network fax servers. Users simply enter the destination fax number and select [Start], as if sending a traditional fax, and the device will automatically convert the fax number into a dialing string that can be utilized by the fax server.

Scan Scan to Print is an innovative method of creating to Print color copies. Users can scan a color image on the MFX-2550 or MFX-2570 and route the image to a network color laser printer (pre-registered) for output.



Foreign Device Interface – The foreign device interface can be utilized to connect the MFX-2550 and MFX-2570 to a variety of third-party hardware

peripherals including print-for-pay terminals and ID card authentication devices.



Transmission Archiving – Outbound fax and e-mail transmissions can be archived to create an audit trail of communication.



Single Pass Duplex Color Scanning – The MFX-2570 can easily replace desktop/workgroup color scanners by offering high-speed (up to 62 images-per-minute at 200 dpi) duplex color scanning.

Download from Www.Somanuals.com. All Manuals Search And Download

ADVANCED DOCUMENT SOLUTIONS



USB Print/Scan/Back-Up

Use the USB host port to quickly scan documents to, print documents from, and backup machine settings on a USB flash drive.



Inbound Fax Routing

Inbound fax documents can be routed to an e-mail address or PC folder location to conserve paper and increase document security.



OfficeBridge[®] Document Storage & Retrieval

Frequently printed documents, including forms, job applications and expense reports can be digitally stored on the MFP and instantly recalled and printed.



Shift-Sort Output

With this feature activated output will be shifted after each set, creating distributionready documents.



Legal-Size Platen Glass

The legal-size glass can be used to copy multipart forms, plastic identification cards, bound documents (books) and other originals that cannot be fed through the automatic document feeder.



Mixed Original Support

Letter and legal-size originals can be placed into the automatic document feeder together and the machine will automatically detect the paper size when scanning and print the documents on the appropriate paper size. Competing machines require users to separate originals based on paper size and manually collate the documents after printing.



Job Accounting

Breakdown machine usage by user and bill back departments for actual usage.



Custom E-Mail Templates

When scanning a document to an e-mail address you can add a custom subject line, text message and file name (document being scanned) to help the recipient identify the sender and subject of your message.



Secure PDF

Users can password-protect PDF files sent from the machine. The recipient will need to enter the document password prior to opening the file.



PC Faxing

Send documents from PC applications (such as Microsoft Word, Excel, Acrobat, etc.) to fax locations without having to print and manually fax the document.

OfficeBridge Browser-Based Management

Administrators can register address books, adjust network settings, back-up and restore MFP settings, update firmware, set security polices and more using an intuitive browser-based management tool. This tool is embedded on the MFP and does not require any additional software installation.

ID Card Copy

Quickly copy both sides of identification cards, such as a driver's license and/or insurance card, and produce the images on a single sheet of paper. Users can select a single card, two cards, personal-check or business-check in this mode.



Mixed Transmission

Send a document simultaneously to a fax number and e-mail address.

Scan Confirmation Stamp

A small stamp can be placed on each document as it is scanned through the document feeder to provide confirmation that the document was scanned. (MFX-2570 only)

MFX-2550 / MFX-2570 CONFIGURATION



Download from Www.Somanuals.com. All Manuals Search And Download.

· Compatibility varies by peripheral.

SPECIFICATIONS - MFX-2550/MFX-2570

GENERAL

| OLIVERAL | | |
|---|--|--|
| Print Speed (Simplex) | 25 pages-per-minute | |
| Print Speed (Duplex) | 7 pages-per-minute | |
| User Interface | 5.8" Touch Screen | |
| Document Feeder Capacity | 80-sheets | |
| Single Pass Duplex Scanning | MFX-2570 only | |
| Standard Paper Capacity | 550-sheets (includes 50-sheet bypass tray) | |
| Maximum Paper Capacity | 1,050-sheets | |
| Cassette Paper Weight | 20 - 28 lb. | |
| Paper Loading (Cassette) | Face Up | |
| Bypass Paper Weight | 20 - 28 lb. | |
| Paper Loading (Bypass) | Face Down | |
| Output Tray Capacity | 250-sheets | |
| Output Position | Face Down | |
| Shift Sorting | MFX-2570 only | |
| Duplex Printing | 1:2, 2:2, 2:1 | |
| Dimensions (H x W x D) Weight (2550) | 17.56" × 20.47" × 19.92" / 52.69 lbs. | |
| Dimensions (H x W x D) Weight (2570) | 18.62" × 20.47" × 19.92" / 57.98 lbs. | |
| DHCP Compliant | Yes (Default On) | |
| Ethernet Connection | Standard 10/100 BaseT, RJ-45 connection | |
| Network Protocol | TCP/IP | |
| Local Connection | Standard USB 2.0 | |
| System Memory | 128 MB / 128 MB (Std / Max) | |
| Toner Yield | 16,000 @ 6% page coverage | |
| Drum Yield | 30,000 | |

COPY

| Platen Glass | 8.5" × 14" | |
|--|--|--|
| First-Copy-Out-Time (Platen) | 6 seconds | |
| First-Copy-Out-Time (Document Feeder) | 12 seconds | |
| Warm-up Time | 20 seconds | |
| Paper Tray Selection | Automatic or Manual | |
| Image Combination | 2:1, 4:1, ID Copy | |
| Zoom Ratio | 25 - 400% (platen) / 25 -100% (document feeder) | |
| Number of Copies | 1-99 | |
| Electronic Sorting | Standard | |

SCAN

| Resolution (dpi) | 600 × 600 | |
|--------------------------------------|-----------------------------|--|
| Grayscale | 256 levels | |
| File Formats | PDF, TIFF, JPEG, Secure PDF | |
| Scan to E-mail | Standard | |
| E-mail Address Entry | LDAP, Address Book, Manual | |
| Scan to USB Flash Drive | Standard | |
| Scan to MFP Storage | Standard | |
| Scan to FTP | Standard | |
| Scan to Network | Standard | |
| Compatibility | TWAIN | |
| Simplex Mono Scan Speed (200 dpi) | 31 images-per-minute | |

| Duplex Mono Scan Speed (200 dpi) - MFX-2570 only | 62 images-per-minute |
|--|--|
| Simplex Color Scan Speed (200 dpi) | 10 images-per-minute |
| Duplex Color Scan Speed (200 dpi) - MFX-2570 only | 20 images-per-minute |
| Simplex Mono / Color Scan Speed (300 / 600 dpi) | 20 images-per-minute |
| Duplex Mono / Color Scan Speed (300 / 600 dpi) - MFX-2570 only | 40 images-per-minute |
| Special Scan Features | Scan to Color Printer E-Mail Attachment Support Outbound Scan Archiving Domain Name Shortcut Registration Batch Scanning |

PRINT

| Resolution | 600 × 600 dpi |
|----------------------------|---|
| OS Support | Windows 2000, XP, Vista, Windows 7, Server 2003 & 2008; Mac OS 10.2 – 10.5 Various Linux, UNIX (Sun Solaris, AIX), SAP and AS/400 |
| Standard PDL | Muratec Printing System (Host-based) |
| Optional PDL | PCL 5e/6, PostScript3, Barcode, PDF Direct, XPS |
| Print from USB Flash Drive | Standard |
| Print from MFP Storage | Standard |
| Secure Print | Standard |

FAX

| 1700 | | |
|--------------------------|---|--|
| Modem Speed | 33.6 Kbps | |
| Max. Compression | JBIG | |
| Address Book | 2,000 locations | |
| Group Dialing | 200 groups | |
| PC-based Faxing | Yes | |
| Fax Server Integration | Yes | |
| Security Reception | Yes | |
| Fax Forwarding to E-mail | Yes | |
| Outbound Fax Archiving | Yes | |
| Special Fax Features | Delayed Transmission VoIP Support Secure Polling Custom Coversheet Insertion Batch Transmission | |

OPTIONS & ACCESSORIES ITEM NO

| of month & Accessonies menning | | |
|----------------------------------|-----------|--|
| 500-sheet paper cassette | 2550CAS | |
| Paper Cabinet | 2030CAB | |
| PCL 5e/6 | PCL700 | |
| PostScript3 | PS700 | |
| Barcode Printing | BC700 | |
| PostScript Memory | PSMEM700 | |
| PostScript3 and Barcode Printing | PS700BC | |
| OfficeBridge Memory | OBMEM700 | |
| Mechanical Counter | DA7664 | |
| Telephone Handset | 2550THK | |
| Foreign Device Interface | 2550FDI | |
| Stamp Kit | 2570STAMP | |
| | | |



As an ENERGY STAR® partner, Murata Machinery, Ltd. has determined that these products meet the ENERGY STAR® guidelines for energy efficiency. Muratec and the Muratec logo are trademarks and/or registered trademarks of Murata Machinery, Ltd. or its subsidiaries in the United States and other countries.

its subsidiaries in the United States and other countries. Other names, such as those of products of other companies, are the trademarks or registered trademarks of their respective companies.

All specifications subject to change without notice.



Muratec America, Inc. 3301 East Plano Parkway, Suite 100, Plano, Texas 75074 For more information on Muratec products or services, call (469) 429-3300 or visit our web site at www.muratec.com Free Manuals Download Website <u>http://myh66.com</u> <u>http://usermanuals.us</u> <u>http://www.somanuals.com</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.com</u> <u>http://www.404manual.com</u> <u>http://www.luxmanual.com</u> <u>http://aubethermostatmanual.com</u> Golf course search by state

http://golfingnear.com Email search by domain

http://emailbydomain.com Auto manuals search

http://auto.somanuals.com TV manuals search

http://tv.somanuals.com