ASUS Tablet

User Guide



Charging your device

Ensure to fully charge your ASUS Tablet before using it in battery mode for extended periods. Remember that the power adapter charges your ASUS Tablet as long as it is plugged into an AC power source. Be aware that it takes much longer to charge the ASUS Tablet when it is in use.

> **IMPORTANT!** Do not leave the ASUS Tablet connected to the power supply once it is fully charged. ASUS Tablet is not designed to be left connected to the power supply for extended periods of time.

Airplane precautions

Contact your airline provider to learn about related inflight services that can be used and restrictions that must be followed when using your ASUS Tablet in-flight.

IMPORTANT! You can send your ASUS Tablet through x-ray machines (used on items placed on conveyor belts), but do not expose them from magnetic detectors and wands.

Safety precautions

This ASUS Tablet should only be used in enviroments with ambient temperatures between 0° C to 35° C (32° F to 95° F).

Long time exposure to extremely high or low temperature may quickly deplete and shorten the battery life. To ensure the battery's optimal performance, ensure that it is exposed within the recommended environment temperature.

Package contents



NOTES:

- If any of the items is damaged or missing, contact your retailer.
- · The bundled power adapter varies with country or region.

Your ASUS Tablet

Front view





Inside the side compartment



NOTE: The number of micro SIM card slots vary by country or region.

- * The micro SIM card slots support WCDMA and EDGE/GSM network bands.
- ** The microSD card slot supports microSD, microSDHC, and microSDXC card formats.

Charging your ASUS Tablet



To charge your ASUS Tablet:





Plug the micro USB connector into your ASUS Tablet.



Plug the power adapter into a grounded power outlet.



Charge your ASUS Tablet for eight (8) hours before using it in battery mode for the first time.

IMPORTANT!

- Use only the bundled power adapter and micro USB cable to charge your ASUS Tablet. Using a different power adapter may damage your ASUS Tablet.
- Peel the protective film off from the power adapter and micro USB cable before charging the ASUS Tablet to prevent risk or injury.
- Ensure that you plug the power adapter to the correct power outlet with the correct input rating. The output voltage of this adapter is DC 5.2 V, 1.35 A.
- When using your ASUS Tablet while plugged-in to a power outlet, the grounded power outlet must be near the unit and easily accessible.
- · Do not place objects on top of your ASUS Tablet.

NOTES:

- Your ASUS Tablet can be charged via the USB port on the computer only when it is in sleep mode (screen off) or turned off.
- Charging through the USB port of a computer may take longer time to complete.
- If your computer does not provide enough power for charging your ASUS Tablet, charge your ASUS Tablet via the grounded power outlet instead.

Installing a micro SIM card

Before you can make calls, send text messages, or connect to a mobile broadband network using your ASUS Tablet, you need to install a micro SIM (Subscriber Identity Module) card.

NOTE: The number of micro SIM card slots vary by country or region.

To install a micro SIM card:

1. Open the side compartment cover of your ASUS Tablet.



Insert the micro SIM card to any of the micro SIM card slots with its metal contacts facing up.



NOTE: You can insert up to two (2) micro SIM cards into the micro SIM card slots. Refer to section *Inside the side compartment* for the location of the micro SIM card slots.

3. Close the side compartment cover securely in place.




Installing a microSD card

To install a microSD card:

1. Open the side compartment cover of your ASUS Tablet.



Insert the microSD card to the microSD card slot with its metal contacts facing up.



3. Close the side compartment cover securely in place.



Appendices

Limitation of Liability

Circumstances may arise where because of a default on ASUS' part or other liability, you are entitled to recover damages from ASUS. In each such instance, regardless of the basis on which you are entitled to claim damages from ASUS, ASUS is liable for no more than damages for bodily injury (including death) and damage to real property and tangible personal property; or any other actual and direct damages resulted from omission or failure of performing legal duties under this Warranty Statement, up to the listed contract price of each product.

ASUS will only be responsible for or indemnify you for loss, damages or claims based in contract, tort or infringement under this Warranty Statement.

This limit also applies to ASUS' suppliers and its reseller. It is the maximum for which ASUS, its suppliers, and your reseller are collectively responsible.

UNDER NO CIRCUMSTANCES IS ASUS LIABLE FOR ANY OF THE FOLLOWING: (1) THIRD-PARTY CLAIMS AGAINST YOU FOR DAMAGES; (2) LOSS OF, OR DAMAGE TO, YOUR RECORDS OR DATA; OR (3) SPECIAL, INCIDENTAL, OR INDIRECT DAMAGES OR FOR ANY ECONOMIC CONSEQUENTIAL DAMAGES (INCLUDING LOST PROFITS OR SAVINGS), EVEN IF ASUS, ITS SUPPLIERS OR YOUR RESELLER IS INFORMED OF THEIR POSSIBILITY.

EC Declaration of Conformity

This product is compliant with the regulations of the R&TTE Directive 1999/5/EC. The Declaration of Conformity can be downloaded from <u>http://support.asus.com</u>.

Prevention of Hearing Loss

To prevent possible hearing damage, do not listen at high volume levels for long periods.





A pleine puissance, l'écoute prolongée du baladeur peut endommager l'oreille de l'utilisateur.

For France, headphones/earphones for this device are compliant with the sound pressure level requirement laid down in the applicable EN 50332-1:2000 and/or EN50332-2:2003 standard required by French Article L.5232-1.

CE Mark Warning

C€ 0682

CE marking for devices with wireless LAN/ Bluetooth

This equipment complies with the requirements of Directive 1999/5/EC of European Parliament and Commission from 9 March, 1999 governing Radio and Telecommunications Equipment and recognition of conformity.

The highest CE Body SAR value for the device is 0.776 W/Kg. The highest CE Head SAR value for the device is 0.189 W/Kg.

Rechargeable Battery Recycling Service in North America



For US and Canada customers, you can call 1-800-822-8837 (toll-free) for recycling information of your ASUS products' rechargeable batteries.

RF Exposure information (SAR) - CE

This device meets the EU requirements (1999/519/EC) on the limitation of exposure of the general public to electromagnetic fields by way of health protection.

The limits are part of extensive recommendations for the protection of the general public. These recommendations have been developed and checked by independent scientific organizations through regular and thorough evaluations of scientific studies. The unit of measurement for the European Council's recommended limit for mobile devices is the "Specific Absorption Rate" (SAR), and the SAR limit is 2.0 W/Kg averaged over 10 gram of body tissue. It meets the requirements of the International Commission on Non-Ionizing Radiation Protection (ICNIRP).

For next-to-body operation, this device has been tested and meets the ICNRP exposure guidelines and the European Standard EN 62311 and EN 50566. SAR is measured with the device at a separation of 1.0 cm to the body while transmitting at the highest certified output power level in all frequency bands of the mobile device.

India RoHS

This product complies with the "India E-waste (Management and Handling) Rule 2011" and prohibits use of lead, mercury, hexavalent chromium, polybrominated biphenyls (PBBs) and polybrominated diphenyl ethers (PBDEs) in concentrations exceeding 0.1% by weight in homogenous materials and 0.01% by weight in homogenous materials for cadmium, except for the exemptions listed in Schedule-II of the Rule.

Power Safety Requirement

Products with electrical current ratings up to 6A and weighing more than 3Kg must use approved power cords greater than or equal to: H05VV-F, 3G, 0.75 mm² or H05VV-F, 2G, 0.75 mm².

ASUS Recycling/Takeback Services

ASUS recycling and takeback programs come from our commitment to the highest standards for protecting our environment. We believe in providing solutions for you to be able to responsibly recycle our products, batteries, other components as well as the packaging materials. Please go to http://csr.asus.com/english/Takeback.htm for detailed recycling information in different regions.

Coating notice

IMPORTANT! To provide electrical insulation and maintain electrical safety, a coating is applied to insulate the device except on the areas where the I/O ports are located.

Green ASUS notice

ASUS is devoted to creating environment-friendly products and packaging to safeguard consumers' health while minimizing the impact on the environment. The reduction of the number of the manual pages complies with the reduction of carbon emission.

For the detailed user manual and related information, refer to the user manual included in the ASUS Tablet or visit the ASUS Support Site at <u>http://support.asus.com/</u>.

Regional notice for Singapore

Complies with IDA Standards DB103778 This ASUS product complies with IDA Standards.

Proper disposal



Risk of explosion if battery is replaced by an incorrect type. Dispose of used batteries according to the instructions.



DO NOT throw the battery in municipal waste. The symbol of the crossed out wheeled bin indicates that the battery should not be placed in municipal waste.



DO NOT throw the ASUS Tablet in municipal waste. This product has been designed to enable proper reuse of parts and recycling. The symbol of the crossed out wheeled bin indicates that the product (electrical, electronic equipment and mercury-containing button cell battery) should not be placed in municipal waste. Check local regulations for disposal of electronic products.



DO NOT throw the ASUS Tablet in fire. DO NOT short circuit the contacts. DO NOT disassemble the ASUS Tablet.

Copyright Information

No part of this manual, including the products and software described in it, may be reproduced, transmitted, transcribed, stored in a retrieval system, or translate into any language in any form or by any means, except documentation kept by the purchaser for backup purposes, without the express written permission of ASUSTEK COMPUTER INC. ("ASUS").

ASUS and ASUS Tablet logo are trademarks of ASUSTek Computer Inc.

Information in this document is subject to change without notice.

Copyright @ 2014 ASUSTeK COMPUTER INC. All Rights Reserved.

Model name: K019 (FE375CG/FE375CXG)

Manufacturer	ASUSTek COMPUTER INC.
Address, City	4F, No. 150, LI-TE RD., PEITOU, TAIPEI 112, TAIWAN
Authorized Representative in Europe	ASUS COMPUTER GmbH
Address, City	HARKORT STR. 21-23, 40880 RATINGEN
Country	GERMANY

(e, the undersigned, Aanufacturer: Uddress: Authorized representative in Europe: Uddress, City: Jountry:	ASUSTeK COMPUTER INC. 4F, No. 150, LI-TE Rd., PEITOU, TAIPEI 112, TAIWAN
Authorized representative in Europe: Address, City:	4F, No. 150, LI-TE Rd., PEITOU, TAIPEI 112, TAIWAN
Address, City:	
	ASUS COMPUTER GmbH
ountry	HARKORT STR. 21-23, 40880 RATINGEN
	GERMANY
eclare the following apparatus:	
Product name :	ASUS Tablet
Model name :	K019
onform with the essential requirements of	the following directives:
2004/108/EC-EMC Directive	
EN 55022:2010+AC:2011	X EN 55024:2010
EN 61000-3-2:2006+A2:2009	X EN 550242010 X EN 61000-3-32008 □ EN 55020-2007-A11-2011
EN 55013:2001+A1:2003+A2:2006	L EN 55020:2007+A11:2011
1999/5/EC-R&TTE Directive	
EN 300 328 V1.7.1(2006-10)	 EN 301 489-1 V1.9.2(2011-09) EN 301 489-3 V1.6.1(2013-08)
EN 300 440-1 V1.6.1(2010-08) EN 300 440-2 V1.4.1(2010-08)	EN 301 489-3 V1.6.1(2013-08)
EN 300 440-2 V1.4.1(2010-08)	EN 301 489-4 V1.4.1(2009-05)
EN 301 908-1 V6.2.1(2013-04)	EN 301 489-9 V1.4.1(2007-11)
EN 301 908-2 V5.4.1(2011-07)	EN 301 489-17 V2.2 1(2012-09)
EN 301 893 V1.7.1(2012-06)	EN 301 489-24 V1.5.1(2010-09) EN 302 326-2 V1.2.2(2007-06) EN 302 326-3 V1.3.1(2007-09) EN 301 357-2 V1.4.1(2008-11)
EN 302 544-2 V1.1.1(2009-01) EN 302 623 V1.1.1(2009-01)	EN 302 326-2 V1.2.2(2007-06)
EN 502623 V1.1.1(2009-01)	EN 302 326-3 V1.3.1(2007-09)
EN 62479:2010	EN 302 291-1 V1.1.1(2005-07)
EN 50385:2002	
EN 62311:2008	EN 50566-2013
	EN 62209-1:2006
	EN 62209-2-2010
2006/95/EC-LVD Directive	
EN 60950-1 / A12:2011	EN 60065:2002 / A12:2011
2009/125/EC-ErP Directive	
Regulation (EC) No. 1275/2008	Regulation (EC) No. 278/2009
Regulation (EC) No. 642/2009	Regulation (EC) No. 617/2013
2011/65/EU-RoHS Directive	Ver. 140331
CE marking	
	0682 (EC conformity marking)
(6	
	(
	Position : CEO
	Name : Jerry Shen
	\frown
	(10.
	len





support.asus.com



Free Manuals Download Website <u>http://myh66.com</u> <u>http://usermanuals.us</u> <u>http://www.somanuals.com</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.com</u> <u>http://www.404manual.com</u> <u>http://www.luxmanual.com</u> <u>http://aubethermostatmanual.com</u> Golf course search by state

http://golfingnear.com Email search by domain

http://emailbydomain.com Auto manuals search

http://auto.somanuals.com TV manuals search

http://tv.somanuals.com