


S-Series S-15T

STYLISH DESIGN

AG Neovo S-Series Displays

Made for those who want a stylish award winning display



Elegant & Rugged Design

Smart exterior with exceptional strength



Ease Of Use

Access information directly via the touch enabled display



Life Performance

Impact resistant touch screen offers longer usage period



Picture-In-Picture

Simultaneous computer display and video signal playback



Desk/Arm/Wall Flexibility

VESA Compatible LCD display arm or wall mount kit both available

Features

- Touch Screen Technology
- 15" TFT Active Matrix Screen
- 1024 x 768 Resolution
- Foldable Small Footprint Stand
- Picture-In-Picture

AG neovo

A Different Class Of Display

S-Series Displays



Touch Panel

Instantly access data via the touch sensitive display panel.



Wide Viewing Angle

Wide angle viewing technology offers greater viewing clarity even when the display is seen from different angles.



Picture-In-Picture

Watch computer display and DVD, VCR or other video simulataneously.



Auto-Adjustment

Automatically adjusts screen settings for an optimal image, without changing settings manually.



OSD

On-Screen Display (OSD) makes adjusting the display settings quick and convenient.



Total Flat Display

A completely flat display, with absolutely no curvature, generates a truer and less distorted view.



LCD Display Arm

Advanced gas-spring suspension guarantees smooth stable operation, and flexibility of use.



Wall Mount Kit

Mount the LCD display on the wall to save even more valuable desktop space.



Security Lock

Increase security by anchoring the LCD display to an immovable object. Compatible with Kensington® security locks.



Specifications

		S-15T
Panel	Panel Type	TFT LCD
	Panel Size	15.0" (381mm)
Inputs	Max. Resolution	XGA 1024 x 768
	Pixel Pitch	0.297mm
	Brightness	250cd/m ² (Typical)
	Contrast Ratio	500:1 (Typical)
	Surface Treatments	Hard Coating (2H) & Anti-glare treatment
	Viewing Angle (H/V)	170°/170° (Minimum)
	Display Color	16.7M
	Response Time	15ms /10ms (Typical)
	Wide Viewing Angle	Yes
	Frequency	Horizontal: 30kHz - 60kHz Vertical: 50Hz - 75Hz
Max. Pixel Clock	80MHz	
Connector	Power	3-Pin AC Plug
	Video	15-Pin Mini D-Sub 4-Pin Mini Din S-Video CVBS Jack
Touch Screen	Technology	SAW (Surface Acoustic Wave)
	Glass Panel Transmission	>90%
	Positional Accuracy	<0.08" (2mm) Deviation error
	Resolution	4096 x 4096
	Active Force	2 - 3 ounces (55 - 85g)
Life Performance	50 million touches in one location	
Tilt/Swivel	Tilt Angle / Swivel	10° (Tilt)
Mounting	VESA FPMPMI	Yes (75 mm)
Dimensions	Net (W x H x D)	386 x 360 x 169mm (17.0" x 16.0" x 6.7")
	Packing (W x H x D)	475 x 480 x 210mm (48.7" x 18.9" x 8.3")
Weight	Net Weight	5.5Kg (12.1lb)
	Gross Weight	7.5Kg (16.5lb)
Regulation Approval	Safety & EMI	FCC, UL/CUL, EPA, TUV/BAURT, CE, NORDIC, TCO95, NUTEK, BSMI, VCCI, CCC, CB
	VESA	DDC1/2B, DPMS
Power	Power AC	100~240V, 50~60Hz
	Consumption	< 48W (On), < 5W (Stand-by) < 5W (Off)

All specifications are subject to change without prior notice. © 2003 Associated Industries China Inc. The name AG Neovo is a trademark of AIC. All other trademarks are the property of their respective owners.

Optional Accessories



WIRELESS R/F KEYBOARD & MOUSE

LCD DISPLAY ARM

TV TUNER FRAME

WALL MOUNT KIT

AG neovo
A Different Class Of Display



Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>