

MANUAL PART NUMBER: 400-0038-003 PRODUCT REVISION: 0

# DA1913GL

# 1-IN, 2-OUT RGBS

# **DISTRIBUTION AMPLIFIER**

# **USER'S GUIDE**





Tel: 714-990-2300 • Toll-Free: 1-800-ALTINEX • FAX: 714-990-3303 • E-mail: solutions@altinex.com • Web: www.altinex.com

#### INTRODUCTION

Thank you for purchasing **DA1913GL** Distribution Amplifier. We are sure you will find it a reliable and useful product.

Superior performance for the right price backed by solid technical and customer support is what we have to offer.

The product you are holding in your hands is designed using state-of-the-art technology and is superior to anything available on the market. You will find this and our other products reliable, long lasting, and simple to operate.

We are committed to providing our customers with solutions to the most demanding audio-visual installations at very competitive pricing.

We appreciate your selection of our products and are confident that you will join the ranks of our many satisfied customers throughout the world.

#### This manual covers:

ALTINEX

**DA1913GL** - 1-in, 2-out RGBS Distribution Amplifier with Ground Loop Isolation

#### TABLE OF CONTENTS

### Page

SNAL

| PRECAUTIONS / SAFETY WARNINGS          | 2 |
|--|---|
| GENERAL                                | 2 |
| RACK MOUNT SAFETY GUIDELINES           |   |
| INSTALLATION                           |   |
| CLEANING                               |   |
| FCC / CE NOTICE                        | 2 |
| ABOUT YOUR DISTRIBUTION AMPLIFIER      | 3 |
| TECHNICAL SPECIFICATION                | 3 |
| DESCRIPTION OF DA1913GL                | 4 |
| POWER                                  | 4 |
| MOUNTING THE DA1913GL                  | 4 |
| APPLICATION DIAGRAM                    | 5 |
| INSTALLING YOUR DISTRIBUTION AMPLIFIER | 5 |
| OPERATION                              | 5 |
| ACCESSORIES                            | 6 |
| FREQUENTLY ASKED QUESTIONS             | 6 |
| TROUBLESHOOTING GUIDE                  | 7 |
| ALTINEX POLICY                         | 7 |
| LIMITED WARRANTY                       | 7 |
| RETURN POLICY                          | 7 |
| CONTACT INFORMATION                    | 7 |
|  |   |



### PRECAUTIONS / SAFETY WARNINGS 1

Please read this manual carefully before using your **DA1913GL** Distribution Amplifier. Keep this manual handy for future reference. These safety instructions are to ensure the long life of your **DA1913GL** and to prevent fire and shock hazard. Please read them carefully and heed all warnings.

#### **1.1 GENERAL**

- Unauthorized personnel shall not open the unit since there are high-voltage components inside.
- Qualified Altinex service personnel, or their authorized representatives must perform all service.

#### 1.2 SAFETY GUIDELINES FOR THE RACK-MOUNTING OF THE DA1913GL

- Maximum operating ambient temperature is 35 (degrees C).
- Never restrict the air flow through the devices' fan or vents.
- When installing equipment into a rack, distribute the units evenly. Otherwise, hazardous conditions may be created by an uneven weight distribution.
- Connect the unit to a properly rated supply circuit.
- Reliable Earthing (Grounding) of Rack-Mounted Equipment should be maintained.

#### **1.3 INSTALLATION**

- For best results, place the **DA1913GL** Distribution Amplifier on a flat, level surface in a dry area away from dust and moisture.
- To prevent fire or shock, do not expose this unit to rain or moisture. Do not place the **DA1913GL** Distribution Amplifier in direct sunlight, near heaters or heat radiating appliances, or near any liquid. Exposure to direct sunlight, smoke or steam can harm internal components.
- Handle the **DA1913GL** Distribution Amplifier carefully. Dropping or jarring can damage internal components.
- Do not place heavy objects on top of the **DA1913GL**. If the **DA1913GL** is to be mounted, to a table or wall, use only Altinex made

mounting accessories like mini mount-bracket (**DA1295FC**) and cables for optimum setup.

- To turn off the main power, be sure to remove the cord from power outlet. The power outlet socket should be installed as near to the equipment as possible, and should be easily accessible.
- Do not pull power cord or any cable that is attached to the DA1913GL Distribution Amplifier.
- If the **DA1913GL** Distribution Amplifier is not to be used for an extended period of time, disconnect the power cord from the power outlet.

#### **1.4 CLEANING**

 Unplug the DA1913GL power cord before cleaning. Clean surfaces with a dry cloth. Never use strong detergents or solvents such as alcohol or thinner. Do not use a wet cloth or water to clean the unit.

#### 1.5 FCC / CE NOTICE

- This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.
- This equipment has been tested and found to comply with the limits for a Class A digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference when the equipment is operated in a commercial environment. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instruction manual, may cause harmful interference to radio communications. Operation of this equipment in a residential area is likely to cause harmful interference in which case the user will be required to correct the interference at his own expense.







Tel: 714-990-2300 • Toll-Free: 1-800-ALTINEX • FAX: 714-990-3303 • E-mail: solutions@altinex.com • Web: www.altinex.com

• Any changes or modifications to the unit not expressly approved by Altinex, Inc. could void the user's authority to operate the equipment.

### ABOUT YOUR DISTRIBUTION AMPLIFIER 2

The **DA1913GL** is a 1-in 2-out RGBS distribution amplifier designed to allow the connection of a single computer or interface source to one or two monitors or projectors. The DA1913GL also provides ground loop isolation through the use of differential inputs with a common mode rejection of +/-2.0V, making it perfect for applications with challenging power supply scenarios. A ground loop is a type of electromagnetic interference often caused by small, but significant differences in ground voltage between two or more different power sources when equipment using the different power sources is connected by means of video/audio inputs and outputs. A ground loop may also be caused when high current equipment (such as a lighting or air conditioning system) is fed from the same power source as the display equipment.

Though primarily designed to pass an RGBS signal format through 4-BNC connectors for each input/output, the **DA1913GL** can also pass RGsB, Component Video (Y, R-Y, B-Y), S-Video (Y/C), and Composite Video by using the appropriate channels. The **DA1913GL** can pass C-Video and S-Video simultaneously by using Red for C-Video and Green/Blue for Chroma/Luma respectively. The **DA1913GL** is typically used for permanent installation and is supplied with a 12-inch power cable with bare leads requiring the connection of 9V 500mA DC power. The **DA1913GL** does not come with a power adapter; it has to be wired to a power source using the bare leads.

The **DA1913GL** is extremely compact, allowing it to fit nicely into tight spots. It may also be mounted to almost any surface using optional "L" type mini brackets.

Note: A power adapter for the **DA1913GL** must be ordered separately, if required. In the United States, the **PS5502US** Power Adapter can be used, though the connector must be cut off to allow interconnection. The **DA1913GL** Distribution Amplifier is a state-ofthe-art product with a video bandwidth of 350 MHz, enabling it to remain transparent to the video signal passing through it. Each output is individually buffered and is not affected by other output loading.

The common mode range of the **DA1913GL** Distribution Amplifier is +/-2 Volts with a video signal of 1 Volt p-p. In most cases, a ground loop voltage will not exceed 200-300mv, so this range is more than enough to handle even the most severe ground loop problems.

| FEATURES/DESCRIPTION | DA1913GL              |
|----------------------|-----------------------|
| GENERAL              |                       |
| Inputs               | 1                     |
| Input Connector      | 4 BNC Female          |
| Outputs              | 2                     |
| Output Connectors    | Two 4 BNC Female      |
| Compatibility        | High resolution RGBS, |
|                      | RGsB and RsGsBs,      |
|                      | Component, S-Video    |
|                      | and Composite Video   |

Table 1. DA1913GL General

| MECHANICAL                   | DA1913GL           |
|------------------------------|--------------------|
| Material                     | 0.1" Al            |
| Finish                       | Gray               |
| Top Panel                    | Lexan              |
| Height (inches)              | 3.50in (89mm)      |
| Width (inches)               | 4.56in (116mm)     |
| Depth (inches)               | 0.94in (24mm)      |
| Weight (pounds)              | 0.6lbs (0.27kg)    |
| Ship Weight (pounds)         | 2.0lbs (0.91kg)    |
| T° Operating                 | 10°C-35°C          |
| T° Maximum                   | 50°C               |
| Humidity                     | 90% non-condensing |
| MTBF (calculations)          | 40,000 hrs         |
| Table 2. DA1913GL Mechanical |                    |

| ELECTRICAL                     | DA1913GL     |
|--------------------------------|--------------|
| Input Video Signal             |              |
| Analog Signal                  | 1.5V p-p max |
| Impedance                      | 75 Ohms      |
| Input Sync Signal              |              |
| Horizontal, Vertical, & C-Sync | TTL(+/-)     |





Tel: 714-990-2300 • Toll-Free: 1-800-ALTINEX • FAX: 714-990-3303 • E-mail: solutions@altinex.com • Web: www.altinex.com

| Sync on Green               | -0.3V                  |
|-----------------------------|------------------------|
| Impedance                   | 10k Ohms               |
| Output Video Signals        |                        |
| Analog Signal               | 1.0V p-p/0.7V p-p      |
| Fall/Rise Time (ns)         | 1.4                    |
| Impedance                   | 75 Ohms                |
| Output Sync Signal          |                        |
| Composite Sync              | TTL(+/-)               |
| Sync on Green               | -0.3V                  |
| Impedance                   | 22 Ohms                |
| Frequency Compatibility     |                        |
| Horizontal                  | 15-200 kHz             |
| Vertical                    | 47-180Hz               |
| Minimum Video Bandwidth     | 350 MHz @ -3dB         |
| Typical Video Bandwidth     | 380 MHz @ -3dB         |
| Common Mode Rejection       | +/-2V (w/signal of 1V) |
| Coupling                    | AC                     |
| Cross-talk                  | -40dB @ 10MHz          |
| Power                       |                        |
| External Power Adapter (AC) | 9V 500 mA              |
| Power Consumption           |                        |
| Table 3. DA1913GL Electrica |                        |
| DESCRIPTION OF DA101        |                        |

#### 4.1 POWER

The **DA1913GL** requires the use of a 9-12V DC 500mA power supply. The **DA1913GL** is provided with a hard-wired 12-inch power input cable with bare leads on the end.


#### 4.2 MOUNTING THE DA1913GL

To mount the **DA1913GL**, Altinex offers "L" shape mini-brackets, **DA1295SX**, which provide wings on either side of the unit, allowing it to be installed on a rack plate, furniture, or a wall.

SIGNAL

MANA

EMENT




Tel: 714-990-2300 • Toll-Free: 1-800-ALTINEX • FAX: 714-990-3303 • E-mail: solutions@altinex.com • Web: www.altinex.com

### **APPLICATION DIAGRAM**



6



## INSTALLING YOUR DISTRIBUTION AMPLIFIER

**Step 1.** Make sure that the proper power supply is being used with the unit.

The use of an incorrect power supply can result in equipment damage not covered by warranty.

- **Step 2.** Connect the power supply to the unit. The power indicator LED on the front panel will light. This indicates that the unit is operational.
- Step 3. Connect the high resolution RGsB or RGBS source to the DA1913GL using coaxial cables with BNC connectors while making sure that the colors match correctly. Then connect one or two monitors or projectors to the output(s) of the DA1913GL. The monitors or projectors must be scan-rate compatible with the source signal resolution. The DA1913GL does not affect the scan rate.
- **Step 4.** If the image is less than perfect, check all the connections. The unit is very reliable and seldom will this be the cause of malfunction. Poor quality cables may

degrade the performance of the product. Make sure that the cables used are coaxial cables and that all pins are in good condition.

After each step is completed, the unit should now be fully operational.

#### CONGRATULATIONS! YOU ARE DONE.

If you experience any problems, please call 1-800-258-4623 or 1-714-990-2300 for international calls.

### OPERATION

The **DA1913GL** will operate successfully as long as cables are attached properly and other specifications are followed. There are no other adjustments necessary to operate the unit





Tel: 714-990-2300 • Toll-Free: 1-800-ALTINEX • FAX: 714-990-3303 • E-mail: solutions@altinex.com • Web: www.altinex.com

| Model No. | Description                            |  |
|-----------|--|--|
|           | RACK MOUNTING BRACKETS                 |  |
| DA1295SX  | Rack/Wall/Furniture Mount Mini-        |  |
|           | brackets                               |  |
|           | (2-"L" shaped brackets)                |  |
|           | POWER SUPPLIES                         |  |
| PS5502US  | 9V 500mA Power Supply for US           |  |
| PS5512UK  | 9V 500mA Power Supply for UK           |  |
| PS5522AU  | 9V 500mA Power Supply for Australia    |  |
| PS5532GR  | 9V 500mA Power Supply for Germany      |  |
| PS5542JP  | 9V 500mA Power Supply for Japan        |  |
|           | 4 BNC to 4 BNC COAXIAL CABLE           |  |
| CB4100MR  | Bulk Cable 4 coaxes (500ft minimum)    |  |
| CB4103MR  | 3 feet, 4 BNC to 4 BNC coaxial cable   |  |
| CB4106MR  | 6 feet, 4 BNC to 4 BNC coaxial cable   |  |
| CB4112MR  | 12 feet, 4 BNC to 4 BNC coaxial cable  |  |
| CB4125MR  | 25 feet, 4 BNC to 4 BNC coaxial cable  |  |
| CB4150MR  | 50 feet, 4 BNC to 4 BNC coaxial cable  |  |
| CB4175MR  | 75 feet, 4 BNC to 4 BNC coaxial cable  |  |
| CB41100MR | 100 feet, 4 BNC to 4 BNC coaxial cable |  |
| CB41150MR | 150 feet, 4 BNC to 4 BNC coaxial cable |  |
|           | 4 BNC to 4 BNC COAX (Super High        |  |
|           | Resolution)                            |  |
| CB4300MR  | Bulk Cable 4 coaxes (500ft minimum)    |  |
| CB4306MR  | 6 feet, 4 BNC to 4 BNC coaxial cable   |  |
| CB4312MR  | 12 feet, 4 BNC to 4 BNC coaxial cable  |  |
| CB4325MR  | 25 feet, 4 BNC to 4 BNC coaxial cable  |  |
| CB4350MR  | 50 feet, 4 BNC to 4 BNC coaxial cable  |  |
| CB4375MR  | 75 feet, 4 BNC to 4 BNC coaxial cable  |  |
| CB43100MR | 100 feet, 4 BNC to 4 BNC coaxial cable |  |

| FREC | QUENTLY ASKED  | QUESTIONS 9   |
|------|--|---|
| No:  | Question   | Answer  |
| 1    | What is the<br>maximum length<br>of cable that can<br>be used with the<br><b>DA1913GL</b> ?      | Compensation for cable<br>loss is automatically<br>made for a distance of<br>100 feet, though the<br><b>DA1913GL</b> can drive<br>signals through longer<br>runs depending on the<br>source signal resolution<br>and cable quality.   |
| 2    | Can I use the<br>DA1913GL<br>power supply to<br>power 2 units<br>simultaneously?                 | It is not recommended<br>since one power supply<br>is supplied with each<br>unit. Please consider<br>the <b>PS5581SM</b> , a rack<br>mount power supply.  |
| 3    | Are outputs 1 & 2 buffered?  | The <b>DA1913GL</b> has two<br>individually buffered<br>outputs.  |
| 4    | What is common<br>mode range of<br>the <b>DA1913GL</b><br>and why is it so<br>important?         | The common mode<br>range of the <b>DA1913GL</b><br>Distribution Amplifier is<br>+/-2V with a video signa<br>of 1V p-p. In most<br>cases, a ground loop<br>voltage will not exceed<br>200-300mV, so this<br>range is more than<br>enough to handle even<br>the most severe ground<br>loop problems.  |
| 5    | How will the<br><b>DA1913GL</b><br>provide protection<br>from a ground<br>loop in the<br>system? | A ground loop is a type<br>of electromagnetic<br>interference often<br>caused by small, but<br>significant differences in<br>ground voltage between<br>two or more different<br>power sources when<br>equipment using the<br>different power sources<br>is connected by means<br>of video/audio inputs<br>and outputs. A ground<br>loop may also be<br>caused when high |

**E**ALTINEX



Tel: 714-990-2300 • Toll-Free: 1-800-ALTINEX • FAX: 714-990-3303 • E-mail: solutions@altinex.com • Web: www.altinex.com

| current equipment (such |
|-------------------------|
| as a lighting or air    |
| conditioning system) is |
| fed from the same       |
| power source as the     |
| display equipment.      |

### 10

We have carefully tested and have found no problems in the supplied **DA1913GL** unit; however, we would like to offer the following suggestions:

- Please make sure that input amplitude level is as follows:
  - 1. Analog signal is less than 1.5V.
  - 2. Sync signal is less than 0.3V.

**TROUBLESHOOTING GUIDE** 

- Please use Altinex supplied external power Supply/AC Adapter (9V, 500mA) only.
- Please check settings of Sync Level, Video Level and Input Termination Switches.
- Please make sure that proper quality of cables is used. We recommend Altinex made cables for best results.
- If the problem shows up after continuous usage at higher voltage, higher temperature, higher humidity, or at other extreme environmental conditions, please correct that the problem.

### ALTINEX POLICY

11

### **11.1 LIMITED WARRANTY**

Altinex warrants that its products and cables are free from defects in materials under normal use and service. This warranty is limited to repairing at company's factory any part or parts of the product, which upon company's examination shall disclose to be, thus defective. Products considered defective should be returned to company with transportation charges pre-paid within 2 years (90 days for cables) from date of shipment to the purchaser. The warranty is expressly instead of all other warranties expressed or implied. Altinex neither assumes nor authorizes any other person to assume for it any other liability in connection with the sale of the products. This warranty shall not apply to any product that shall have been repaired or altered outside of company's factory in

any way so as, in its judgment, to affect its stability or reliability, or that has been subject to misuse, negligence or accident.

#### **11.2 RETURN POLICY**

It is very important that you receive product that you have ordered and that this product fulfills your need. In the unlikely event that an Altinex product needs to be returned please follow the procedure below:

Altinex will accept product returns for a period of 30 days from authorized Altinex dealers. Products must be returned in an unopened package.

If product has been opened, the restocking fees will apply. For the restocking fee amount, please contact an Altinex Sales Representative.

If product is in your possession for more than 30 days, the restocking fees will apply.

Altinex will not accept any returns on cables or custom products.

If your product is in warranty and needs service, contact the Altinex Sales Department for an RMA (Return Material Authorization). Products returned without an RMA number may experience a delay in service.

If your product is out of warranty and needs service, contact the Altinex Sales Department for an RMA (Return Material Authorization). Products returned without an RMA number may experience a delay in service. The service charges will be quoted to you before the actual repairs are done.

### **11.3 CONTACT INFORMATION**

| Sales Department |
|------------------|
|------------------|

| Phone: | 714-990-2300 |
|--------|--------------|
| Fax:   | 714-990-3303 |

#### Accounting Department

| Phone: | 714-990-6088 |
|--------|--------------|
| Fax:   | 714-990-5778 |





Tel: 714-990-2300 • Toll-Free: 1-800-ALTINEX • FAX: 714-990-3303 • E-mail: solutions@altinex.com • Web: www.altinex.com

Free Manuals Download Website <u>http://myh66.com</u> <u>http://usermanuals.us</u> <u>http://www.somanuals.com</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.com</u> <u>http://www.404manual.com</u> <u>http://www.luxmanual.com</u> <u>http://aubethermostatmanual.com</u> Golf course search by state

http://golfingnear.com Email search by domain

http://emailbydomain.com Auto manuals search

http://auto.somanuals.com TV manuals search

http://tv.somanuals.com