Performance You Can Count On.

COMMERCIAL MICROWAVE OVEN

RCS10DA

1000 Watts

The Amana® RCS10DA

Ideal for medium volume sites, this dependable unit features an easy-to-use 6-minute dial timer and handy menu guide for fast, convenient service. Durable construction and unsurpassed quality provide years of reliable foodservice use.

Key Features

- ◆ 1000 Watts of power for fast heating.
- 1.2 cubic foot capacity easily accommodates prepackaged foods, single servings or up to a 13" platter.
- 6-minute dial timer is extremely easy to use.
- See-through door and lighted interior for easy monitoring of food without opening the door.
- Full power only for the simplest operation.
- User-friendly dial is ideal for self-serve sites.
- Removable air filter protects oven components from grease laden air.
- Durable construction for years of commercial foodservice use.
- ComServ nationwide service network provides 24/7 ongoing product support.
- Limited 3-year warranty.**



A Dependable and Cost-Effective Way to ...

- Enjoy superior performance and food quality
- Increase food sales and profits
- Improve efficiency of your foodservice business

Maximize Your Profits

The versatile RCS10DA is the perfect choice for self-serve sites or heating a variety of entrees and desserts. It's ideal for use in:

Waitress Stations Convenience Stores

Cafeterias Vending Areas

Dessert Stations and More!









Form #ACRR0413




COMMERCIAL MICROWAVE OVEN

SPECIFICATIONS							
MODEL	RCS10DA		Exterior		Usable Interior		
UPC Code	719881131443	Cabinet	Dimensions		Dimensions		
Configuration	Countertop	Height	14-1/4"	(362 mm)	9"	(226 mm)	
Control System	Dial	Width	21-3/4"	(550 mm)	14-1/4"	(362 mm)	
Programmable Control Pads	n/a	Depth (overall with handle)	20-1/4"	(514 mm)	16-3/8"	(416 mm)	
Total Programmable Settings	n/a	Depth (door open 90°)	34" (864 mm)				
Cooking Timer	6:00, Countdown	Usable Cavity Space	1.2 cubic ft. (34 L)				
Power Levels	1	Outercase Finish	Painted				
Defrost	No	Cavity Interior Finish	Painted with Ceramic Shelf				
Time Entry Option	No	Electrical Characteristics					
Microwave Distribution System	Rotating Antenna	Power Consumption	1500 W, 13.2 A				
Magnetron(s)	1	Power Output	1000 W*				
Display	n/a	Power Source	120 V, 60 Hz, 15 A single phase				
Stackable	Yes						
Stage Cooking	1 stage	Plug Configuration	NEMA 5-15				
Interior Light	Yes	Francountry		24501		<u>ا</u> ا	
Door Opening System	Pull Handle	Frequency Could be at the	2450 MHz				
Signal	End of cycle	Power Cord Length	5' (1.5 m)				
Removable Filter	Yes	Weight/Shipping Informat					
Automatic Voltage Sensor	No	Net Weight	50 lbs. (23 kg)				
Multiple Quantity Setting	No	Approximate Shipping	56 lbs. (25 kg)				
Warranty	Limited 3-Year**	Shipping Box Size	22 5/8" L x 24-5/8" W x 18" H (575 mm x 626 mm x 458 mm)				

Amana's continuing commitment to quality products may mean a change in specification without notice. *Microwave output ratings based on IEC 705 test.

^{**} Limited 3-year warranty: Full one year parts, labor and travel. Second and third year, Amana will provide a replacement magnetron tube only. See warranty certificate for details.



For more information about any of our fine commercial microwave ovens, contact your Amana distributor, call us direct at **888.262.6271** or visit our web site: www.amanacommercial.com.







Free Manuals Download Website

http://myh66.com

http://usermanuals.us

http://www.somanuals.com

http://www.4manuals.cc

http://www.manual-lib.com

http://www.404manual.com

http://www.luxmanual.com

http://aubethermostatmanual.com

Golf course search by state

http://golfingnear.com

Email search by domain

http://emailbydomain.com

Auto manuals search

http://auto.somanuals.com

TV manuals search

http://tv.somanuals.com