

# ROTARY PIC-N-PAC DEPANNER



- Up to 90 packages per minute
- Breakthrough in Brown 'N Serve Depanning and Packing Efficiency

# Features & Benefits

#### **Easy Upgrade to Current Plant Operations**

 New triple head brown 'n serve roll depanner and packer fits in the same footprint as existing depanners for ease of upgrading your operation

#### **Engineering and Design Innovations**

- Dual Headed Triple Package pick-up unit has redundant vacuum sections to minimize lost clusters
- Rack & Pinion construction provides a smooth 180° rotary motion to remove rolls from the pan and deposit them into the carton box

# **High Efficiency and Low Operating Costs**

- New operating system reduces product loss and downtime
- The Pic-N-Pac offers a 30% increase over existing brown 'n serve packaging technology, operating at 90 packages per minute

## ROTARY PIC-N-PAC DEPANNER

#### Mechanical Specifications

- Designed and manufactured in accordance with BISSC standards
- Heavy duty stainless steel frame for durability and corrosion resistance
- Two triple package pick-up heads
- 180° rotary motion product transfer to remove rolls from the pan and deposit them into the carton box
- Rack and pinion construction
- Pneumatic head actuation
- Inline vacuum filter system
- Vacuum line connection
- Lightweight aircraft aluminum and Delrin pick-up head construction
- Quick-change pick-up heads for easy change without tools from twelve to eight cluster if required
- Quick-change vacuum cups, no tools required
- Six (6) independent Venturi vacuum generators, one for each vacuum chamber
- Pneumatic pan stops for precise pan placement

- Servo driven flight box timing belt conveyor for smooth box feed without shingling
- Plastic tabletop box and pan conveyors for minimum pan wear
- Proximity box and pan sensor
- Adjustable stainless steel side guides
- Adjustable stainless steel with poly insert box guides
- Eurodrive gearmotor drive for pan and box conveyors
- Smoked Lexan guards with aluminum framing
- Interlocked access doors from both sides of the unit
- Low noise design 50% quieter than previous models
- Manual head raising and lowering switch for easy maintenance access
- Pneumatic pan gripping system to assure exact placement of pan for product removal
- Soft start for smooth machine start-up
- Quick changeout of flighted belt for 12 to 8 clusters if required
- Vacuum filters are easily removed for cleaning

# Electrical Specifications

# The AMF Triple Head Pic-n-Pac Depanner is equipped with the following Electrical Components:

- Operator Control Station is a NEMA 4 SS panel where the operator stores all the recipes for set-up and product run data. Trouble shooting indicators are also present in the components which include:
  - Allen Bradley pushbuttons for:
    - 2 button Start
    - Stop / Emergency stop
    - Servo Speed Control
    - Manual Index
  - Allen Bradley PV-300 Operator Interface
- Two Machine Mounted NEMA 4x SS Enclosures house all electrical components including:
  - Main Disconnect Switch
  - Allen Bradley Micrologix 1500 PLC
  - Allen Bradley 160 Inverter
  - Mitsubishi Servo Controller
  - Omron Power Supply / Islatrol Plus

- Machine Mounted NEMA 4x SS Enclosure houses all pneumatic controls including:
  - Solenoid Valves
  - Pressure Regulator



Standard PV-300 Operator Station



## **ROTARY PIC-N-PAC DEPANNER**

### **Options**

- Two (2) flighted belts for 8 cluster rolls
- Two (2) triple heads for 8 cluster rolls
- · Stainless Steel turn handle for easy adjustment for flighted belt changeover
- Conveyor height changes to meet existing infeed
- · Quad head pick up for ultra high speed

# Try some of AMF's excellent Line of:

- Pan Conveyors
- Product Conveyors
- Pan Stackers
- Basket Loaders
- Coolers
- Mixers
- Make-up Equipment



Quad Head Option

# **Specifications**

#### **Operation Speed:**

Up to 90 packages per minute

### **Electrical requirements:**


20 AMPS @ 480 volts, 3 phase Control Power - 120 volts Air Requirements - 80 scfm at 80 psig

#### Approximate dimensions:

84" X 46" X 72" (2134 mm X 1168 mm X 1829 mm)




Servo motor to control Flighted Belt




Flighted Timing Belt for Indexing Brown 'n' Serve Boxes



# **ROTARY PIC-N-PAC DEPANNER**









Venturi generators for vacuum pumps

For more information please call your Account Manager or 1-800-BAKERS-1.

Headquarters AMF Bakery Systems 2115 West Laburnum Avenue Richmond, Virginia 23227 1-800-225-3771 or 804-355-7961 FAX: 1-804-342-9724

www.amfbakery.com

European operation West Park Ring Road Leeds LS16 6QQ England

Tel.: 1132-787110 Fax: 1132-741415

sales@amfbakery.com



Free Manuals Download Website

http://myh66.com

http://usermanuals.us

http://www.somanuals.com

http://www.4manuals.cc

http://www.manual-lib.com

http://www.404manual.com

http://www.luxmanual.com

http://aubethermostatmanual.com

Golf course search by state

http://golfingnear.com

Email search by domain

http://emailbydomain.com

Auto manuals search

http://auto.somanuals.com

TV manuals search

http://tv.somanuals.com