





In Sweden, where we design and build our ASKO appliances, we're problem solvers. We work hard to find solutions to life's everyday challenges – and our laundry systems prove it. Every feature, every design element, every aspect of their performance has been refined with the single-minded purpose of making life simpler. From their sleek, purposeful styling and energy-efficient performance to their legendary durability and world-class warranty, ASKO laundry systems make life easier for you, for your family and for the Earth.

In Sweden, that's simply the way we do things – we solve problems.









 $Ultra Care\ Hidden Helpers^{TM}$



UltraCare Drying Systems Drying Cabinets, Vented & Ventless Dryer

UltraCare XXL Laundry System



UltraCare Fully Integrated Laundry System

UltraCare Family Laundry System

UltraCare Laundry Solutions

No matter what life throws at you, ASKO has the perfect UltraCare system to make short work of your laundry. From the high-efficiency, high-performance UltraCare Family to the supersized UltraCare XXL workhorse, ASKO has the right-sized laundry system for any family, large or small.

Perhaps you want a truly functional, truly beautiful laundry room with your appliances built into your cabinetry and complete with countertops? UltraCare washers and dryers are available with plenty of features to configure your perfect laundry room.

Maybe you want to conceal your appliances? The UltraCare Integrated system with custom cabinet fronts blends right into your cabinetry. You can choose from wood, white or black, or you can opt for our TouchProof™ stainless steel panels that will complement virtually any room.

If you have a large home, you may want to install multiple laundry centers. You'll love the flexible installation options of ASKO UltraCare Laundry Solutions.

If that weren't enough, the UltraCare Drying Cabinet and HiddenHelpers all make life easier by solving some of the most nagging laundry issues.

Got laundry problems? Simple. Solve them with an ASKO UltraCare Laundry Solution.







UltraCare Family Laundry System

The ASKO UltraCare Family Laundry System makes life better by simply working better.

For starters, UltraCare Family washers treat your clothes with TLC – even items labeled for hand-washing. However, don't let this gentle action fool you. UltraCare Family washers provide superior cleaning performance and a complete range of temperature settings from cold to 205° to get your family's clothes ultra-clean and looking new longer – and without one drop of harsh chlorine bleach. When it comes to the rinse cycle, many washers fail to remove all detergent residues. Not so with UltraCare Family washers – with a unique seven-rinse process, they remove all traces of detergent, making them a welcome addition for family members with allergies or sensitive skin.

Our solutions extend beyond the laundry room, providing tremendous environmental benefits as well as fresh, clean clothes. ENERGY STAR qualified UltraCare Family washers are some of the world's most efficient, getting your clothes clean and fresh with less detergent, less water and less electricity. With a spin speed of up to 2000 rpm, they extract more moisture than other washers, which makes the drying process more energy-efficient.

With the simple and sophisticated EasyControl™ technology, you manage the high performance of your UltraCare Family washer and dryer by simply pressing a few buttons.





Thanks to its Butterfly Drying System[™], the ASKO UltraCare Family dryer tumbles clothes in a figure-eight instead of just round and round in a circle. This keeps clothes from bundling and creasing and reduces your need for ironing. Precisely tuned temperature and moisture sensors work together to end the drying cycle at just the right time. This prevents overdrying, which can wrinkle, shrink and even damage your family's clothing.

No matter where you choose to install your UltraCare Family Laundry System, it's going to look great – with a variety of finishes, white, black, titanium and TouchProof™ stainless, to match any room in your home.

With less hand-washing, less ironing, less wear on your clothes, less impact on the environment, less complicated programming – and more performance – the ASKO UltraCare Family Laundry System is, in the simplest terms, the laundry solution for simpler living.









UltraCare Fully Integrated Laundry System

Now, ASKO gives you a wonderful way to simplify the look of your laundry room or to install laundry appliances in a different room altogether – thanks to the world's only fully integrated laundry system. With the UltraCare Fully Integrated Laundry System, the fronts of your UltraCare washer and dryer come prepared for your cabinetmaker to easily install wooden panels that match your other cabinetry. Or if you choose a finish other than wood, your UltraCare Integrated Laundry System is available with white, black or TouchProof™ stainless steel panels. Custom-matched to your room, the Fully Integrated Laundry System can be concealed virtually anywhere in your home – the bathroom, bedroom, mudroom or kitchen. Because of the optional ventless dryer design, you can install your UltraCare Fully Integrated System wherever it makes your life easiest.

Speaking of making life easy, the UltraCare Fully Integrated Laundry System is not just another pretty face. It's packed with the same advanced features and hard-working performance as the UltraCare Family Laundry System, so it makes doing the laundry a snap. All this performance is under your command with the sophisticated, easy-to-use LineConcept™ control system with left-to-right logic and intuitive LCD displays that seem to program your washer and dryer for you.

Did you ever imagine that laundry could be so beautiful, so simple, so simply beautiful?

At ASKO, we wouldn't have it any other way. Problem solved.



UltraCare XXL Laundry System

Do you suffer from Big Laundry? You know – load after load after load – the kind of laundry that never ends?

Finally, Big Laundry has met its match. The ultra-high capacity of the ASKO UltraCare XXL Laundry System will help you do fewer loads every week. Built to gently clean the most delicate items and still tackle the toughest stains, the UltraCare XXL Washer has 5 temperature settings – from cold to extra-hot – and 5 soil level settings. Likewise, the UltraCare XXL Dryer features 5 dryness levels and 5 temperature settings in addition to anti-crease capability, delay start and more.

In spite of all the features packed into the UltraCare XXL Laundry System, both the washer and the dryer are incredibly easy to use. With EasyControl™ LineConcept programming and a clear LED display, operation is a snap. For the perfect laundry performance for each load, you simply choose from among 10 different programs on each unit.

Full of additional solutions and beautiful colors to compliment any setting, the ASKO UltraCare XXL Laundry System features a reversible washer door, an optional pedestal with built-in drawer and your choice of electric or gas dryers. It's the simple way to finally put an end to Big Laundry.













Download from Www.Somanuals.com. All Manuals Search And Download.



UltraCare Drying Systems

ASKO offers a complete range of drying solutions from traditional vented dryers to condenser-equipped, ventless dryers to an incredible appliance, the UltraCare Drying Cabinet.

UltraCare vented dryers use traditional exhaust venting systems but are otherwise anything but traditional. With state-of-the-art technology, easy-to-operate controls, precise moisture sensors, wrinkle-reducing features and more, UltraCare vented dryers are some of the world's most advanced.

Thanks to a unique, built-in condenser, ASKO UltraCare ventless dryers require no external exhaust or ductwork. This non-venting, ductless design means easier, less expensive installation virtually anywhere in your home. In fact, rooms that were never able to accommodate a dryer before can have an UltraCare ventless dryer. With no external exhaust or ductwork, your home will be more airtight for more efficient heating and cooling.

An ingenious solution for almost any home, the UltraCare Drying Cabinet gently dries items that shouldn't go into a traditional tumble dryer – knit sweaters, fine shirts, delicates, even umbrellas.

Consider all the rainy and snowy days when you need to dry your kids' clothes. What about special care instructions such as "dry flat" or "hang to dry?" The UltraCare Drying Cabinet solves all of these problems. Tucked away in this energy-efficient cabinet, wet gloves, hats, shoes, boots, sweaters, silks and other delicates will be dry in no time – and your home will stay nice and neat.

UltraCare $Hidden Helpers^{^{\text{\tiny{TM}}}}$

Neatly out of sight but ready to assist with storage, folding and ironing, you'll find optional, time-saving tools called HiddenHelpers, little conveniences that make life so easy you'll never want to do without them. Designed to make doing your laundry as fast, simple and organized as possible, ASKO UltraCare HiddenHelpers include space-saving features such as a concealed, removable basket, a handy ironing board, pull-out shelves for sorting and folding clothes, a sorting unit with two removable laundry bags, and platforms for easy loading and unloading. There is also an attachable arm extension for the ironing board that allows space for ironing shirt sleeves easily.

The sorting unit can eliminate the need for bulky laundry baskets while providing the convenience of sorting laundry at the washing machine.

Available for the UltraCare XXL System, the platform includes a storage drawer. Located under the washer, it's the ideal hiding spot for detergents, fabric softeners, coat hangers and other clutter. Elevating the washer, this pedestal/drawer combination simplifies loading and unloading your clothes.

Outfitted with practical features like these HiddenHelpers, your UltraCare Laundry System takes much of the work out of laundering your family's clothes.





Features & Specifications

Washers	W6222		W6903	W6	903FI*	WL65	11XXL
Minimum Water Consumption (Gallons)	6.6		7.9	7.9		13	
Automatic Load Balancing System	0004200		•	•	2000	550.44	
Spin Speeds	800/1200		400-2000		-2000	550-13	150
Sensor Level Control™ System Internal Water Heater	•		•	•		•	
Wash Temperature Options	Cold, 85-2	2.05	Cold, 85-205		d, 85-205	Cold,	155
Maximum Number of Rinses	7		7	7	u, 00 2 00	4	
Six-Way, Aqua Block Water Containment System			•	•			
Stainless Steel Inner and Outer Tank	•		•	•		Inner (Only
Solid Rubber SmartSeal™ Door Gasket	•		•	•		0	oPlus™
Quattro™ Suspension Electronic Door Latch	•		•	•		Quatti	OPIUS
Finger Guard Between Inner and Outer Cases	•		•	•			
Drop-Down Outer Door	•						
Side Swing Door			•	•		Revers	ible
No-Spin Option	•		•	•		•	
EasyControl [™] / SmoothDial Controls EasyControl [™] / Line Concept Controls	•		•	•		•	
Adjustable Programs	10		13	13		10	
Program Interrupt, Add An Item	•		•	•		•	
Delay Start			1-24 Hours	1-24	4 Hours	1-12 F	Iours
Quick Wash™ Program	•		•	•		•	
Anti-Crease Program			•	•			
Easy-To-Reach, Out-Front Controls	•		•	•		•	
Complies With ADA Height Accessibility Guidelines 220 V, 20 Amp Cord and Plug Included	•		•	•		120V	
Every Unit Factory Tested	•		•	•		•	
Colors: White, Black, Titanium or TouchProof™ Stainless Steel	W, B, T		W, SS			RR, PF	P, BB, W
WL6511XXL: Ragin' Red, Pure Platinum, Blazin' Black, White				•			
Height	33½" to 3	341/2"	33½" to 34½		/2" to 34 ¹ /2"		to 41 ¹ / ₄ "
	221/2"		231/2"	231/	/ ₂ "	27"	
	231/2"			477		£11/. II	
Width Depth with Door Open Depth with Door Closed	421/2"		461/8"	477/	/8"	51 ¹ / ₄ "	
Depth with Door Open Depth with Door Closed Weight				231/	/ ₈ " / ₈ "	51¹/4" 31" 227 lb	S
Depth with Door Open Depth with Door Closed Weight Dryers	42 ¹ / ₂ " 24 ¹ / ₂ "	T712C	46 ¹ / ₈ " 23 ⁷ / ₈ "	231/	/ ₈ " / ₈ "	31" 227 lb	s TL75IXXL
Depth with Door Open Depth with Door Closed Weight Dryers Butterfly Drying™ System	42½" 24½" 167 lbs	•	46 ¹ / ₈ " 23 ⁷ / ₈ " W-171 lbs, SS-	23 ¹ / 173 lbs 164 T793C	/ ₈ " - Ibs	31" 227 lb T793CFI*	
Depth with Door Open Depth with Door Closed Weight Dryers Butterfly Drying™ System Internal Moisture Condenser/Collector (Ventless)	42 ¹ / ₂ " 24 ¹ / ₂ " 167 lbs		46 ¹ / ₈ " 23 ⁷ / ₈ " W-171 lbs, SS- T793	23 ¹ / 173 lbs 164 T793C	/ ₈ " / ₈ " · lbs T793FI*	31" 227 lb	TL75IXXL
Depth with Door Open Depth with Door Closed Weight Dryers Butterfly Drying™ System Internal Moisture Condenser/Collector (Ventless) Three-Way Venting	42½" 24½" 167 lbs	•	46 ¹ / ₈ " 23 ⁷ / ₈ " W-171 lbs, SS-	23 ¹ / ₂ 173 lbs 164 T793C •	/ ₈ " / ₈ " - lbs T793FI*	31" 227 lb T793CFI*	TL75IXXL
Depth with Door Open Depth with Door Closed Weight Dryers Butterfly Drying™ System Internal Moisture Condenser/Collector (Ventless) Three-Way Venting Reversible Door	42½" 24½" 167 lbs T712 •	•	46 ¹ / ₈ " 23 ⁷ / ₈ " W-171 lbs, SS- T793	23 ¹ / 173 lbs 164 T793C	/8" /8" Ibs T793FI*	31" 227 lb	TL75IXXL
Depth with Door Open Depth with Door Closed Weight Dryers Butterfly Drying™ System Internal Moisture Condenser/Collector (Ventless) Three-Way Venting Reversible Door Cool Down Drying Temperatures (Air, Low and Normal)	42½" 24½" 167 lbs T712 •	•	46 ¹ / ₈ " 23 ⁷ / ₈ " W-171 lbs, SS- T793	23 ¹ / ₂ 173 lbs 164 T793C •	/8" /8" Ibs T793FI*	31" 227 lb	TL75IXXL
Depth with Door Open Depth with Door Closed Weight Dryers Butterfly Drying™ System Internal Moisture Condenser/Collector (Ventless) Three-Way Venting Reversible Door Cool Down Drying Temperatures (Air, Low and Normal) SensiDry™	42½" 24½" 167 lbs T712 •	•	46 ¹ / ₈ " 23 ⁷ / ₈ " W-171 lbs, SS- T793	23 ¹ / ₂ 173 lbs 164 T793C •	/8" /8" Ibs T793FI*	31" 227 lb	TL75IXXL
Depth with Door Open Depth with Door Closed Weight Dryers Butterfly Drying™ System Internal Moisture Condenser/Collector (Ventless) Three-Way Venting Reversible Door Cool Down Drying Temperatures (Air, Low and Normal) SensiDry™ Anti-Crease Program	42½" 24½" 167 lbs T712 • • •	•	461/8" 237/8" W-171 lbs, SS- T793	23 ¹ / ₁ 173 lbs 164 T793C • • •	/8" /8" lbs T793FI*	31" 227 lb T793CFI*	**************************************
Depth with Door Open Depth with Door Closed Weight Dryers Butterfly Drying™ System Internal Moisture Condenser/Collector (Ventless) Three-Way Venting Reversible Door Cool Down Drying Temperatures (Air, Low and Normal) SensiDry™ Anti-Crease Program Four-Way Water Containment System	42 ¹ / ₂ " 24 ¹ / ₂ " 167 lbs T712 • • • •	•	461/8" 237/8" W-171 lbs, SS- T793	23 ¹ / ₁ 173 lbs 164 T793C • • • • •	/8" /8" lbs T793FI*	31" 227 lb T793CFI*	**************************************
Depth with Door Open Depth with Door Closed Weight Dryers Butterfly Drying™ System Internal Moisture Condenser/Collector (Ventless) Three-Way Venting Reversible Door Cool Down Drying Temperatures (Air, Low and Normal) SensiDry™ Anti-Crease Program Four-Way Water Containment System Stainless Steel Drum	42½" 24½" 167 lbs T712 • • •	•	461/8" 237/8" W-171 lbs, SS- T793	23 ¹ / ₁ 173 lbs 164 T793C • • •	/8" /8" lbs T793FI*	31" 227 lb T793CFI*	**************************************
Depth with Door Open Depth with Door Closed Weight Dryers Butterfly Drying™ System Internal Moisture Condenser/Collector (Ventless) Three-Way Venting Reversible Door Cool Down Drying Temperatures (Air, Low and Normal) SensiDry™ Anti-Crease Program Four-Way Water Containment System Stainless Steel Drum Double Lint Filter Cleanable Fan	42 ¹ / ₂ " 24 ¹ / ₂ " 167 lbs T712 • • •	•	461/8" 237/8" W-171 lbs, SS- T793	23 ¹ / ₁ 73 lbs 164 T793C • • • • • • •	/s" /s" /s" blbs	31" 227 lb T793CFI*	**************************************
Depth with Door Open Depth with Door Closed Weight Dryers Butterfly Drying™ System Internal Moisture Condenser/Collector (Ventless) Three-Way Venting Reversible Door Cool Down Drying Temperatures (Air, Low and Normal) SensiDry™ Anti-Crease Program Four-Way Water Containment System Stainless Steel Drum Double Lint Filter Cleanable Fan Stacking Kit Included	42 ¹ / ₂ " 24 ¹ / ₂ " 167 lbs T712 • • • • •	•	461/s" 237/s" W-171 lbs, SS- T793 • • • • •	23 ¹ / ₁ 73 lbs 164 T793C	/s" /s" /s" blbs	31" 227 lb T793CFI*	**************************************
Depth with Door Open Depth with Door Closed Weight Dryers Butterfly Drying™ System Internal Moisture Condenser/Collector (Ventless) Three-Way Venting Reversible Door Cool Down Drying Temperatures (Air, Low and Normal) SensiDry™ Anti-Crease Program Four-Way Water Containment System Stainless Steel Drum Double Lint Filter Cleanable Fan Stacking Kit Included End-Of-Cycle Tone	42½" 24½" 167 lbs T712	•	461/8" 237/8" W-171 lbs, SS- T793 • • • • • •	23 ¹ / ₁ 73 lbs 164	/s" /s" /s" blbs	31" 227 lb T793CFI*	**************************************
Depth with Door Open Depth with Door Closed Weight Dryers Butterfly Drying™ System Internal Moisture Condenser/Collector (Ventless) Three-Way Venting Reversible Door Cool Down Drying Temperatures (Air, Low and Normal) SensiDry™ Anti-Crease Program Four-Way Water Containment System Stainless Steel Drum Double Lint Filter Cleanable Fan Stacking Kit Included End-Of-Cycle Tone EasyControl™ / SmoothDial Controls	42 ¹ / ₂ " 24 ¹ / ₂ " 167 lbs T712 • • • • • •	•	461/8" 237/8" W-171 lbs, SS- T793	23 ¹ / ₁ 73 lbs 164 T793C	/s" /s" /s" blbs	31" 227 lb T793CFI*	*** *** *** *** *** *** *** *** *** *** *** *** ** *** *** **
Depth with Door Open Depth with Door Closed Weight Dryers Butterfly Drying™ System Internal Moisture Condenser/Collector (Ventless) Three-Way Venting Reversible Door Cool Down Drying Temperatures (Air, Low and Normal) SensiDry™ Anti-Crease Program Four-Way Water Containment System Stainless Steel Drum Double Lint Filter Cleanable Fan Stacking Kit Included End-Of-Cycle Tone EasyControl™ / SmoothDial Controls EasyControl™ / Line Concept Controls	42½" 24½" 167 lbs T712	•	461/8" 237/8" W-171 lbs, SS- T793	23 ¹ / ₁ 73 lbs 164 T793C	/8" /8" /8" Ibs Its Its Its Its Its Its Its Its Its It	31" 227 lb T793CFI*	* * * * * * * * * * * * *
Depth with Door Open Depth with Door Closed Weight Dryers Butterfly Drying™ System Internal Moisture Condenser/Collector (Ventless) Three-Way Venting Reversible Door Cool Down Drying Temperatures (Air, Low and Normal) SensiDry™ Anti-Crease Program Four-Way Water Containment System Stainless Steel Drum Double Lint Filter Cleanable Fan Stacking Kit Included End-Of-Cycle Tone EasyControl™ / SmoothDial Controls EasyControl™ / Line Concept Controls Number Of Programs	42½" 24½" 167 lbs T712	•	461/8" 237/8" W-171 lbs, SS- T793	23 ¹ / ₁ 73 lbs 164 T793C	/8" /8" /8" Ibs Its Its Its Its Its Its Its Its Its It	31" 227 lb T793CFI*	*** *** *** *** *** *** *** *** *** *** *** *** **
Depth with Door Open Depth with Door Closed Weight Dryers Butterfly Drying™ System Internal Moisture Condenser/Collector (Ventless) Three-Way Venting Reversible Door Cool Down Drying Temperatures (Air, Low and Normal) SensiDry™ Anti-Crease Program Four-Way Water Containment System Stainless Steel Drum Double Lint Filter Cleanable Fan Stacking Kit Included End-Of-Cycle Tone EasyControl™ / SmoothDial Controls EasyControl™ / Line Concept Controls Number Of Programs Timed Dry Program (Minutes)	42½" 24½" 167 lbs T712	•	461/8" 237/8" W-171 lbs, SS- T793	23 ¹ / ₁ 73 lbs 164 T793C	/8" /8" /8" Ibs Its Its Its Its Its Its Its Its Its It	31" 227 lb T793CFI*	* * * * * * * * * * * * *
Depth with Door Open Depth with Door Closed Weight Dryers Butterfly Drying™ System Internal Moisture Condenser/Collector (Ventless) Three-Way Venting Reversible Door Cool Down Drying Temperatures (Air, Low and Normal) SensiDry™ Anti-Crease Program Four-Way Water Containment System Stainless Steel Drum Double Lint Filter Cleanable Fan Stacking Kit Included End-Of-Cycle Tone EasyControl™ / SmoothDial Controls EasyControl™ / Line Concept Controls Number Of Programs Timed Dry Program (Minutes) Air (Fluff) Drying Program Delay Start	42½" 24½" 167 lbs T712 • • • • • • • • 5 Hrs	• • • • • • • • • • • • • • • • • • •	461/8" 237/8" W-171 lbs, SS- T793	23 ¹ / ₁ 73 lbs 164 T793C	/8" /8" 1bs T793FI* • • • • • • • • • • • • • • • • • •	31" 227 lb T793CFI*	*** *** *** *** *** *** *** *** *** *** *** *** ** *** *** *** *** *** *** *** *** *** *** *** *** ** *** *** *** *** *** *** *** *** *** *** *** *** ** *** *** *** *** *** *** *** *** *** *** *** *** ** *** *** *** *** *** *** *** *** *** *** *** *** ** *** *** *** *** *** *** *** *** *** *** *** *** ** *** *** *** **
Depth with Door Open Depth with Door Closed Weight Dryers Butterfly Drying™ System Internal Moisture Condenser/Collector (Ventless) Three-Way Venting Reversible Door Cool Down Drying Temperatures (Air, Low and Normal) SensiDry™ Anti-Crease Program Four-Way Water Containment System Stainless Steel Drum Double Lint Filter Cleanable Fan Stacking Kit Included End-Of-Cycle Tone EasyControl™ / SmoothDial Controls EasyControl™ / Line Concept Controls Number Of Programs Timed Dry Program (Minutes) Air (Fluff) Drying Program Delay Start Includes 220 V, 20 Amp Receptacle For ASKO Washer	42½" 24½" 167 lbs T712	• • • • • • • • • • • • • • • • • • •	461/8" 237/8" W-171 lbs, SS- T793	23 ¹ / ₁ 73 lbs 164 T793C	/8" /8" /8" Ibs T793FI* • • • • • • • • • • • • • • • • • • •	31" 227 lb T793CFI*	*** *** *** *** *** *** *** *** *** *** *** *** ** *** *** *** *** *** *** *** *** *** *** *** *** ** *** *** *** *** *** *** *** *** *** *** *** *** ** *** *** *** *** *** *** *** *** *** *** *** *** ** *** *** *** *** *** *** *** *** *** *** *** *** ** *** *** *** *** *** *** **
Depth with Door Open Depth with Door Closed Weight Dryers Butterfly Drying™ System Internal Moisture Condenser/Collector (Ventless) Three-Way Venting Reversible Door Cool Down Drying Temperatures (Air, Low and Normal) SensiDry™ Anti-Crease Program Four-Way Water Containment System Stainless Steel Drum Double Lint Filter Cleanable Fan Stacking Kit Included End-Of-Cycle Tone EasyControl™ / SmoothDial Controls EasyControl™ / Line Concept Controls Number Of Programs Timed Dry Program (Minutes) Air (Fluff) Drying Program Delay Start Includes 220 V, 20 Amp Receptacle For ASKO Washer Available in Gas	42 ¹ / ₂ " 24 ¹ / ₂ " 167 lbs T712 • • • • • • • • 5 Hrs	• • • • • • • • • • • • • • • • • • •	461/s" 237/s" W-171 lbs, SS- T793	23 ¹ / ₁ 73 lbs 164 T793C	/s" /s" /s" Ibs T793FI*	31" 227 lb T793CFI*	*** *** *** *** *** *** *** *** *** *** *** *** ** *** *** *** *** *** *** *** *** *** *** *** *** ** *** *
Depth with Door Open Depth with Door Closed Weight Dryers Butterfly Drying™ System Internal Moisture Condenser/Collector (Ventless) Three-Way Venting Reversible Door Cool Down Drying Temperatures (Air, Low and Normal) SensiDry™ Anti-Crease Program Four-Way Water Containment System Stainless Steel Drum Double Lint Filter Cleanable Fan Stacking Kit Included End-Of-Cycle Tone EasyControl™ / SmoothDial Controls EasyControl™ / Line Concept Controls Number Of Programs Timed Dry Program (Minutes) Air (Fluff) Drying Program Delay Start Includes 220 V, 20 Amp Receptacle For ASKO Washer Available in Gas Every Unit Factory Tested Colors: White, Black, Titanium or TouchProof™ Stainless Steel	42 ¹ / ₂ " 24 ¹ / ₂ " 167 lbs T712 • • • • • • • • • • W, B, T	• • • • • • • • • • • • • • • • • • •	461/s" 237/s" W-171 lbs, SS- T793	23 ¹ / ₁ 73 lbs 164 T793C	/8" /8" 1bs T793FI* • • • • • • • • • • • • • • • • • •	31" 227 lb T793CFI*	*** *** *** *** *** *** *** *** *** *** *** *** ** *** *
Depth with Door Open Depth with Door Closed Weight Dryers Butterfly Drying™ System Internal Moisture Condenser/Collector (Ventless) Three-Way Venting Reversible Door Cool Down Drying Temperatures (Air, Low and Normal) SensiDry™ Anti-Crease Program Four-Way Water Containment System Stainless Steel Drum Double Lint Filter Cleanable Fan Stacking Kit Included End-Of-Cycle Tone EasyControl™ / SmoothDial Controls EasyControl™ / Line Concept Controls Number Of Programs Timed Dry Program (Minutes) Air (Fluff) Drying Program Delay Start Includes 220 V, 20 Amp Receptacle For ASKO Washer Available in Gas Every Unit Factory Tested Colors: White, Black, Titanium or TouchProof™ Stainless Steel TL751XXL: Ragin' Red, Pure Platinum, Blazin' Black, White	42½" 24½" 167 lbs T712	• • • • • • • • • • • • • • • • • • •	461/8" 237/8" W-171 lbs, SS- T793	23 ¹ / ₁ 73 lbs 164 T793C	/s" /s" /s" Ibs T793FI*	31" 227 lb T793CFI*	*** *** *** *** *** *** *** *** *** *** *** *** ** *** *** *** *** *** *** *** *** *** *** *** *** ** *** *** *** *** *** *** *** *** *** *** *** *** ** *** *** *** *** *** *** *** *** *** *** *** *** ** *** *** *** *** *** *** *** *** *** *** *** *** ** *** *** *** *** *** *** *** *** *** *** *** *** ** *** *** **
Depth with Door Open Depth with Door Closed Weight Dryers Butterfly Drying™ System Internal Moisture Condenser/Collector (Ventless) Three-Way Venting Reversible Door Cool Down Drying Temperatures (Air, Low and Normal) SensiDry™ Anti-Crease Program Four-Way Water Containment System Stainless Steel Drum Double Lint Filter Cleanable Fan Stacking Kit Included End-Of-Cycle Tone EasyControl™ / SmoothDial Controls EasyControl™ / Line Concept Controls Number Of Programs Timed Dry Program (Minutes) Air (Fluff) Drying Program Delay Start Includes 220 V, 20 Amp Receptacle For ASKO Washer Available in Gas Every Unit Factory Tested Colors: White, Black, Titanium or TouchProof™ Stainless Steel TL751XXL: Ragin' Red, Pure Platinum, Blazin' Black, White	42½" 24½" 167 lbs T712	6 6 6 6 7 5 Hrs W, T	461/8" 237/8" W-171 lbs, SS- T793	23 ¹ / ₁ 73 lbs 164 T793C	/8" /8" 1bs T793FI*	31" 227 lb T793CFI*	*** *** *** *** *** *** *** *** *** *** *** *** ** *** *** *** *** *** *** *** *** *** *** *** *** ** *** *** *** *** *** *** *** *** *** *** *** *** ** *** *** *** *** *** *** *** *** *** *** *** *** ** *** *** *** *** *** *** *** *** *** *** *** *** ** *** *** *** *** *** *** *** *** *** *** *** *** ** *** *** *** *** *** *** *** *** *** *** *** *** ** *** *** *** *** *** *** *** *** *** *** *** *** ** *** *** *** *** *** *** *** *** *** *** *** *** ** *** *** *** *** *** *** *** *** *** *** *** *** ** *** *** *** *** *** *** *** *** *** *** *** *** ** *** *
Depth with Door Open Depth with Door Closed Weight Dryers Butterfly Drying™ System Internal Moisture Condenser/Collector (Ventless) Three-Way Venting Reversible Door Cool Down Drying Temperatures (Air, Low and Normal) SensiDry™ Anti-Crease Program Four-Way Water Containment System Stainless Steel Drum Double Lint Filter Cleanable Fan Stacking Kit Included End-Of-Cycle Tone EasyControl™ / SmoothDial Controls EasyControl™ / SmoothDial Controls Number Of Programs Timed Dry Program (Minutes) Air (Fluff) Drying Program Delay Start Includes 220 V, 20 Amp Receptacle For ASKO Washer Available in Gas Every Unit Factory Tested Colors: White, Black, Titanium or TouchProof™ Stainless Steel TL751XXL: Ragin' Red, Pure Platinum, Blazin' Black, White Height	42½" 24½" 167 lbs T712	• • • • • • • • • • • • • • • • • • •	461/8" 237/8" W-171 lbs, SS- T793	23 ¹ / ₁ 73 lbs 164 T793C	/s" /s" /s" Ibs T793FI*	31" 227 lb T793CFI*	*** *** *** *** *** *** *** *** *** *** *** *** ** *** *** *** *** *** *** *** *** *** *** *** *** ** *** *** *** *** *** *** *** *** *** *** *** *** ** *** *** *** *** *** *** *** *** *** *** *** *** ** *** *** *** *** *** *** *** *** *** *** *** *** ** *** *** *** *** *** *** *** *** *** *** *** *** ** *** *** **
Depth with Door Open Depth with Door Closed Weight Dryers Butterfly Drying™ System Internal Moisture Condenser/Collector (Ventless) Three-Way Venting Reversible Door Cool Down Drying Temperatures (Air, Low and Normal) SensiDry™ Anti-Crease Program Four-Way Water Containment System Stainless Steel Drum Double Lint Filter Cleanable Fan Stacking Kit Included End-Of-Cycle Tone EasyControl™ / SmoothDial Controls EasyControl™ / Line Concept Controls Number Of Programs Timed Dry Program (Minutes) Air (Fluff) Drying Program Delay Start Includes 220 V, 20 Amp Receptacle For ASKO Washer Available in Gas Every Unit Factory Tested Colors: White, Black, Titanium or TouchProof™ Stainless Steel TL751XXL: Ragin' Red, Pure Platinum, Blazin' Black, White Height Width	421/2" 241/2" 167 lbs T712	• • • • • • • • • • • • • • • • • • •	461/8" 237/8" W-171 lbs, SS- T793	23 ¹ / ₂ 173 lbs 164 T793C	/s" /s" /s	31" 227 lb T793CFI*	*** *** *** *** *** *** *** *** *** *** *** *** ** *** *** *** *** *** *** *** *** *** *** *** *** ** *** *** *** *** *** *** *** *** *** *** *** *** ** *** *** *** *** *** *** *** *** *** *** *** *** ** *** *** *** *** *** *** *** *** *** *** *** *** ** *** *** *** *** *** *** *** *** *** *** *** *** ** *** *** *** *** *** *** **
	42½" 24½" 167 lbs T712	• • • • • • • • • • • • • • • • • • •	461/8" 237/8" W-171 lbs, SS- T793	23 ¹ / ₂ 173 lbs 164 T793C	/8" /8" /8" Ibs T793FI* T7	31" 227 lb T793CFI*	*** *** *** *** *** *** *** *** *** *** *** *** ** *** *** *** *** *** *** *** *** *** *** *** *** ** *** *** *** *** *** *** *** *** *** *** *** *** ** *** *** *** *** *** *** *** *** *** *** *** *** ** *** *** *** *** *** *** *** *** *** *** *** *** ** *** *** *** *** *** *** *** *** *** *** *** *** ** *** *** *** *** *** *

^{*}Requires optional, one-piece door panel (see FI Door Panels on following page)

$HiddenHelpers^{TM}$

Ironing Board

8080704 - 0 = White (W6903)

8080705 - 0 = White, - 81 = Titanium (W6903FI, W6222)

,	, ,
Height	6"
Width	231/2"
Depth	231/4"
Depth at Max. Reach	591/2"
Ironing Board Dimensions	36½" long X 125/8" wide
Arm Insert Width (Optional)	16 ³ / ₄ " added to
	width when installed
Weight	53 lbs
Arm Insert Weight	3 lbs

Double Shelf

8080443 - 0 = White, - 81 = Titanium (W6903)

8080407 - 0 = White, - 81 = Titanium (W6903FI, W6222)

,	, , , , , , , , , , , , , , , , , , , ,
Height	6"
Width	241/2"
Depth	231/4"
Depth at Max. Reach	473/4"
Shelf Working Surface	251/2" long X 21" wide
Basket Work Area	14" long X
	191/4" wide
Weight	58 lbs

Single Shelf

8079977 - 0 = White, - 81 = Titanium (W6903, W6903FI)

8061907 - 0 = White, - 26 = Black, - 81 = Titanium (W6222)

8061907 - 0 = Wnite, -26 = black, -81	= 11tan1um (W6222)
Height	2"
Width	231/2"
Depth	221/4"
Depth at Max. Reach	375/8"
Shelf Working Surface	143/4" long X 213/8" wide
Weight	25 lbs

Drying Cabinet DC7171 DC7181

Clothes Line Equivalent	521/2'	521/2'
Drying Time, Normal	150 min	150 min
Programs	Normal, Low, Air Fluff	Normal, Low, Air Fluff
Timer	Up to 4 hrs	Up to 4 hrs
Element	1200 W	1200 W
CFM	26	26
Voltage	120V/60 Hz	120V/60 Hz
Bar for Hangers	•	•
Door Hanger	•	•
Glove Hanger	•	•
Colors	White, Titanium	White, Titanium
Shoe Rack (Accessory)	Optional	Optional
Height	67" to 69"	71 ³ / ₈ " to 73 ³ / ₈ "
Width	231/2"	231/2"
Depth	251/4"	251/4"
Depth with Door Open	461/4"	461/4"
Weight	132 lbs	143 lbs

Laundry Basket

8081560 - 0 = White, - 81 = Titanium (Line Series)

8081558 - 0 = White, - 81 = Titanium, - 91 = Stainless Steel (Circle, FI Series)

Height	6"
Width	231/2"
Depth	231/4"
Depth at Max. Reach	371/4"
Basket Working Surface	17½" L x
	19" W
Weight	40 lbs

Sorting Unit

8081299 - 81 = Titanium (FI)

8082751 - 91 Sorting Unit Door Stainless Steel

8082753 - 91 XXL Sorting Unit Door Stainless Steel

Height	27"- 28"
Width	235/8"
Depth*	235/8"
Depth at Max. Reach	45
Weight	90 lbs

XXL Steel Laundry Platform

8082771 - 0 = White, - BB = Blazin' Black, - PP = Pure Platinum, - RR = Ragin' Red

Height	16"- 17"
Width	27"
Depth	281/2"
Depth w/Drawer Open	44"
Weight	63 lbs

^{*}Add 2" for Towel Bar Handle

FI Door Panels

Standard Panel

8080695 - 0 = White, - 86 = Black, - 91 = TouchProofTM Stainless Steel

Door Panel with T-Bar Handle (4" Toe Kick)

Height	301/8"
Width	231/2"
Thickness	5/8"*
Weight	19 lbs

8080696 - 0 = White, - 86 = Black, - 91 = TouchProofTM Stainless Steel

Door Panel with A-Bar Handle (4" Toe Kick)

Door raner want ran ranare (roc reien,	
Height	301/8"	
Width	231/2"	
Thickness	5/8"*	
Weight	19 lbs	

Full Panel

8081936 - 0 = White, - 86 = Black, - 91 = TouchProof^{тм} Stainless Steel

Door Panel with T-Bar Handle (Full Door)

	,	
Height		329/16"
Width		231/2"
Thickness		5/8"*
Weight		18 lbs

^{*}Custom panel should be a minimum of 3/4" thick





P.O. Box 940609 • Plano, Texas 75094-0609 800-898-1879 • www.askousa.com Free Manuals Download Website

http://myh66.com

http://usermanuals.us

http://www.somanuals.com

http://www.4manuals.cc

http://www.manual-lib.com

http://www.404manual.com

http://www.luxmanual.com

http://aubethermostatmanual.com

Golf course search by state

http://golfingnear.com

Email search by domain

http://emailbydomain.com

Auto manuals search

http://auto.somanuals.com

TV manuals search

http://tv.somanuals.com