



CFX-37



CRV-700

GLASS DOOR COOLERS

CFX-37 / CRV-700

Key Features

- Forced Air Refrigeration
- Illuminated Header
- Bright Interior Lighting
- Adjustable Thermostat
- Self-Closing Glass Doors
- Pull or Sliding Doors
- Adjustable Coated Wire Shelves

Model	Doors	Capacity cu.ft (lt)	Shelves	Exterior Dimensions inches (mm)			Interior Dimensions inches (mm)			Power (V-Hz-Ph)	Amps	HP	Crated Weight lbs (kg)
				L	D	H	L	D	H				
CRV-700	2	35 1/8 (994)	8	40 (1016)	34 1/8 (865)	78 1/2 (1994)	36 1/4 (919)	28 3/8 (721)	60 5/8 (1541)	115.60.1	11	1/2	383 (174)
CFX-37	2	36 5/8 (1037)	8	43 (1092)	32 7/8 (835)	78 1/2 (1994)	39 1/8 (995)	26 5/8 (676)	60 5/8 (1541)	115.60.1	9	1/2	380 (172)

## Details

### Cabinet Construction

- Exterior: Galvanized, pre-painted steel cabinet, white.
- Interior: Durable galvanized pre-painted steel.
- High-density, CFC-Free, polyurethane insulation.
- Four (4) low profile adjustable feet.

### Door

- Self closing doors with strong PVC frame.
- Pull doors on CFX-37.
- Sliding doors on CRV-700.
- Double pane glass door injected with argon gas for increased efficiency and maximum product visibility.

### Shelving

- Eight (8) heavy-duty, steel coated, adjustable shelves:
  - CRV-700: 24 1/2" x 17 5/8" (622 x 448)
  - CFX-37: 18 3/4" x 22 7/8" (476 x 581)
- Stainless steel shelf brackets allow for adjustment in 1/2 inch increments

### Lighting

- Bright fluorescent lights provide for maximum illumination of products.
- Utilizes T8 bulbs and an electronic ballast for increased energy efficiency and extended life.

### Electrical

- Ready for connection to 115V/60Hz single phase 20 amp dedicated outlet.
- Includes a 6' cord and plug set



NEMA 5-15R


### Refrigeration System

- Forced air, environmentally friendly refrigeration system using CFC-free R134A refrigerant.
- Self-contained heated drain pan and condensate evaporation system.
- Electronic temperature control maintains 34°F to 41°F (1°C to 5°C).
- Top mounted refrigeration unit allows for easy maintenance and service.

### Options

- 208-230V/ 50Hz
- Custom Graphics
- Additional Shelves
- 3" Heavy Duty Casters
- 3 Door models also available
- Various Cabinet Colors

### Technical Drawing



## CFX-37 / CRV-700



3235 Industry Drive • Suite C  
North Charleston, SC 29418  
Phone: 843-767-6855  
Toll Free: 800-905-4768

Fax: 843-767-6858  
Toll Free Fax: 800-906-4768  
www.atcgroup.net  
sales@atcgroup.net

### WARRANTY

One year warranty on all parts and labor and an additional 4 year prorated warranty on compressor.

## Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>