



Designed For



A5



A2



AW1

But works great with all your gear!



Audioengine S8 with A5 and A2

audioengine **S8**

www.audioengineusa.com


Premium Powered Subwoofer

Features:

- Super-compact size
- 8" custom downfiring woofer
- Wireless-ready!
- Solid hand-finished, front-ported cabinet
- Auto-sleep power saving mode
- Dual line-level inputs (RCA and mini-jack)
- All cables included
- Excellent performance for music, movies, and videogames
- A perfect bass extension for Audioengine powered speakers or any audio system!

Included Accessories:

- AC power cable
- 1/8" mini-jack audio cable, 2 meters (~6.5 feet)
- RCA audio cable, 2 meters (~6.5 feet)
- Drawstring cable bag
- Drawstring subwoofer bag
- Setup guide



audioengine S8
www.audioengineusa.com

Audioengine S8 premium powered subwoofer

General Specifications

Type:	Powered Subwoofer
Power output:	250W peak power total (125W RMS), AES
Amplifier Type:	Dual Class AB monolithic
Inputs:	1/8" (3.5mm) Stereo mini-jack and RCA L/R
Output:	RCA L/R, full-range
Voltages:	110-240V 50/60Hz
Driver:	8" (25.4cm) long-throw woofer, downfiring design
Ports:	Single, front
Signal-to-noise:	>95db (typical A-weighted)
THD:	<0.05% at all power settings
Freq. Response:	27Hz-180Hz (±1.5db)
Sensitivity:	88db SPL (1w@1m)
Input impedance:	10K ohms unbalanced
Crossover Frequency:	50Hz - 130Hz
Phase:	0 - 180°
Standby power Consumption:	8W
Protection:	Output current limiting, thermal over-temperature, power on/off transient protection
Dimensions (HxWxD):	11.25" x 11.25" x 11.25"
Shipping weight:	13.6kg (30 lbs)

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>