


AUDIOVOX

Dual Alarm Clock Radio for iPod

Model No.: CR8030iE5



User's Guide

SAFETY PRECAUTIONS



WARNING: SHOCK HAZARD - DO NOT OPEN
AVIS: RISQUE DE CHOC ÉLECTRIQUE - NE PAS OUVRIR

* SEE GRAPHIC SYMBOLS ON THE BOTTOM OF UNIT *



The lightning flash with an arrowhead symbol, within the equilateral triangle, is intended to alert the user to the presence of uninsulated "dangerous voltage" within the product's enclosure that may be of sufficient magnitude to cause an electric shock.



The exclamation point within the equilateral triangle is intended to alert the user to the presence of important operating and maintenance (servicing) instructions in this owner's guide.

FCC Information

This device complies with Part 15 of the FCC rules. Operation is subject to the following two conditions:

(1) This device may not cause harmful interference, and (2) This device must accept any interference received, including interference that may cause undesired operation.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

WARNING: Changes or modifications to this unit not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This Class B digital apparatus complies with Canadian ICES-003.

Cet appareil numérique de la classe B est conforme à la norme NMB-003 du Canada.

Warnings:

- The AC adapter is used as disconnect device and it should remain readily operable during intended used. In order to disconnect the apparatus from the mains completely, the AC adapter should be disconnected from the mains socket outlet completely.
- Minimum 10 cm (4 inches) distances around the apparatus for sufficient ventilation.
- Batteries shall not be exposed to excessive heat such as sunshine, fire or the like.
- The ventilation should not be impeded by covering the ventilation openings with items such as newspaper, table-cloths, curtains, etc.
- No naked flame sources such as lighted candles should be placed on the apparatus.
- The apparatus and AC adapter shall not be exposed to dripping or splashing and that no objects filled with liquids, such as vases, shall be placed on apparatus and AC adapter.

On Operation

Do not turn up the volume while listening to your iPod with no audio signals or very low level inputs. If you do so, the speakers may be damaged when the peak level of the sound is played.

On Use

Never use the unit where it would be subject to:

- Heat sources such as radiators or air ducts.
- Direct sunlight.
- Excessive dust.
- Moisture or rain.
- Mechanical vibration or shock.
- Uneven surface.

- Do not place any heavy objects on top of the unit.
- When the unit is used with an AC power adapter, do not wrap the unit in a cloth, blanket, etc.. If you do so, the temperature inside and outside the unit may rise considerably, resulting in malfunctioning of the unit.
- If the unit is brought directly from a cold to a warm location, or is placed in a very damp room, the moisture may condense on the lens inside the unit. Should this occur, the unit will not operate. In this case, remove the disc and leave the unit in a warm place for several hours until the moisture evaporates.
- For the unit to operate at its best, it should not be subject to temperatures below 41°F (5°C) or above 95°F (35°C).



This symbol indicates that this product incorporates double insulation between the hazardous mains voltage and user accessible parts.

IMPORTANT SAFETY INSTRUCTIONS

1. Read these instructions.
2. Keep these instructions.
3. Heed all warnings.
4. Follow all instructions.
5. Do not use this apparatus near water.
6. Clean only with dry cloth.
7. Do not block any ventilation openings. Install in accordance with the manufacturer's instructions.
8. Do not install near any heat sources such as radiators, heat registers, stoves, or other apparatus (including amplifiers) that produce heat.
9. Do not defeat the safety purpose of the polarized or grounding-type plug. A polarized plug has two blades with one wider than the other. A grounding type plug has two blades and a third grounding prong. The wide blade or the third prong are provided for your safety. If the provided plug does not fit into your outlet, consult an electrician for replacement of the obsolete outlet.
10. Protect the power cord from being walked on or pinched particularly at plugs, convenience receptacles, and the point where they exit from the apparatus.
11. Only use attachments/accessories specified by the manufacturer.
12. Use only with a cart, stand, tripod, bracket, or table specified by the manufacturer, or sold with the apparatus. When a cart is used, use caution when moving the cart/apparatus combination to avoid injury from tip-over.
13. Unplug this apparatus during lightning storms or when unused for a long period of time.
14. Refer all servicing to qualified service personnel. Servicing is required when the apparatus has been damaged in any way, such as the power-supply cord or plug is damaged, liquid has spilled or objects have fallen into the apparatus, the apparatus has been exposed to rain or moisture, does not operate normally, or has been dropped.



Portable Cart Warning

REPLACING COLOR SLEEVE

You can change the appearance of your product by using one of the color sleeves (supplied with the product). Choose the sleeve you prefer, then follow the below steps to replace it.




Color Sleeve Location



Color Sleeve


STEP-1

Put the color sleeve into the transparent case.



STEP-2

First insert the rear edges into the guiding ribs. Then put the rest of the unit into the transparent case.




Notes:

- Before adding a new sleeve, please remove the old sleeve.
- Reverse the above steps to remove the unit and color sleeve from the transparent case.

LOCATION OF CONTROLS


Front View



1. Right Speaker
2. iPod Dock Door
3. iPod Dock
4. Left Speaker
5. LCD Display
6. HOUR/TUNING Button
7. (Alarm 1) Button
8. (Clock) /FUNCTION Button

9. (Standby/On) Button
10. - VOLUME + Button
11. PRESET/SNOOZE button
12. (Play/Pause)/MEMORY Button
13. (Sleep) Button
14. (Alarm 2) Button
15. (MIN/TUNING) Button

Rear View




16. (Headphone/Earphone) Jack
17. FM ANT. (FM Antenna)
18. AC Power Adapter
19. Transparent Case

POWER SUPPLY

Using the AC Adapter

This AC adapter operates on AC 120V ~ 60Hz.



CAUTIONS:

- Before use, make sure the rated voltage of the adapter matches your local voltage.
- If you are not going to use the unit for a long time, disconnect the AC adapter from the wall outlet.
- Whenever the AC adapter is plugged in to a wall outlet, electricity is running through the unit, even when the power button on the unit is turned off.

Power Back-Up During Power Interruption

Open the battery door at the bottom of the unit and insert two "AA size" batteries into the battery compartment.

We recommend you install two "AA size" batteries (not included) for the power back-up function. If the AC power supply is interrupted, the batteries supply power to keep the clock operating and the alarm times set.

- During power interruption, the clock function is still maintained. The alarm sound will not come on.
- These batteries are for clock operation and alarm memory during power interruption. You can not listen to the radio/iPod using battery power.

When to Replace the Batteries

To check the batteries' condition, unplug the AC adapter from the wall outlet and plug it in again after a few minutes. If the displayed time is incorrect, replace the batteries with new ones.

WARNINGS:

- Danger of explosion if batteries are incorrectly replaced. Replace only with the same or equivalent type.
- Be sure to install the batteries before unplugging the AC adapter.
- When the unit is going to be left unplugged for a long time, remove the batteries to avoid undue battery discharge and unit damage from battery leakage.
- Do not dispose of battery in a fire; battery may explode or leak.
- Do not mix old and new batteries.
- Do not mix ALKALINE, standard (CARBON-ZINC) or rechargeable (NICKEL-CADMIUM) batteries.

CAUTION: When discarding batteries, environmental problems must be considered and local rules or laws governing the disposal of these batteries must be strictly followed.

VOLUME ADJUSTMENT

To Adjust the Volume

Press the **VOLUME** buttons to obtain the desired volume.

For Personal Listening

Connect headphones (Ø3.5mm stereo mini plug) to the earphone jack. Press the **VOLUME** buttons to obtain the desired volume.


When headphones are connected, the speakers are automatically muted.

Warning: Excessive sound pressure from earphone and headphones can cause hearing loss, so start playback before putting on the earphones.

CLOCK SETTING

Setting the clock can only be done in STANDBY mode.


TIME DISPLAY INDICATOR
 Hour Digits Minute Digits



1. Press the (Clock) button, the hour and minute digits blink.
2. Press the (HOUR) button to adjust the hour digits.
3. Press the (MIN) button to adjust the desired minutes then press the (Clock) button once to confirm.


Note:

- "PM" is displayed between 12 noon and midnight. 12:00 PM=Noon.
- In RADIO/iPod mode, the current time is always shown on the display.



LISTENING TO THE RADIO

- Press the **⏻/I** (Standby/On) button to turn the unit on.
- Press the **FUNCTION** button to AM or FM band.
- Press the **◀▶** or **▶▶** button to tune in to a station.
- Adjust the **VOLUME** control to obtain the desired volume.



Searching for a Station Automatically

- Press and hold the **◀▶** or **▶▶** button until the tuner starts searching for a station, then release. After finding a clear station, the search stops automatically.

Note: The search may not stop at a station with a very weak signal.

Presetting Stations

The unit can store a total of 20 stations in memory (10 X FM, 10 X AM). Presetting allows you to tune in to a station directly.

- Tune in to a desired station (see previous section).
- Press the **MEMORY** button. The preset number will blink on the display.
- Press the **PRESET** button repeatedly to select the preset number you desire.
- Press the **MEMORY** button again to store it in memory.
- Repeat steps 1-4 to store other stations.

Tuning in to a Preset Station

Press the **PRESET** button repeatedly to select a preset station that you would like to enjoy.

For Better Reception

FM: Place the unit in the position that sounds best.

Note: When the reception is good, the "STEREO" indicator will appear on the display.

AM: Reposition the unit to get better AM reception.

Note: It's possible you may cause interference to AM signal reception by standing very close to the product.



LISTENING TO YOUR iPod

Compatible iPod Types

- iPod nano (1st generation) 1GB, 2GB, 4GB
- iPod nano (2nd generation) 2GB, 4GB, 8GB
- iPod nano 3rd generation (video) 4GB, 8GB
- iPod nano 4th generation (video) 8GB, 16GB
- iPod 5th generation (video) 30GB, 60GB, 80GB
- iPod classic 80GB, 120GB, 160GB
- iPod touch (1st generation) 8GB, 16GB, 32GB
- iPod touch (2nd generation) 8GB, 16GB, 32GB


Installing the iPod Dock Adapter

- Before connecting your iPod, we recommend you install the appropriate **iPod Dock Adapter** (supplied with the iPod or sold separately) in the dock of the unit.
- Lift up the iPod Dock Door to approximately 90°.
- Insert your **iPod Dock Adapter** (not included) into the dock until it sits firmly in place.




Removing the iPod Dock Adapter

Remove the Dock Adapter by gripping the inside with your thumb, then lifting out the adapter using the friction between your thumb and the adapter.



Inserting Your iPod

- Ensure the appropriate iPod Docking Adapter is installed.
- Insert your iPod into the connector in the dock.



Start Playback

- Press the **⏻/I** (Standby/On) button to turn on the unit.
- Press the **FUNCTION** button repeatedly until the "iPod" indicator appears on the display.
- Then the iPod will start playing automatically.

Notes:

- The iPod will be charged automatically (until fully charged) whilst it is docked in the cradle (Except when you are listening to the radio).
- To prevent possible interference to the AM signal, please turn off the iPod while the radio is playing.

LISTENING TO YOUR iPod

Pausing Playback

- Press the **⏸** button.
- To resume playback, press the **▶▶** button again.

Skipping to a Another Track

- Press either the **◀▶** or **▶▶** button according to the desired direction.
- Press the **◀▶** button to skip to the beginning of the current track or previous track. Press the **▶▶** button to skip to the beginning of the next track.

Locating a Particular Point on a Track

- Keep either the **◀▶** or **▶▶** button pressed during playback, according to the desired direction, and release at the desired point.

Note: Please refer to the owner's manual that was supplied with your iPod for more details.

DUAL ALARM SETTING

- The unit should be in STANDBY mode to set alarm.
- The alarm can be set to activate twice a day by setting two different alarm times in ALARM1 and ALARM2.
- The unit can be set to "BUZZER", "Radio" or "iPod" alarm.

To Set Alarm 1

- Press the **1** (Alarm 1) button, the "⌚" icon blinks on the display.
- Press the **1** (Alarm 1) button once again, then the "⌚" icon, hour & minute digits blink on the display.
- Press the **HOUR** button to adjust the hours.
- Press the **MIN** button to adjust the minutes.
- Press the **FUNCTION** button to select "BUZZER", "TUNER", "iPod".
- The shown "TUNER" icon represents Radio (FM/AM) mode.
- Press the **1** (Alarm 1) button again to confirm.
- The alarm 1 indicator will light up.

Notes:

- For the "Radio" Alarm, you should tune into your desired station in FM or AM band before setting alarms, and it will turn on to the last station you tuned in.
- For "iPod" Alarm, insert your iPod into the connector. If no iPod is inserted, it will alarm to the buzzer instead.

The clock radio will wake up to "BUZZER", "Radio", "iPod", when alarm timer reaches the preset time and then turns off automatically after 60 minutes.

Note: After the unit wakes up to "Radio" or "iPod", you can adjust the volume control to obtain the desired volume.

To Set Alarm 2

Setting the alarm for alarm 2 is the same as setting alarm 1 (Use the Alarm 2 button instead of the Alarm 1 button).

Note: If the Alarm 1 & Alarm 2 are set to the same time, the unit will alarm once only.

To Turn Off Alarm


- Snooze (If you want to snooze a few more minutes)
Pressing the **SNOOZE** button will deactivate the sound for 9 minutes. You can repeat this function as many times as you like within 60 minutes from the preset alarm time.
- To stop alarm sound
Press the **⏻/I** (Standby/On) button to stop alarm sound, and it will resume after 24 hours.

To Cancel Alarm Mode

After setting alarms, press and hold the **1** (Alarm 1) or **2** (Alarm 2) buttons for 2 seconds until the alarm1 or alarm2 indicator disappears.

To Change the Alarm Time


Set the alarm time again.



SLEEP TIMER SETTING

The sleep timer turns the unit off automatically at a pre-selected time.

- While the unit is on, press the **Z** (Sleep) button and the display shows "90".
- Press the **Z** (Sleep) button repeatedly to select the desired sleep time (in minutes) as listed below:



Note: "OFF" means the sleep mode is disabled.

- After setting a desired sleep time, the "SLEEP zZ" icon will be shown in the display.
- The unit will automatically turn off once it reaches the sleep time.

To clear the preset sleep time, press the **Z** (Sleep) button repeatedly until "OFF" appears.

TROUBLESHOOTING GUIDE

Problems	Solutions
Clock	
Clock does not show the correct time.	• There has been an electrical power interruption. Reset the clock.
Alarm does not come on at the preset time.	• Is the current time correctly set on the time display? • Is the alarm time correctly set?
RADIO	
Poor FM reception	• Electrical devices in your home can cause poor reception. Move the unit away from them (especially those with motors and transformers).
Poor AM reception	• Rotate the unit horizontally.
iPod	
iPod does not dock properly or does not install properly.	• Remove your iPod from the dock and check for obstruction on the connectors in the dock and on your iPod. Make sure you are using the appropriate adapter for your model of iPod.
iPod does not respond to the speaker system.	• Make sure that your iPod is working properly before docking into the unit. Please refer to your iPod manual for details.

MAINTENANCE

Cleaning the Unit

- Be sure to turn off the unit, disconnect the power adapter and remove all external connections before cleaning the unit.
- Wipe the unit with a dry soft cloth. If the surfaces are extremely dirty, wipe clean with a cloth that has been dipped in a weak soap-and-water solution and wrung out thoroughly, then wipe with a dry cloth.
- Never use alcohol, benzene, thinner, cleaning fluid or other chemicals. Do NOT use compressed air to remove dust.

SPECIFICATIONS

AC: 120V ~ 60Hz AC SUPPLY

BACKUP BATTERIES FOR CLOCK: 2 x "AA SIZE"

RADIO FREQUENCY: AM 520 ~ 1710KHz

FM 87.5 ~ 108.0MHz

LIMITED WARRANTY

VENTURER ELECTRONICS ("VENTURER") makes the following limited warranty. This limited warranty extend to the original consumer purchaser and is limited to non-commercial use of the product.

Ninety (90) Day Parts & Labor Warranty

VENTURER products purchased in the United States are warranted to be free from defects in materials or workmanship for a period of ninety (90) days from the date of their original retail purchase. If the unit fails to conform to this warranty, we will service the product using new or refurbished parts and products, at VENTURER's sole discretion.

During a period of ninety (90) days from the effective warranty date, VENTURER will provide, when needed, service labor to repair a manufacturing defect at its designated Service Center. To obtain warranty service in the United States, you must first call our **Customer Support Center at 1800-252-6123, during the hours listed in the box below.** The determination of service will be made by VENTURER Customer Support. **PLEASE DO NOT RETURN YOUR UNIT TO VENTURER WITHOUT PRIOR AUTHORIZATION.** New or remanufactured replacements for defective parts or products will be used for repairs by VENTURER at its designated Service Center for ninety (90) days from the effective warranty date. Such replacement parts or products are warranted for an additional ninety (90) days from the date of repair or replacement. The Customer will be required to ship the unit to the Service Center indicated at the time Customer Support is contacted to make the necessary repairs. The customer is responsible for all transportation charges to the service facility.

Packaging and Shipping Instruction

When you send the product to the VENTURER service facility you must use the original carton box and packing material or an equivalent as designated by VENTURER.

Your Responsibility

- You must retain the original sale receipt to provide proof of purchase.
- These warranties are effective only if the product is purchased and operated in the U.S.A. or Canada.
- Warranties extend only to defects in material or workmanship, and do not extend to any product or parts which have been lost or discarded, or damage to product or parts caused by misuse, accident, improper operation or maintenance, or use in violation of instructions provided with the product, or to product which has been altered or modified without authorization of VENTURER, or to products or parts thereof which have had the serial number removed or changed.

Out of Warranty

In the event your product requires repair after the limited warranty period has expired, please contact our Customer Support Center at **1800-252-6123** or www.1800customersupport.com/audiovox
Hours: Monday-Thursday: 9-7, Friday: 9-5, Saturday: 9-12 EST
Important: You are responsible for any transportation, shipping or insurance relative to the return of the product to our Product Returns Center.

All warranties implied by state law, including the implied warranties of merchantability and fitness for a particular purpose, are expressly limited to the duration of the limited warranties set forth above. With the exception of any warranties implied by state law as hereby limited, the foregoing warranty is exclusive and in lieu of all other warranties, guarantees, agreements and similar obligations of manufacturer or seller with respect to the repair or replacement of any parts. In no event shall VENTURER be liable for consequential or incidental damages.

No person, agent, distributor, dealer or company is authorized to change, modify or extend the terms of these warranties in any manner whatsoever. The time within action must be commenced to enforce any obligation of VENTURER arising under the warranty or under any statute, or law of the United States or any state thereof, is hereby limited to ninety (90) days from the date of purchase. This limitation does not apply to implied warranties arising under state law.

This warranty gives you specific legal rights and you may also have other rights, which may vary from state to state. Some states do not allow limitations on how long an implied warranty lasts, when an action may be brought, or the exclusion or limitation of incidental or consequential damages, so the above provisions may not apply to you.

For more information on other products and services, please visit our web site at:

www.1800customersupport.com/audiovox

Important: Also keep your "Bill of Sale" as proof of purchase.

Model no. Product name
 Type of set
 Serial no. Invoice no.
 Date purchased..... Dealer name

FOR SERVICE AND REPAIR, PLEASE VISIT www.1800customersupport.com/audiovox

Design and specifications are subject to change without notice.

Printed in China

811-803091W071

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>