

Avenview



DVI-GS3 Series

Part #: DVI-GS3-2

Description

DVI-GS3-2 GameSwitch allows you play over a DVI monitor in High-Definition resolutions of 720p / 1080p for ultimate HD multimedia experience. Now you can experience High Definition Gaming at maximum resolution. GameSwitch enables you to play console games on a regular DVI monitor. With only one monitor, DVI GameSwitch is perfect solution for watching high definition contents. Switching between two machines as easy as a click of a button. GameSwitch gives you ultimate visual experience on your DVI monitor.


Features

- Play latest console games on DVI monitor at High Definition
- One monitor for two devices
- Simultaneous connection from two of following devices:
 - Game Console
 - PC with graphics output
 - DVD Players with HDMI output
 - Blue-Ray / HD-DVD Player
 - DV Camcorder
- Plug & Play
- Easy screen switching via select button
- Supports HD resolutions of up to 1080p
- Compliant with HDMI 1.2, HDCP and DVI 1.0
- High quality audio to stereo speaker or monitor with built-in speaker
- LED status to indicate the source displayed
- Supports VGA, SVGA, XGA, TFT_LCD, LCD TV, PDP, Projector with DDC2B function
- LEDs on Transmitter and Receiver to indicate system status
- Equipped with magnetic pad and metal plate for easy installation
- Compact size

System Devices and Functions

DVI-GS3-2

- Built-in two set of DVI inputs
- Built-in one set of DVI output
- Built-in one set of Speaker output



Installation Diagram of DVI-GS3-2

Cable and Accessories



Game Cable



Console Cable



USB Power Cable



**Power Adapter
(Sold Separately)**

Package Content

DVI-GS3-2 GameSwitch

- 1 GameSwitch
- Selector Cable
- HDMI & AV to DVI Cable 1.8m
- USB Power Cable
- User Manual

Specifications

GameSwitch DVI-GS3-2

Input	Connector	Game: DVI Female x 1, Audio Female x 1 PC: DVI Female x 1, Audio Female x 1
	Cable	Game: HD & AV to DVI Cable PC: Use monitor's DVI and Audio cable
Output	Connector	DVI Female x 1, Audio Female x 1
	Cable	DVI to DVI + Select Button + Audio cable
Supported Resolution	480i, 480p, 720p, 1080i, 1080p	
Audio Channel	Stereo	
Switching Method	Auto or Manual Select Button	
Supported Signal	HDMI 1.2, HDCP, DVI 1.0	
Power Consumption	DC 5V, 700mA	
Housing	Metal	
Dimension (LxWxH)	Compact Size: 62 x 113 x 29 mm	
Operating Temperature	0 ~ 50°	
Storage Temperature	-20 ~ 60°	
Humidity	10 ~ 90%	



Copyright 2007, Avenview® Inc. All rights reserved.
Features, availability and specifications are subject to change without notice.

The logo for Avenview Inc. features the word "Avenview" in a bold, dark blue, sans-serif font. A small red square icon with a white crosshair is positioned above the letter 'v'. The entire logo is contained within a white rectangular box with a slight drop shadow and a red horizontal line at the bottom.

Avenview

Avenview Inc.
info@avenview.com
www.avenview.com

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>