



ROUND DOLL CRIB WITH CANOPY & BEDDING

Assembly Instructions.
Adult Assembly Required.
Read all instructions before use.
Save instructions for future use.



PRODUCT MODEL NUMBER:

01906 - Pink Gingham

VERSION CODE: **1.0/0309/TG**

Visit us online at www.badgerbasket.com

Toll-Free Customer Service: 1-800-236-1310 (Monday to Thursday 7:30 AM-4:30 PM CST)

Web: <http://www.badgerbasket.com/parts> • **E-mail:** parts1@badgerbasket.com

Mail: PO Box 227, Edgar, WI 54426-0227 • **Phone:** 715-352-2311 • **Fax:** 715-352-3163



BEFORE YOU BEGIN ASSEMBLY:

Check all parts and hardware. If anything is missing or not satisfactory, please DO NOT call the store or return the product to them. Contact Badger Basket.

Most problems are resolved without you needing to leave home.

When contacting us, please have this instruction manual, your product model number, and your product version code ready.

For fastest service, go to <http://www.badgerbasket.com/parts>

Your Product Version Code is: 1.0/0309/TG



WARNING - FAILURE TO FOLLOW THESE WARNINGS AND THE INSTRUCTIONS COULD RESULT IN SERIOUS INJURY OR DEATH

READ ALL INSTRUCTIONS before use of this product. Keep instructions for future use. Use only the parts and hardware provided by Badger Basket. Do not use the product if it is damaged or broken. Product and/or hardware may include small parts or screws with sharp points. **Choking Hazard!** Keep unassembled parts out of the reach of small children. **DO NOT** allow anyone to climb or play on or inside of this product. **Periodically check** to make sure all the screws remain tight. **This item is designed for children who are THREE (3) YEARS OF AGE AND OLDER. IT IS A TOY ONLY AND NOT FOR USE WITH REAL INFANTS OR PETS.**

TOOLS NEEDED: Phillips Screwdriver, Hammer

PARTS INCLUDED:

(A) 1 - Top Ring

(B) 4 - Leg Posts

(D) 15 - Dowels*

(F) 1 - Bottom Ring

(G) 4 - Caster Wheels

(H) 1 - Canopy Pole with Curve/Bend

(I) 1 - Metal Canopy Frame

(J) 1 - Fabric Skirt



(K) 1 - Fabric Sheet


(L) 1 - Mattress Pad

(M) 1 - Fabric Canopy

(N) 12 - Screws (*not shown*)

**IMPORTANT: 4 of the dowels have holes in both ends, 11 have no holes or a small hole in only one end*






PICTURE 1

STEP 1: See PICTURE 1. Attach the FOUR LEG POSTS (B) to their designated spots on the TOP RING (A) using the FOUR SCREWS (N).

Attach the FOUR DOWELS WITH TWO HOLES (D) using FOUR SCREWS (N). The positions of these four dowels may vary from shown in Picture 1.



PICTURE 2

STEP 2: See PICTURE 2. Turn the crib upside down. Insert the FOUR LEG POSTS (B) through the large holes on the BOTTOM RING (F) and slide the bottom ring down until it rests on the DOWELS WITH TWO HOLES (D).

Be sure screw and dowel holes on the bottom ring are in the right place, and the white side of the bottom platform is facing down (white side will face up when the crib is in the upright position).


Starting at any dowel, work your way around the ring and alternately screw down the FOUR DOWELS WITH TWO HOLES (D) using FOUR SCREWS (N) and insert the remaining ELEVEN DOWELS (D) sandwiched between the top and bottom rings.

There is one hole for the canopy pole that you will leave open.

STEP 3: See PICTURE 3. Turn the crib right side up. Insert the FOUR CASTER WHEELS (G) into the holes on the bottom of the LEG POSTS (B). Grasp each leg and gently but firmly press each wheel against the floor to snap it into place.



PICTURE 3



STEP 4: See PICTURES 4A and 4B. Insert the CANOPY POLE (H) through the hole on the TOP RING (A) and push it down until it rests in the hole on the BOTTOM RING (F). Insert the two free ends of the METAL CANOPY FRAME (I) into the top of the CANOPY POLE (H). You may need to gently tap on the canopy frame with a hammer so that the ends are pushed down into the pole as far as possible (see PICTURE 4B).

Starting by the canopy pole, wrap the FABRIC SKIRT (J) around the BOTTOM RING (F) pressing the grip tape together. When you get back to where you started, press the grip tape on the two ends of the skirt together. Put the FABRIC SHEET (K) on the MATTRESS PAD (L) and place the sheet and pad into the crib.

STEP 5: See PICTURE 5. Position the FABRIC CANOPY (M) over the METAL CANOPY FRAME (I). Secure the grip tape tabs on the fabric canopy around the metal frame. Adjust the canopy so it drapes around the crib.

CARE INSTRUCTIONS:

Wipe crib parts and vinyl pad clean with a damp cloth and mild detergent as needed. Fabric is poly/cotton. For longevity of the product we recommend hand washing the bedding; however it can be machine washed cold on gentle and air dried or tumble dried on low or no heat. Iron on the lowest setting for poly/cotton.

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>