## **BELKIN**<sub>®</sub> | Self Help Guide

## **IMPORTANT!**

This Guide refers to the following Products:



All Belkin Modem Routers

## **How To Establish An Internet Connection**

Please read the following carefully;

Synopsis:

This guide is designed to assist those with Belkin Modem Routers to establish an Internet Connection.

We assume that customers have to have hand their Internet Service Provider (ISP) User Details as these are required to form a connection.

Requirements:

In order to complete the process described in this document the following is required;

• A Belkin Modem Router (connected as described in the Products User Manual or Quick Install Guide).

• A Computer currently connected to the Modem Router (preferably via Ethernet Cable).

- ISP Settings (Username, Password)
- Phone line (fitted if required with an ADSL Filter)

TSG-UK-1-005

## How To Establish An Internet Connection Via Your Modem Router

Open your Internet Browser and type '192.168.2.1' into the Address Bar.

```
Address 🍓 192,168,2,1
```

This should result in a User Interface appearing similar to the one shown below;

http://192.168.2.1/ Microso	EInternet Explorer	
File Edit View Foroxites Tools	Help	AT
G 0 11	👔 🔎 Search 👷 Favorikes 🜒 Media 🙆 🔂 - 💺 🖪	93
013/012 (1 Hetp://192.168.2.1/	🛩 🛃 So 🛛 Lines 🇯	
	No. 1 Contract No. 201 (Contraction No.	
BELKIN Wirefess ADSL	United Window Satur LittleTy	
		Home   Mixer#   Helz   Logout   Internet Statue: Line Stationing Million
LALEGR Login		
DHCP Client Uni		
Letterrow WANK	Before you can change any settings, you need to log in with	100000
Correction Type	password. If you have not yetset a custom password, then is field blank and click "Submit"	ave the
DNE		
Westwat	Passmond	
Channel and SSIR	(dynard	
Security		
[trewall		
Application GMEWByll	Linear Changes Source	
Victual Servery		
Lang in these		
Test		
WAN Place Directions		
Security Lost		
and the second s		
Reptert Fouter		
Rectore Factory Default		
Sevelbacker Settings		
Restore Previous Settings		
Removaria Updala		
Setten Setings		
4)		😰 triurat
festart 3 im.litat :	110-	26600000 m

Leave the 'Password' field empty unless you have already configured one yourself. Next, Locating the Menu heading 'Internet WAN' and click on the first sub-heading 'Connection Type' so that a page similar to the following is displayed;

🖄 http://192.168.2.	1 <i>I</i> wan_main.stm - Microsoft Internet Explorer					
File Edit View Fav	orites Tools Help					
🕝 Back 🔹 🕥 -	🖹 😰 🏠 🔎 Search 🤺 Favorites 🔮 Media 🤣 🔗 😓 🥥 🗳					
Address 🙆 http://192.1	68.2.1/wan_main.stm					
BELKIN	ireless ADSL Modem Router Setup Utility					
	Home					
LAN Setup	WAN > Connection type					
LAN Settings	WAIV > Connection type					
DIICP Client List	Select your connection type :					
Internet WAN						
Connection Type	-PPPoE(Routing Mode, for multiple PCs)					
DNS						
Wireless	PPPOA(Rouding Hode, for multiple P(s)					
Channel and SSID	O-Disable Internet Sharing(Bridge Mode, for single PC)					
Security	O -Multiple protocol over ATM(Routing Mode, for multiple PCs)					
Firewall	O -Dynamic/Fixed IP in 1483 Bridge Mode (For multiple PCs)					
Application Gateways	Next					
Virtual Servers						
Client IP Filters						
MAC Address Filtering						
DMZ						
WAN Ping Blocking						

TSG-UK-1-005 www.belkin.com Download from Www.Somanuals.com. All Manuals Search And Download. Choose the connection: 'PPPoA' as indicated and press 'Next'.

			Home   Wizard   Help   Logout
LAN Setup	WAN > Connection T	une > DEDoA Interface	
LAN Settings	MAN > Gonnection 1	the > terow interface	
DHCP Clien: List	Please enter the follov	ving information provided by yo	our ISP
Internet WAN			
Connection Type	Usemame >	Jandy.kemp@hg26.bt	
ALCONT DOWN	Password >	****	
Wireless	Ke-type Password >	0 / 28	
Channel and SSID	Franciska S		
Security	Encapsulation >		
Wireless Bridge	Dial on Demand >		
Firewall	Idle Time (Minute) >	0	
Virtual Servers	lico Static ID Address		
Client IP Filters	ose state if fiddress s		
MAC Address Filtering			
DMZ			
WAN PING Blocking			
Security Log			
Utilities		Back No	ext.
Restart Router			
Restore Factory Default			
Save/Backup Settings			
Restore Previous Settings			
Firmware Updates			
System Settings			

You will need to enter the settings as provided by your Internet Service Provider (ISP).

If you have options such as Encapsulation and MTU, then these should be set to VCMUX and 1454 respectively.

Once all the appropriate settings have been entered, you may click on 'Apply Changes' so that the Modem Router can save the data and attempt a connection on the basis of the information.

You will see a notification that your 'Data Is Being Saved' after which you may be returned to the same page again. Navigate to the 'Home' page by using the navigational bar at the top of the Interface.



The Modem Router should now show you that the 'Internet Status' is 'Connected' in the top right-hand corner of the interface. On some Modem Router models you may need to select the 'Connect' button found on the 'Home' page first.

Home | Wizard | Help | Internet Statust Connected

Free Manuals Download Website <u>http://myh66.com</u> <u>http://usermanuals.us</u> <u>http://www.somanuals.com</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.com</u> <u>http://www.404manual.com</u> <u>http://www.luxmanual.com</u> <u>http://aubethermostatmanual.com</u> Golf course search by state

http://golfingnear.com Email search by domain

http://emailbydomain.com Auto manuals search

http://auto.somanuals.com TV manuals search

http://tv.somanuals.com