

RS-485 Repeaters

**Extend your RS-485 network
beyond 4000 feet—and add
up to 31 more devices.**



FEATURES

- » Crystal-clear controller signal out to 4000 feet (1219.2 m).
- » Opto-isolation available.
- » Can be configured for two- or four-wire and half- or full-duplex operation.
- » Connect to your RS-485 network via RJ-45 modular connectors or screw-block terminals.

OVERVIEW

BLACK BOX® RS-485 Repeaters extend your RS-485 communications beyond the 4000-foot limit. Even located 5000 feet from your master device, they'll take your RS-485 communications signals and shoot them another 4000 feet.

Great for connecting multiple RS-485 segments in different buildings or rooms, the repeaters enable you to add more devices to your network—up to 32 more units per repeater.

They support either 2- or 4-wire applications, in full- or half-duplex operation. Plus, the [RS-485 Repeaters](#) come with a 4-screw terminal block, RJ-45 connectors, and an edge card connector, so they fit right in with any RS-485 wiring scheme.

To protect your lines from ground loops and other electrical problems, order the [RS-485 Repeater](#) with Opto-Isolation (IC158A). Ideal for industrial applications, it isolates one segment of your extended network from problems that may arise on another segment.

Inside the opto-isolated repeater, optical isolation circuitry converts electrical signals to light and back again to keep signal noise and ground loops from crossing between segments of your RS-485 installation. Electrical noise from your factory floor won't affect office communications, and the difference in ground potential between buildings won't damage your sensitive equipment.

Simple to install and configure.

Just set internal jumpers and switches to match the cabling and duplex operation of your application as well as to match repeater

ports for terminated and unterminated operation. Then, connect your devices to the repeater itself, power it up, and power up the rest of your RS-485 network.

In half-duplex mode, jumpers determine the turnaround delay for the receiving repeater. Through these jumpers, you can configure the delay to match the length of cables and the number of device drops in your application.

The greater the length of your RS-485 line or the larger the number of drops on the your network, the longer the line will remain charged after the transmitter has been disabled.

The [RS-485 Repeaters](#) use three different types of delays: a turn-around delay, a turn-ON delay, and a turn-OFF delay. The turn-ON delay prevents the repeaters from passing along noise. It does this by delaying the transmitter long enough to allow most noise to dissipate before transmitting. With turn-OFF delay, the repeaters' transmitter is enabled long enough for the input data to propagate though the repeater after the sending device drops a signal.

Both repeater models have three LEDs visible through their front panel that indicate power, carrier detect, and when a transmitter is enabled on the RS-485 line.

NOTE: The repeaters do not feature collision detection or hardware flow control.

TECH SPECS

Flow Control — Transparent

Leads Supported — Both ports: TDA, TDB, RDA, RDB

Operation — Half- or full-duplex

Speed — Transparent up to 128 kbps

CE Approval — Yes

Connectors — (2) 4-wire terminal blocks, (2) RJ-45

Indicators — Power, Carrier Detect (both ports)

Operating Environment — Temperature: 32 to 110°F (0 to 45°C)

Humidity: 0 to 95%, noncondensing

Power — 115 VAC, 60 Hz (230-VAC, 50-Hz version on request)

Size — 1.8"H x 5.5"W x 8.5"D (4.6 x 14 x 21.6 cm)

Item

RS-485 Repeater
RS-485 Repeater with Opto-Isolation

Code

IC155A
IC158A

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>