



CHRISTIE FP40

Lighter, Thinner, Brighter LCD Display



- Ultra-thin, high resolution LCD monitor for big, bright images
- High resolution WXGA with support for most computer and video sources
- High brightness and high contrast display is ideal for use in high ambient light conditions
- Wide viewing angle makes it easy for everyone to get the message
- Slim design allows you to put the message where it is needed
- Fast response time LCD display for sharp video reproduction
- Low power consumption and long-life backlight reduce cost of ownership
- ChristieNET™ networkability for monitoring and control of all critical features
- The latest direct view LCD technology eliminates the heat and burn-in challenges often seen with plasma technology

APPLICATIONS

- | | |
|-------------------------|----------------------|
| • Retail signage | • Transit facilities |
| • Entertainment signage | • Control Rooms |
| • Smaller Boardrooms | • Broadcast |
| • Classrooms | • Surveillance |

When you need big, bright, stunning images in a limited space, Christie's new FP40 is your answer.

The new Christie FP40 flat panel LCD monitor is the latest in our range of display solutions ideal for smaller corporate boardrooms and classrooms, retail and entertainment signage, transit facilities, control rooms and broadcast and surveillance applications. Anywhere you need high brightness, high resolution images in a thin, light, LCD display that illuminates your message in even the highest ambient light, the FP40 delivers a consistent, strong image.

The latest direct view LCD technology eliminates heat, image retention and burn-in challenges often seen with plasma displays. The fanless design offers silent, reliable operation. Low power consumption and long-life backlight reduce the cost of ownership. With high life expectancy and high quality large display capability, the FP40 is an ideal choice for your display application.



FP40 • 38-FP0001-01

Retail, entertainment signage, smaller boardrooms, classrooms, transit facilities, control rooms, broadcast and surveillance

With a wide viewing angle of 170°, native WXGA resolution and a 600:1 contrast ratio, the FP40 creates crisp, bright images that are easy to view. Lightweight and sleek in appearance, you can place the FP40 anywhere. Super-thin at just 3.5" in depth, the FP40 mounts in a horizontal or vertical orientation. All connections and controls are in the rear of the display for clean and secure installations. An optional wall mount or table top stand offers further installation flexibility. With picture in picture and a quick response time, you can display multiple sources and truly dynamic presentations.

The FP40 – a flat, compact package delivering a big, bright display.

FEATURES



- Ideal for dynamic retail displays or transit scheduling applications.



- Discreet rear placement of connections and controls keep installations clean and secure.



- Single-fan design offers silent, reliable operation in high-use applications.

Technology

- Direct View 40" Active Matrix TFT

Resolution

- WXGA, 1280 x 768 native

Brightness

- 470 cd/m²

Contrast Ratio

- 600:1

Response Time

- Less than 16ms

Inputs

- DVI-D (HDCP compliant), HD15, BNC (RGBHV, YCbCr), RCA (Composite), S-Video, DB9 for control

Video Compatibility

- NTSC, PAL, SECAM

Computer Compatibility

- VGA, SVGA, XGA, WXGA Optional

Pixel Pitch

- 0.68mm (H/V)

Aspect Ratio

- 15:9 native

Horizontal Sync

- 21-60 kHz

Vertical Sync

- 56-75 Hz

Viewable Image

- 39.6" diagonal

Viewable Angle

- 170° (H/V)

Dimensions (W x L x D)

- 38.9" x 24.0" x 3.5"
- (938mm x 610mm x 89mm)

Weight

- 50.6lbs (23.9 kg)

Power Consumption

- 210W (12W stand-by)

Power Requirements

- Universal power AC 100-240V +/- 10%, 50/60Hz

Operating Temperature

- 40°F to 95°F (5° to 35°C)

Operating Humidity

- 30-80% (storage 10-90%)

On-screen Menu Languages

- English, German, French, Spanish

Backlight Life

- 60,000 hours (typical)

Networking

- Optional ChristieNET™ wired/wireless

Picture in Picture

- Video within data

Optional Accessories

- Table top stand
- Wall mount stand
- ChristieNET™

Approvals

- UL, cUL, CSA, EMC, EMI, FCC Class A

Warranty

- 24 months parts and labor

Corporate Offices

USA
10550 Camden Drive
Cypress, CA 90630
PH: 714-236-8610
FX: 714-503-3385
Toll free: (866) 880-4462 (NA only)
sales-us@christiedigital.com

CANADA
809 Wellington Street North
Kitchener, Ontario N2G 4Y7
PH: 519-744-8005
FX: 519-749-3136
Toll free: (800) 265-2171 (NA only)
sales-canada@christiedigital.com

Branch Offices

UNITED KINGDOM
PH: +44 118 977 8000
FX: +44 118 977 8100
sales-europe@christiedigital.com

SINGAPORE
PH: +65 6877-8737
FX: +65 6877-8747
sales-singapore@christiedigital.com

FRANCE
PH: +33 (0) 1 47 48 28 07
FX: +33 (0) 1 47 48 26 06
Mobile: +33 (0) 6 76 47 43 62
sales-france@christiedigital.com

GERMANY
PH: +49 2161 664540
FX: +49 2161 664546
sales-europe@christiedigital.com

CHINA-Shanghai
PH: +86 21 6278 7708
FX: +86 21 6278 7707
sales-china@christiedigital.com

CHINA-Beijing
PH: +86 10 6561 0240
FX: +86 10 6561 0546
sales-china@christiedigital.com



Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>