



# CHRISTIE Mirage S+2K

*Powerful 3D Impact in a Compact, Feature-Rich Projector*

## Uses

- Automotive
- Oil & gas exploration
- Scientific research
- Aerospace
- Engineering
- Manufacturing
- Museums and education
- Architecture
- Entertainment
- Medical/pharmaceutical

The Christie Mirage S+2K offers higher resolution, twice the contrast, internal scaling of stereo signals, internal edge-blending and optional image warping in a smaller form factor than the original Mirage series.

Using next generation 3-chip DLP™ technology, high-quality optics and 10-bit image processing, the Christie Mirage S+2K delivers crisp, clean images with perfect color saturation. This quiet yet powerful package offers unique features such as high-bandwidth signal processing, higher stereo sync, Picture in Picture and seamless switching between sources.

On-board ChristieNET™ connectivity makes monitoring and control as simple as plugging in an Ethernet cable. And the Mirage S+2K operates on 110V – for powerful 3D images anywhere. With a full suite of SXGA+ lenses and compatibility with legacy lenses and modules, the Christie Mirage S+2K easily fits into any 3D application. Christie Mirage – recreate reality!

# Christie Mirage S+2K

## Specifications



*An internal motorized iris adjusts for higher contrast and deeper blacks for the finest, sharpest details possible.*

- Remote IR sensor
- Ethernet, RS-232, RS-422 cables
- Service manual
- KoRET™ 10-bit librarian
- Lens adapter (for competitive lenses)

### Corporate Offices

USA  
10550 Camden Drive  
Cypress, CA 90630  
PH: 714-236-8610  
FX: 714-503-3385  
Toll free: 866-880-4462 (NA only)  
sales-us@christiedigital.com

### CANADA

809 Wellington Street North  
Kitchener, Ontario N2G 4Y7  
PH: 519-744-8005  
FX: 519-749-3136  
Toll free: 800-265-2171 (NA only)  
sales-canada@christiedigital.com

### Worldwide Offices

UNITED KINGDOM  
PH: +44 118 977 8000  
FX: +44 118 977 8100  
sales-europe@christiedigital.com

### GERMANY

PH: +49 2161 664540  
FX: +49 2161 664546  
sales-europe@christiedigital.com

### FRANCE

PH: +33 (0) 1 47 48 28 07  
FX: +33 (0) 1 47 48 26 06  
Mobile: +33 (0) 6 76 47 43 62  
sales-france@christiedigital.com

### SINGAPORE

PH: +65 6877 8737  
FX: +65 6877 8747  
sales-singapore@christiedigital.com

### SHANGHAI

PH: +86 21 6278 7708  
FX: +86 21 6270 5816  
sales-china@christiedigital.com

### BEIJING

PH: +86 10 6561 0240  
FX: +86 10 6561 0546  
sales-china@christiedigital.com

### JAPAN

PH: +81 3 3559 7481  
FX: +81 3 3599 7482  
sales-japan@christiedigital.com

### IMAGE

- 3000 ANSI lumens (+/- 10%)
- 90% brightness uniformity
- 450–600:1 ANSI, 1500–2000:1 full field (adjustable internal aperture)

### DISPLAY TECHNOLOGY AND RESOLUTION

- 3D 3-chip 0.95" Darkchip2™ DMD
- True SXGA+ 1400 x 1050 resolution

### INPUT SIGNAL COMPATIBILITY

- VGA to QXGA (2048 x 1536)
- All current HDTV/DTV formats
- Multi-standard video decoder
- Horizontal and vertical scaling, all inputs

### SCAN RATES

- Horizontal – 15 kHz to 120 kHz
- Vertical – 23.97 Hz to 150 Hz

### PIXEL CLOCK

- 220 MHz
- 115 Hz refresh rate at SXGA+ resolution
- 120 Hz refresh rate at SXGA resolution

### LENS MOUNT

- Motorized horizontal and vertical offset
- Tool-free lens insertion system
- Scheimpflug (tilt) adjustment
- Built-in light shutter
- Internal electromechanical iris

### LAMP

- 500W CERMAX® Xenon pre-aligned lamp module
- 1000 hours (typical) lifetime

### LIGHT OUTPUT CONTROL (LITELOC™)

- "Auto Brightness" (Intensity), "Lamp Conserve" (Power), "Max Brightness" modes

### POWER REQUIREMENTS

- 100 VAC to 240 VAC +/- 10% @ 50/60 Hz
- Power consumption: 1000W maximum
- Thermal dissipation: 3412 BTU/hr
- Operating current: 10A @ 100V / 5A @ 200V



*The Christie Mirage S+2K provides installation flexibility and compatibility with virtually any data, video and HDTV source in use today, from XGA through to QXGA.*



*SXGA+ lenses and compatibility with competitive lenses give you the fullest resource flexibility.*

### INPUTS, CONTROL & NETWORKING

- RGBHV/YpPr: 5 BNC
- DVI-I: digital/analog RGB/YpPr (HDCP)
- One composite video, one S-Video
- Two option slots for analog/digital modules
- 2 RS-232 ports and 1 RS-422 port
- On-board ChristieNET™ connectivity (RJ45)
- Built-in backlit keypad and IR remote control

### ADVANCED FEATURE SET

- Stereo Sync Harness
- Built-in edge-blending
- Comprehensive Color Adjustment (CCA™)
- Dark Interval Adjustment (DIA™)
- Minimum Delay Feature
- Picture in Picture
- Seamless switching
- Auto set-up, power-up feature
- Menus in five languages
- On-screen help
- 50 channel memories

### DIMENSIONS

- Weight: 72 lb (32.1 kg) (excluding lens)
- Shipping weight: 115 lb (52 kg)
- Size: 26" W x 22.3" L x 12.3" H (660mm W x 566mm L x 313mm H) (excluding lens)

### STANDARD ACCESSORIES

- IR keypad (w/batteries)
- Line cord
- Stereo Sync Harness
- User manual

### OPTIONAL ACCESSORIES

- Fixed lenses: 0.73:1, 1.2:1
- Zoom lenses: 1.45-1.8:1, 1.8-2.5:1, 2.5-4.5:1, 4.5-7.3:1
- ChristieTWIST™ Image Warping and Edge-Blending module
- Dual SD/HD-SDI, DVI and legacy interface modules
- Wired remote control and RS-422 Two Way Controller

### OPERATING ENVIRONMENT

- Temp: 40 to 95° F (5 to 35° C)
- Humidity: 20 – 80% non-condensing

### REGULATORY APPROVALS

- UL/CSA/IEC 60950 (3rd edition)
- FCC Class A, CE, CCC (pending)
- This product conforms to all relevant European directives, standards, safety, health and environmental concerns

### WARRANTY

- 2 years parts and labor (including light engine)



For the most current specification information, please visit [www.christiedigital.com](http://www.christiedigital.com)

Copyright 2007 Christie Digital Systems, Inc. All rights reserved. All brand names and product names are trademarks, registered trademarks or tradenames of their respective holders. Canadian manufacturing facility is ISO 9001:2000 certified. The DLP™ logo and DLP™ Medallion are trademarks of Texas Instruments. Printed in Canada. 2165 Feb 07-NA

Performance specifications are typical. Due to constant research, specifications are subject to change without notice.



Download from [www.Somanuals.com](http://www.Somanuals.com). All Manuals Search And Download.



[WWW.CHRISTIEDIGITAL.COM](http://WWW.CHRISTIEDIGITAL.COM)

## Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>