

FMM-100SAT2CKEX Explosion-proof Fire Alarm Manual Station



- Special hazard protection; NEMA 4X and marine ratings
- Gold-plated alarm contacts for corrosion resistance
- ► Key lock reset with optional break rod
- ► ADA compliant; UL Listed, FM Approved

The FMM-100SAT2CKEX is a high-quality, die-cast metal fire alarm manual station that is UL and FM Listed for use in Class I, Division I, Groups B, C, and D; Class II, Division I, Groups E, F, and G; and Class III (FM Listed only) hazardous locations. It is also marine and NEMA 4X rated for use in harsh environments. It complies with Americans with Disabilities Act (ADA) requirements and meets ADA standards for wheelchair access when properly installed.

Functions

Operation

When the bar on the front of the manual station is pulled, it latches open and is easily visible from 50 ft (15 m). Reset the activation bar by opening the manual station with the key and placing the activation bar in its normal upright position. An optional scored acrylic break rod is provided.

Certifications and Approvals

Signal Communications Corp. holds these listings and approvals:

Region	Certification	n
USA	UL	UCCM: Boxes, Non-Coded, Marine, UHMV: Fire Alarm Devices for Use in Hazardous Locations (Signal Communications)
	FM	(Signal Communications)
	CSFM	7151-1408: 112
	NYC/MEA	382-94-E, Vol. 5
	NEMA	Complies with National Equipment Manufacturers Association NEMA 4X
	ADA	Complies with Americans with Disabilities Act

Installation/Configuration Notes

Compatibility Information

Compatible with all Bosch Security Systems, Inc. Fire Alarm Control Panels.

Mounting Considerations

The FMM-100SAT2CKEX Explosion-proof Manual Station must be surface mounted on a flat wall. It has two conduit entries. Any conduit entry that is not used must be plugged.

To comply with ADA standards, the manual station must be less than 48 in. (1.2 m) above the floor for front wheelchair access and less than 54 in. (1.3 m) above the floor for side wheelchair access.

Parts Included

Quant.	Component
1	Manual station with back box
1	D102 Key (1358 key)
1	Scored acrylic break rod
1	Hardware pack
1	Literature pack

Technical Specifications

Environmental Considerations

Protection Category:	IP66	
Relative Humidity:	90% at +100°F (+38°C)	
Temperature (operating):	-40°F to +150°F (-40°C to +66°C)	

Mechanical Properties

Color:	Red
Dimensions (H x W x D):	6.3125 in. x 3.25 in. x 3.875 in. (16 cm x 8.3 cm x 9.8 cm)
Material:	Die-cast metal
Weight:	4.8 lb (2.2 kg)

Outputs

Alarm Contacts: Two Form C contacts; each contain one normal-

> ly-open (NO), one normally-closed (NC), and one common. Either the NO or the NC with the common can be wired to the terminal block. All contacts rated

for 1 A at 30 VDC or 120 VAC

Ordering Information				
FMM-100SAT2CKEX Explosion-proof Fire Alarm Manual Station High-quality, metal manual fire station in red	FMM-100SAT2CKE X			
Accessories				
D102 Replacement Key Replacement key (#1358) for the D101 lock.	D102			
FMM-100GR Scored Acrylic Break Rods	FMM-100GR			

Scored acrylic rods (12 per package)

Americas:
Bosch Security Systems, Inc.
130 Perinton Parkway
Fairport, New York, 14450, USA
Phone: +1 800 289 0096
Fax: +1 585 223 9180
Fax: 1585 223 9180 security.sales@us.bosch.com www.boschsecurity.us

Europe, Middle East, Africa: Bosch Security Systems B.V. P.O. Box 80002 5600 JB Eindhoven, The Netherlands Phone: + 31 40 2577 284 Fax: +31 40 2577 330 emea.securitysystems@bosch.com www.boschsecurity.com

Asia-Pacific: Rel Robert Bosch (SEA) Pte Ltd, Security Systems 11 Bishan Street 21 Singapore 573943 Phone: +65 6258 5511 Fax: +65 6571 2698 Represented by apr.securitysystems@bosch.com www.boschsecurity.com

Free Manuals Download Website

http://myh66.com

http://usermanuals.us

http://www.somanuals.com

http://www.4manuals.cc

http://www.manual-lib.com

http://www.404manual.com

http://www.luxmanual.com

http://aubethermostatmanual.com

Golf course search by state

http://golfingnear.com

Email search by domain

http://emailbydomain.com

Auto manuals search

http://auto.somanuals.com

TV manuals search

http://tv.somanuals.com