

## Impact Drills

The Bosch range of impact drills are ideal for use around the home. They are suitable for use in wood, steel and masonry and make all your home renovation projects a lot easier.

The Bosch impact drills offer a simple bit change system, a vibration damping system for smooth and safe handling and electronic speed control to ensure the right speed is used for each material. With their ergonomic and stylish design, Bosch impact drills are indispensable for your tool shed.



### Cordless Drills

The Bosch range of cordless drills set the standard for cordless work. Their specially developed high-performance planetary gears enable fast screwdriving around the home, including driving in large numbers of screws in a row.

In addition to the more compact and 20% lighter design of the battery packs, they also feature intelligent chargers which ensure careful and safe charging of the battery - resulting in longer battery life.

Bosch cordless drills come complete with carry case, battery pack and fast charger and are suitable for use in wood and metal.



500 Watt APN: 3 165 140 182 249



570 Watt APN: 3 165 140 124 119



**PSB 700 RE** 700 Watt

APN: 3 165 140 254 120



650 Watt APN: 3 165 140 253 970

**PSB 650 RE** 

### Standard Features:

- ° Keyless chuck up to 13mm
- Variable speed
- ° Electronic control
- ° 'Press and Lock' easy accessory change system
- Lock on switch for continuous operation, fully integrated in the handle
- Forward and reverse operation



**PSR 12 VE-2** 12 Volt APN: 3 165 140 211 642



14.4 Volt APN: 3 165 140 211 529



- ° Bosch auto lock system for easy drill bit changes
- ° High quality, keyless chuck up to 10mm
- ° Run out brake to stop the motor in the shortest possible time
- ° Electronic control to enable operator adjusted speed

- Fast charge battery packs to minimise tool downtime
- ° 5 torque settings plus drill for user versatility
- Forward and reverse operation with a lock to prevent accidental starts
- Aero soft grip for user comfort

# **Bosch Green**

### Cordless Impact Drills

The newly developed Bosch range of cordless impact drills includes all the standard cordless drill features - but with a bonus! With their added impact function, these cordless drills are also suitable for use in masonry.

The Bosch cordless impact drills feature a professional 1/2" x 20 spindle thread to handle all your tough drilling and screwdriving jobs around the home.

All Bosch cordless impact drills come complete with carry case, battery pack and fast charger.



### **Orbital Sheet Sanders**

Orbital sheet sanders are great for sanding flat surfaces with precision and speed and are ideal for use on wood or metal. They are suited to smooth sanding and paint removal – and so are the perfect sander for your renovations. Their ergonomic design and new Microfilter dust extraction system ensure a comfortable and clean working environment.



PSB 18VE-2 18 Volt APN: 3 165 140 216 876



PSS 23 150 Watt 1/3 Sheet 92 x 182mm APN: 3 165 140 083 737



PSS 180A-C 180 Watt 1/3 Sheet 92 x 182mm APN: 3 165 140 253 642

# for easy drill bit changes High quality, keyless chuck up to 10mm

Bosch auto lock system

Standard Features:

- Run out brake to stop the motor in the shortest possible time
- Electronic control to enable operator adjusted speed
- Fast charge battery packs to minimise tool downtime
- 5 torque settings plus drill plus hammer for user versatility
- Forward and reverse operation with switch-on lock to prevent accidental starts
- Aero soft grip for user comfort



PSB 24VE-2 24 Volt APN: 3 165 140 216 777



PSS 240 AE 240 Watt 1/3 Sheet 92 x 182mm

APN: 3 165 140 197 786
\*This model features variable speed.



PSS 28 AMF 250 Watt 1/2 Sheet 227 x 114mm APN: 9 311 831 502 030

- Sanding sheet tensioning to ensure sheets are firmly and securely in place
- Dust extraction directly through the sanding sheets and the
- sanding plate into the dust bag or microfilter for a clean work place
- Auxilliary handle for safe tool guidance and user comfort



### Random Orbital Sanders

Bosch random orbital sanders are the professionals for sanding surfaces. They are suitable for sanding and polishing wood, metal, paint and varnish and are ideal for curved surfaces. The random orbital sanders ensure soft initial sanding without scoring or marking the surface. Their ergonomic design means they are easy to guide - resulting in fatigue-free and safe work for you.

# **Bosch Green**

### Microfilter System

The unique Bosch Microfilter System is the latest weapon in the fight for dust-free renovating.

The benefits of this system include up to 120% less dust during sanding, cleaner air and a smoother finish, as dust particles are not reground into the work surface.


The Microfilter System is a re-useable system that is easy to empty and clean. It is suited for use with all Bosch orbital, random orbital and belt sanders.



PEX 270 AE 270 Watt APN: 3165140 208 734



PEX 400 AE 400 Watt APN: 3 165 140 237 376



The dust is extracted through the sanding sheet and the sanding plate into the Microfilter System.



The Microfilter System captures and filters the dust, ensuring that only air passes through the filter.

### Standard Features:

- Electronic control means operator can control orbit rate
- Velcro fastening of sanding discs means quick and easy sanding sheet changes
- Dust extraction available via the microfilter system means virtually dust free operation
- Auxilliary handle for user comfort
- ° 125mm disc sanding area



The Microfilter System is reusable and is easy to empty and clean.



### Belt Sander

Bosch belt sanders offer you non-stop performance. Belt sanders are terrific for sanding down large surfaces, stripping material powerfully and quickly. They can be used on wood, plastic and metal. Their low centre of gravity enables you to work effortlessly without having to apply heavy pressure.



### Delta Sanders

Bosch delta sanders are top performers for corners, louvres, mouldings and edges. Wherever detailed accuracy is needed, these sanders ensure perfect results. Their uniquely designed triangular sanding plate allows for easy access in hard to reach places. Their ergonomic design and low weight mean outstanding user comfort.



PBS 75 AMF 710 Watt APN: 3 165 140 237 680



PDA 180\* 180 Watt

APN: 3 165 140 182 997

\* This model does not feature electronic control.





PDA 240 E 240 Watt APN: 3165140110 372

#### Standard Features:

- Offers sanding belt tensioning system for easy belt changes
- Dust extraction through the unique Bosch Microfilter for a virtually dust-free environment
- ° Sanding surface of 75 x 130mm

- Angled gearbox for smooth running and low wear
- Electronic control adjusts the orbit rate to the task and material
- Sanding plate can be rotated in 120° stages
- Bosch SDS system means you can change the sanding plate with the press of a button
- Dust extraction feature provides a clean work space



### **Jigsaws**

The Bosch range of jigsaws gets you off to a great start for any DIY project. With their excellent SDS easy blade change system, you can change jigsaw blades in seconds – with one hand. The new ergonomic design ensures optimal user comfort during use. When it comes to sawing – whether in wood, metal or plastic or whether you need straight, curved, plunge or mitre cuts – the Bosch jigsaws are unbeatable.

# All Purpose Saws

The Bosch all purpose saw is the saw for all your needs - around the house and in the garden. This agile, general-purpose saw is great for cutting through wood, metal and plastic. Thanks to its extensive accessory range, it can also rasp, file, brush and remove rust. With its large grip and counter-balanced design, it offers the home handyperson a comfortable and easy to use saw - wherever they need it.

#### Standard Features:

- Electronic control that enables the operator to adjust the speed to suit the material
- Option of speed control via trigger switch enables slow initial cutting
- Single handed SDS system means safe and effortless saw blade change
- Roller guide to ensure accurate and precise cuts
- Tilt range of sole plate up to 45° in both directions
- Dust extraction allows a clear view on to the work area for the user

### Pendulum:

Some models feature a pendulum action that makes cutting quicker and easier and increases the life of the jigsaw blades





PST 650 PE\* 470 Watt 68mm max cut

APN: 3165140203 203

\* Features pendulum action



APN: 3 165 140 188 951

\* Model does not include Electronic. Pendulum or SDS



PFZ 700 PE

700 Watt

APN: 3 165 140 216 326

- Low vibration for easy handling
- Large grip, suitable for 1 or 2 handed operation
- Good manoeuvrability
- Bosch Electronic Control for easy adjustment of cutting rate
- 4-stage pendulum action that enables a faster and easier cutting rate
- Bosch SDS system for quick and easy accessory changes
- Adjustable sole plate to allow for safe rest on the material



# **Angle Grinders**

Bosch angle grinders are ideal for grinding, roughing, de-rusting and cutting. Bosch angle grinders offer a range of wheel diameters from 100mm to 125mm, high reserves of power when you need it and a slim and ergonomic design for user comfort.

All Bosch angle grinders have a protective guard to ensure maximum safety during use. Safety guards must always be in place before starting the tool.

### Routers

Bosch routers are the ideal tools for creative tasks. Their applications range from grooving, edging, rebating, profiling, chamfering, surface design, hole and template routing. They can be used on a wide variety of materials like wood, metal, plastic, acrylics, MDF and fibrous plasterboard.



**PWS 7-100** 

720 Watt

Disc diameter: 100mm (4.5")

APN: 3 165 140 272 223



#### **PWS 7115**

720 Watt

Disc diameter: 115mm (4.5")

APN: 3 165 140 272 24



### PWS 9-125 CE\*

900 Watt

Disc diameter: 125mm (5")

APN: 3 165 140 272 193

\* This model features Constant Electronic

#### Standard Features:

- Spindle lock for quick change of grinding wheels
- Safety guard to protect from sparks and other particles
- ° Auxilliary side handle, which can be mounted from the left or right, for ease of use
- Large side switch, within easy reach of fingertips, for safe and easy operation

### Constant Electronic

° Allows the user to select the speed for the material - and maintain that speed even under changes in power load



400 Watt

48mm maximum plunge depth

APN: 3 165 140 018 791



500 Watt

52mm maximum plunge depth

APN: 3 165 140 018 807

#### Standard Features:

- ° Fine and guick adjustment of routing depth
- ° Base plate with sliding surface for ease of use
- Parallel guide routing with scale for precise slot cutting
- Dust extraction connection allows for a clear view of the cutting area
- Two quide columns for the routing base
- Precision collet for precise running

Download from Www.Somanuals.com. All Manuals Search And Download.



# **Bosch Green**

### **Planers**

If you want rapid headway when working with wood – the planer is the tool for you. Bosch planers provide efficient, high accuracy planing with high material removal and are also suitable for rebate work. The combined guide and planing depth adjustment knob provides secure guidance and stepless adjustment, even during planing.



### **Electric Tackers**

The Bosch electric tacker is a great tool for fastening panels, stapling insulation and decorative materials. The Bosch tackers feature electronic control which enables adjustment of the impact force of the tool to suit the material in use. The tackers can be adjusted between single impact or continuous impact for quick, repeat work. With their practical, bottom-loading system and staple supply display, the tackers are easy to use. Bosch tackers can be used with nails, staples and pins.

### PHO 16-82

550 Watt

Planing depth: 0-1.6mm Rebate depth: 0-8mm APN: 3 165 140 197 366



### PTK 23 E\*

**PTK 14 E\*** 

Nails: 14mm long

\*Model features Duotac and electronic

**Staples: 14mm** APN: 3 165 140 001 106

Nails: 23mm long Staples: 23mm Pins: 23mm

\*Model features electronic and fastener pre-selection



### PHO 25-82

750 Watt

Planing depth: 0-2.5mm Rebate depth: 0-24mm APN: 3 165 140 056 021



### Standard Features:

- Guidance handle for safe guidance of the planer
- Cutting depth adjustment with a high level of variability
- Switch-on safety lock to prevent unintentional switching on
- ° 82mm planing width
- Dust extraction connection, which can be positioned to the left or right, allowing for a clear work area
- Electronically balanced cutter block
- Parking rest/shoe for safe resting of the tool

- ° Bosch Electronic control
- Fastening-type pre-selection allows for quick change to the pre-selected fastening types and means you don't need to change the magazine
- Bosch Duotac Automatic enables you to work with one or two staples at the same time
- The simultaneous setting of two staples prevents tearing out of the material
- Ergonomically shaped handle for fatigue free operation
- Staple nose located at the front for stapling close to an edge





### Glue and Heat Guns

Bosch glue guns can stick anything together – wood, plastic metal, ceramics, glass, textiles and leather. They are ideal for fixing models, doing repairs, sealing and for making joints. A must-have tool for all your home projects.

The Bosch heat guns are designed to be easy to use with a low noise motor, an enclosed handle for safe handling and a built-in stand for stationary use. They are suitable for thawing, drying, tinplating and dust-free paint stripping.

# **Bosch Green**

### Vacuum Cleaner

The new all purpose vacuum cleaner is suited for wet and dry vacuuming in the workshop, house, courtyard, garden or car. With its large 21 litre container, durable castors and robust, permanent filter, the Bosch all purpose vacuum cleaner is the go anywhere vacuum cleaner for you!



**PKP 18 E** APN: 3 165 140 078 481

#### Standard Features:

- Bosch constant electronic for automatic temperature control and constant glue consistency
- Mechanical feed system that provides control to the amount of glue applied
- Practical nozzle with heat protection shield and anti-drip device
- Temperature resistant housing with double insulation



PAS 11-21 APN: 3 165 140 257 435

PHG 2\*
1500 Watt
Temperature: 300/500°C

APN: 3 165 140 221 023 \*This model does not have a cool air setting



Temperature: 50/400/530°C APN: 3 165 140 050 463

### Standard Features:

- Detachable heat shield for working in tight spots
- ° Stable base for stationary
- 50°C air output for cooling down the heating element

- Hose system with snap lock ensuring a solid connection
- Practical cable and accessory depot to store all the attachments
- Comes complete with: 2m hose, 2 suction pipes, nozzle for joints, coarse dirt nozzle, paper filter bag and a permanent filter bag

Free Manuals Download Website

http://myh66.com

http://usermanuals.us

http://www.somanuals.com

http://www.4manuals.cc

http://www.manual-lib.com

http://www.404manual.com

http://www.luxmanual.com

http://aubethermostatmanual.com

Golf course search by state

http://golfingnear.com

Email search by domain

http://emailbydomain.com

Auto manuals search

http://auto.somanuals.com

TV manuals search

http://tv.somanuals.com