







All Prices Exclude VAT







PRO'ELEC

- · 10 Amp, 10AX rated for fluorescent and inductable loads
- · Manufactured to BS EN60669
- Supplied complete with fixing screws

 Supplied complete with fixing screws 			46518	465188	
		1+	10+		
PL0921808	1 Gang 1 Way	£0.38	£0.33		
PL0921908	1 Gang 2 Way	£0.39	£0.34		
PL0922008	2 Gang 2 Way	£0.64	£0.58		
PL0922108	3 Gang 2 Way	£1.01	£0.91		
				1	



		1+	10+
PL0922508	Unswitched	£1.38	£1.27
PL0922608	Unswitched with Neon	£1.42	£1.33
PL0922408	Switched	£1.89	£1.77
PL0922308	Switched with Neon	£2.14	£1.98



2


TRADES - LOW TRADE PRICES ON TOOLS FOR THE WORKSHOP OR HOME





l	- Comonina to ba	ENOCOUS		40333
l			1+	10+
l	PL0924008	Switch Only	£1.35	£1.23
l	PL0924108	Switch with Neon	£1.39	£1.27








PL0940608	1 Gang, 2 Way	£1.86	£1.70
PL0940708	2 Gang, 2 Way	£1.96	£1.81
PL0940808	3 Gang, 2 Way	£2.65	£2.49





All Prices Exclude VAT



Drv Lining Boxes PRO-ELEC All 35mm deep Manufactured from PVC for improved finish Will fit wall facing/ceilings 3-18mm thick Minimum recess single: 75x75mm, double: Q 75x135mm, dual: RUMUN 75x162mm 33 I Conforming to BS5733 465176 1 +10 +PI 0430308 £0.36 £0.33 Single box PL0430408 Double box £0.51 £0.47





£0.77

£0.68

brass terminal

All Prices Exclude VAT

ad from Www.Soma FAX YOUR ORDER TO US ON 08701 20 25 31






All Prices Exclude VAT

498003

PL1001708

Brown







Strip Ligh Switched		PRO	·ει	ec
 Ideal for use un mirrors etc Available in diff On/off slider sw Pre wired with I Suitable for wal Max - 60W, 240 	itch ead I or ceiling fitting	ds,	£1.	49 481493
			1+	10+
PL1002508	221mm		£1.68	£1.49
PL1002608	284mm		£1.94	£1.69




All Prices Exclude VAT

6

nload DELIMERY IS EREE ON ALL UK ORDERS OVER £40 (EX VAT)

order code PL0923808









- BSEN60947-3, RCCB BSEN61008-1)
- CE marked
- · Connection leads manufactured from highly flexible copper

						498021
	Туре	Current Rating		Dims. (LxWxD) mm	1+	2+
PL1012008	4+4	63A	30mA	340x231x115	£48.87	£46.43
PL1012108	4+4	80A	30mA	340x231x115	£53.39	£51.05
PL1012208	6+6	63A	30mA	411x231x115	£59.86	£55.41
PL1012308	6+6	80A	30mA	411x231x115	£65.00	£61.00
PL1012408	9+9	63A	100mA	520x231x115	£72.01	£69.21
PL1012508	9+9	63A	30mA	520x231x115	£88.98	£84.53
PL1012608	9+9	80A	100mA	520x231x115	£86.00	£81.70
PL1012708	9+9	80A	30mA	520x231x115	£82.00	£77.90
PL1012808	9+9	100A	100mA	520x231x115	£84.25	£79.98
PL1012908	9+9	100A	30mA	520x231x115	£86.05	£81.33

RCCB Mains CLICK **Isolator Switches**

- · Fully compliant and tested to BSEN60947-3
- 35mm terminal capacity
- Snap fitting to standard DIN rail
- · Two module, double pole



			1+	3+
PL1013208	63A	30mA	£28.37	£27.41
PL1013308	80A	30mA	£34.02	£32.35
PL1013408	63A	100mA	£26.06	£25.24
PL1013508	80A	100mA	£31.40	£29.87
PL1013608	100A	30mA	£37.08	£36.05
PL1013708	100A	100mA	£35.00	£34.21



- Positive contact identification Single pole, 230V AC,
- 10KA

B Curve		1+	5+	
PL1013808	6A	£2.98	£2.73	
PL1013908	10A	£2.98	£2.73	
PL1014008	16A	£2.98	£2.73	
PL1014108	20A	£2.98	£2.73	
PL1014208	32A	£2.98	£2.73	
PL1014308	40A	£2.98	£2.73	
PL1014408	50A	£2.98	£2.73	
C Curve				
PL1014508	6A	£3.24	£2.88	
PL1014608	10A	£3.24	£2.88	
PL1014708	16A	£3.24	£2.88	
			_	/

DP isolator CLICK **Switches** Fully compliant and tested to BSEN60947-3 35mm terminal capacity · Positive contact identification in accordance with 16th edition wiring regulations 537-02-

- 03 and 537-03-20
- · Two module, double pole

5+ PL1013008 63A £7.98 45 PL1013108 <u>80Δ</u>

All Prices Exclude VAT

WE ARE PLEASED TO ACCEPTION SEAR THE DOWN

498022






Standard 12-Way terminal blocks with brass screw terminal assemblies and PVC insulation. Easily sub-divided into smaller strips. Suitable for mains voltages.

			462471
		1+	100+
CBBR105608	3A	£0.15	£0.10
CBBR105708	5A	£0.16	£0.12
CBBR105808	10A	£0.26	£0.15
CBBR105908	15A	£0.28	£0.22
CBBR106008	30A	£0.48	£0.43
<u></u>			

Domestic Fuses PRO'ELEC A range of domestic fuses supplied in 1361 retail packs of 10 or with the 13A a bulk pack of 100 is available. · 3A suitable for table lamps radio's, clocks etc. 1 Act (• 5A suitable for TV's, hair dryers, vacuums etc. · 13A suitable for fridges, freezers, kettles, toasters etc. • Mixed fuse pack contains: 3Ax2, 5Ax2, 13Ax6 484518 Pack Size 1+ 10 +3A £0.69 £0.62 10 PL0998408 5A 10 £0.69 £0.62 PL0998208 13A 10 £0 69 £0.62 PL0998008 Mixed 10 £0.69 £0.62 PL0998108 13A 100 £4.54 £4.25





 Available in 60 variants Single pole an pole Heavy duty briterminals Removable fro us consumer unit 	ass screw nt lids se with	£1.26				
Technical Data Type Max. Conductor Dims	60A SP 25mm	100A SP 35mm	60A [25mn		100 35r	DA DP mm
/HxWxD)mm	56x46x46	56x46x46	84x59	9x52	98>	(63x65
						4845
				1-	+	10+
	60A SP			£1	44	£1.26
PL0997508	00/13/			£1.	57	£1.38
PL0997508 PL0997608	100A SP					
				£3.	19	£2.87

All Prices Exclude VAT

Downlo DON'T FORGET IT THERE'S NO MINIMUM ORDER AT CPCI



£15.21

£14.44



Junction Roxes

- Modern design
- IP44 or IP55 rated Guides on bottom for fitting .
- terminal blocks
- Thermoplastic material with insulating and self-extinguishing properties in conformity with IEC 695-2-1

EN8129508 and EN8129608 have snap on lids. EN8129708 uses self-tapping screws.

		No. of Inlets/		
		IP Rating	1+	5+
EN8129508	Ø 65x35mm	4 / IP44	£0.65	£0.58
EN8129608	Ø 80x40mm	4 / IP44	£0.68	£0.63
EN8129708	100x100x 50mm	6 / IP55	£1.49	£1.40

vcarbonate Enclosure - IP66 A range of enclosures with smooth, grey walls; available with either standard or smoked transparent lids and quick release plastic screws. Glass-fibre reinforced Flame resistant UV resistant Temperature С resistant up to 120°C Mounting plates and hinges available 497756 Grey Lid 1 +3+ EN8101708 65x65x57mm f3.49 £3.31 EN8102008 110x110x66mm £7.25 £6.88 EN8102108 130x94x57mm £6.25 £5.93 EN8102208 130x130x75mm £8.25 £7.83 EN8102308 180x94x57mm £8.54 £8.11 EN8102408 180x110x57mm £10.35 £9.83 EN8102508 182x180x90mm £14.25 £13.53 Transparent Lid EN8102808 £4.21 94x94x57mm £3.99 EN8102908 110x110x66mm £5.98 £5.68 EN8103008 130x94x81mm £7.25 £6.88 EN8103308 f9 25 £8 78 180x110x90mm

$\left(\right)$	IP56 Plain Sided Transpare Lid Junction Boxes	mutfcomp
	Transparent lids A range of terminal boxes for multiple uses Resistant to heat, shocks, atmospheric agents and U.V. Rays Transparent line is included in a statement	7
	 Thermoplastic material with insulating and self-extinguishing properties in conformity with IFC 695-2-1 (Glow-wire 650°C) 	495585

conformity with IEC 695-2-1 (Glow-wire 650°C) 1+ 3+ EN8130508 150x110x70 £4.05 £3.85 EN8130608 190x140x70 £5.87 £5.57 EN8130708 240x190x90 £9.25 £8.87

300x220x120

Die-Cast Aluminium multicomp **Fnclosures**

A range of heavy duty sealed diecast aluminium enclosures

EN8130808

495586



- Ideal for industrial environments
- Wall mounting holes and lid fixing screws are outside the sealing area for sealing protection 491683

	Exte	rnal D)ims.	Wall			
	L	W	D	Thickness	Weight	1+	3+
EN8191808	50	45	30	2.5	0.059kg	£1.34	£1.27
EN8191908	98	64	34	3.0	0.196kg	£2.24	£2.12
EN8192008	125	80	40	3.7	0.357kg	£3.15	£2.99
EN8192108	125	80	57	3.7	0.428kg	£3.79	£3.60
EN8192208	150	63	36.5	3.6	0.347kg	£3.35	£3.18
EN8192308	160	100	60	4.0	0.66kg	£6.02	£5.71
EN8192408	160	100	81	4.0	0.78kg	£6.31	£5.99

ÍP56 Plain Sided Junction Boxes

- A range of terminal boxes for multiple uses
- Resistant to heat, shocks atmospheric agents and U.V. rays
- Thermoplastic material with insulating and self-extinguishing properties, in conformity with IEC 695-2-1 (Glow-wire 650°C)

1+	3+
£1.54	£1.40
£1.69	£1.58
£2.49	£2.25
£3.98	£3.71
£6.65	£6.25
£9.98	£9.38
£15.39	£14.62
	£1.54 £1.69 £2.49 £3.98 £6.65 £9.98

All Prices Exclude VAT




D. GET IT FASTI - SAME DAY DESPATCH ON ALL OPDERS PLACED BEFORE 7PM





All Prices Exclude VAT

TRADES - WHAT YOU NEED AT LOW PRICES which





Rubber 1		PRO	-eu	ec
Gang Exte Rated at 13A and co BS 1363/A.		1000 - 10000 - 10000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 -		46571
Orange			1+	10+
PL0951408	1 Gang	5m	£4.97	£3.39
PL0951508	1 Gang	10m	£6.49	£4.96
PL0951608	2 Gang	5m	£5.18	£3.54
PL0951608 PL0951708	2 Gang 2 Gang	5m 10m	£5.18 £7.44	£3.54 £5.03
	5			
PL0951708	5			
PL0951708 Black	2 Gang	10m	£7.44	£5.03
PL0951708 Black PL0951808	2 Gang 1 Gang	10m 5m	£7.44 £4.97	£5.03 £3.39

All Prices Exclude VAT

4 Gang Extensions PRO-ecec 476099 Rated at 13A and conform to BS 1363/A

4.

20.

		17	20+
PL0918008	White 1m	£1.49	£1.19
PL0918108	White 2m	£1.59	£1.27
PL0918208	White 3m	£2.54	£1.71
PL0918308	White 5m	£3.07	£2.33
PL0918408	White 10m	£4.93	£4.05
PL0918608	Black 1m	£1.90	£1.59
PL0918708	Black 2m	£2.40	£1.79
PL0918808	Black 5m	£3.29	£2.88
PL0918908	Black 10m	£4.93	£3.99
<u></u>			

6 Gang Rated at 13A ar BS 1363/A.	LVIČIJAJNIJA .	PRO	E	e	
	1. S. S. S. S.	al al		4481	125
		1.	+	20+	
PL0919208	White 1m	£1.	89	£1.44	
PL0919308	White 2m	£2.	35	£1.78	
PL0919408	White 3m	£2.	88	£2.24	
PL0919508	White 5m	£4.	05	£3.31	
PL0919608	White 10m	£4.	98	£3.87	
PL0919908	Black 2m	£2.	43	£1.94	١.
					/






12

TRADES - LOW TRADE PRICES ON TOOLS FOR THE WORKSHOP OR HOME







Metal Drum Cable

with twin or four socket extensions. Available with various lead lengths and conform to BS EN61242.



- Twin sockets are rated at 5A 240V
- Four sockets are rated at 13A 240V
- Also 110V twin sockets rated at 16A

			465712
240V		1+	3+
PL0948208	2 Gang 5A 15m	£9.54	£7.98
PL0948308	2 Gang 5A 25m	£14.43	£11.65
PL0948408	2 Gang 5A 30m	£16.07	£12.97
PL0948508	4 Gang 13A 15m	£10.45	£8.45
PL0948608	4 Gang 13A 20m	£10.98	£9.74
PL0948708	4 Gang 13A 25m	£14.81	£11.74
PL0948808	4 Gang 13A 30m	£16.89	£15.87
PL0948908	4 Gang 13A 40m	£21.35	£18.45
PL0949008	4 Gang 13A 50m	£26.91	£20.59
110V			
PL0949108	2 Gang 16A 20m	£15.48	£13.98
PL0949208	2 Gang 16A 30m	£19.89	£17.92
PL0949308	2 Gang 16A 40m	£26.35	£23.05



			40100	J*+
		1+	10+	
PL0920908	4 Gang 2m Lead	£2.84	£1.89	
PL0921008	4 Gang 5m Lead	£4.19	£2.94	
PL0921108	4 Gang 8m Lead	£5.54	£3.98	
PL0921208	6 Gang 2m Lead	£4.04	£2.39	
				/

All Prices Exclude VAT

405710



These plugtops are manufactured from high impact rubber, rated at 13A and conform to BS1363/A.

		1+	10+
PL0946208	Black	£0.75	£0.70
PL0946308	White	£0.75	£0.70
PL0946408	Orange	£0.72	£0.68



sensitive electronic equipment from the damage caused by power surges.

- · Ideal for use with audio/video equipment, computer equipment and other electrical appliances
- · LED indicator shows that protection is present
- 13A fuse fitted
- · Conforms to BS1363

Technical Data

Operating voltage Max. Current rating Max. Surge current Clamping voltage

240\/ 2500A 775V

134

481469

469376

10+

£1.07

465194

1+ 10+ F1 68 £1.58 order code PL1002208



£1 21

connectors, designed to provide a simple method of extending mains connected tools and other appliances For use with earthed appliances, they are manufactured from high impact rubber, rated at 10A and conform to BS5733/A. PI 0947408


All Prices Exclude VAT

Black

White

Orange







2.5A Rated, Euro (CEE7) to UK mains plug adaptor to give a quick and permanent solution. The 2-pin euro plug is simply inserted into the housing and the screw fully tightened to create a very secure and safe connection.

Fully approved to the relevant BS standards including BS5733 and fitted

with a 3A fuse. Note: White version is NO LONGER AVAILABLE

PL0203508 Standard Screw PL0203708 Tamper Proof Screw

476204 20+

14n


FAX YOUR ORDER TO US ON 08701 20 25 31

1/

PL0947508

PL0947608







Manufactured from high impact rubber, rated at 13A and conforms to $\mathsf{BS1363/A}.$

	Colour	No. of Ways	1+	20+
PL0946508	Black	One	£0.74	£0.63
PL0946608	White	One	£0.74	£0.63
PL0946708	Orange	One	£0.74	£0.63
PL0946808	Black	Two	£1.15	£1.05
PL0946908	White	Two	£1.35	£1.20
PL0947008	Orange	Two	£1.35	£1.20
(






		1+	10+
AR7061108	2-Way Unfused	£0.77	£0.54
PLADAPT208	2-Way Fused	£0.83	£0.59
PLADAPT308	3-Way Fused	£1.29	£0.89



All Prices Exclude VAT







2x IEC Se	r Cord: UK Plu Dokoto	PRC-	e: er
A useful 'Y' power personal computer base unit and mor	lead that is ideal for s where it will allow the nitor, or main unit and a owered by a single	-	P
mains connection.	Each arm has a length satured in black with		4809
mains connection. of 500mm. Manuf	Each arm has a length satured in black with	1+	4809 5 0+
mains connection. of 500mm. Manuf	Each arm has a length satured in black with	1+ £2.49	

hlo:/toH PRO'ELEC Extension Leads IEC extension leads consisting of a moulded 3-pin CEE 22 C 10A shrouded plug and socket on either end of 3-core 54r BASEC approved cable. Rated 10A @ 250Vac. Black PVC mouldings and cable sheath. 465197 1+ 20+ PL0964208 0.5m £0.69 £0.54 PL0962108 £0.83 £0.89 1 m PL0962208 2m £0.92 £0.77 PL0962308 3m £1.03 £0.96 PL0962408 5m £2.15 £2 02

All Prices Exclude VAT

Spare Socket

£4.45

£3.65



PL0981508



(1P44 Ind	lustri	al Y	PRO	FEL	EC.	
Connec	tors					
 Splashproof to 3 Sockets to 1 		37	10	P	44813	31
				1+	10+	
PL0946008	110V	Yellow	2P + E	£5.89	£4.89	
PL0946108	240V	Blue	2P + E	£5.98	£4.89	
						/

IP44 Ind	lustria	al Plu	as		
And Cou			-	0-20	EC
<u>ی کی اور او</u>	1		F OB	B	8
Splashproof to	IP44				482197
16A Plug				1+	10+
PL0977108	110V	Yellow	2P + E	£1.05	£0.94
PL0977208	240V	Blue	2P + E	£1.05	£0.94
PL0977308	415V	Red	2P + E	£1.36	£1.23
PL0977408	415V	Red	3P,N + E	£1.63	£1.49
32A Plug					
PL0978508	110V	Yellow	2P + E	£1.98	£1.89
PL0978608	240V	Blue	2P + E	£1.89	£1.76
PL0978708	415V	Red	3P + E	£2.25	£2.03
PL0978808	415V	Red	3P, N + E	£2.45	£2.28
16A Coupler					
PL0977508	110V	Yellow	2P + E	£1.42	£1.33
PL0977608	240V	Blue	2P + E	£1.42	£1.31
PL0977708	415V	Red	3P + E	£1.60	£1.43
PL0977808	415V	Red	3P, N + E	£2.11	£2.01
32A Coupler					
PL0978908	110V	Yellow	2P + E	£2.12	£2.05
PL0979008	240V	Blue	2P + E	£2.10	£1.87
PL0979108	415V	Red	3P, N + E	£2.93	£2.73

IP67 Splashproof Industr Plugs & Sockets A range of 32A and 63A waterproof plugs and couplers. • Waterproof to IP67			
63A Panel Mount Socket	1+	3+	
PL0979608	£9.45	£8.87	
PL0979708	£10.20	£9.59	
32A Free Plug			
PL0980208	£3.79	£3.61	
63A Free Socket			
PL0979808	£10.54	£10.02	
63A Wall Mount Socket			
PL0979908	£11.97	£11.37	
			/

IP44 Industrial Wall M Inlets And Sockets		
Splashproof to IP44		498031
16A Wall Mount Inlet	1+	5+
PL0977908	£1.78	£1.69
PL0978008	£2.33	£2.24
32A Wall Mount Inlet		
PL0979208	£2.45	£2.31
PL0979308	£2.98	£2.80
16A Wall Mount Socket		
PL0978108	£1.93	£1.83
PL0978208	£1.93	£1.83
PL0978308	£2.24	£2.10
PL0978408	£2.43	£2.30
32A Wall Mount Socket		
PL0979408	£2.49	£2.17
PL0979508	£2.89	£2.70



 Top quality v break resista housing With 4 110V Equipped wi hooks for ha Cable colour 2P+E pin configuration Nominal cur Splashproof Technical Dat 	nt plastic sockets th 2 nging : Yellow n rent:16A to IP44	0 E24.28	n.Ce	CO.
	Sockets	Cable Length	CableØ(m	m)
PL0985008	4	14m	1.5mm	
PL0985108	4	14m	1.5mm	
PL0985208	4	2m	2.5mm	4957
			1+	3+
PL0985008			£26.64	£24.28
1 20303000				
PL0985108			£29.05	£27.21

All Prices Exclude VAT

WE ARE PLEASED TO ACCEPTION STATE AND DEPLET



who DON'T FORGET THERE'S NO MINIMUM ORDER AT CPC!

Cables & Connectors

		h Achie C	0.401/1		Condui	t/Trunkin			10.0
		th Cable - 6	Z4ZY I	1		it/Trunkin	y 🧇	pro-P	OWE
 BASEC ap with BS60 	proved, conform	is 👩	pro-	POWER	Cable -	6491X		-	
 New harm 					 Conforms to E 		6		
identificat	tion					oHS standards	WINDING		
		1			 Plain Annealed conductors 	d Copper			
- Brown = I - Blue = Ne			1		 Voltage classif 	fication:	:0.33		497
- Earth $=$ B					450/750V				
Technical Dat	a				1.00mm ²			1+	5+
CSA (mm ²)	Current Amps	Core make up (mm)	OD Dims	(mm)	CB1126208	Black	100m	£8.89	£8.5
1	15	1/1.13	4.50x8.20		CB1126308	Blue	100m	£8.89	£8.5
1.5 2.5	20 27	1/1.38 1/1.78	4.70x8.60 5.30x9.90		CB1126408	Brown	100m	£8.89	£8.5
4	36 46	7/0.85	6.10x11.4		CB1126508	Green/Yellow	100m	£8.89	£8.5
6 10	46 63	7/1.04 7/1.35	6.8x13.1 8.4x16.8		CB1126608	Grey	100m	£8.89	£8.5
16	85	7/1.70	9.6x19.5	497961	1.50mm ²				
25m Reels			1+	3+	CB1126708	Black	100m	£11.58	£11.
CB1143408	1mm ²		£7.49	£6.88	CB1126808	Blue	100m	£11.58	£11.
CB1143508	1.5mm	n ²	£9.25	£8.47	CB1126908	Brown	100m	£11.58	£11.
CB1143608	2.5mr	n ²	£14.85	£13.90	CB1127008	Green/Yellow	100m	£11.58	£11.
CB1143708			£21.89	£20.45	CB1127108	Grey	100m	£11.58	£11.
CB1143808			£32.34	£31.87	2.50mm ²				
CB1143908		2	£56.47	£53.46	CB1127208	Black	100m	£18.98	£18.
CB1144008			£98.54	£92.47	CB1127308	Blue	100m	£18.98	£18.
50m Reels	Tomm	1	130.34	LJZ.47	CB1127408	Brown	100m	£18.98	£18.
CB1144108	1mm ²		£14.42	£13.45	CB1127508	Green/Yellow	100m	£18.98	£18.
CB1144108		-7	£14.42	£13.45	CB1127608	Grey	100m	£18.98	£18.
				£18.32	4.00mm ²				
CB1144308		11-	£26.37		CB1127708	Black	100m	£29.45	£28.2
CB1144408			£42.89	£41.65	CB1127808	Blue	100m	£29.45	£28.2
CB1144508		2	£67.41	£64.00	CB1127908	Brown	100m	£29.45	£28.2
CB1144608			£99.95	£97.47	CB1128008	Green/Yellow	100m	£29.45	£28.2
CB1144708		ľ	£178.89	£172.32	CB1128108	Grey	100m	£29.45	£28.2
100m Reels					6.00mm ²				
CB1144808			£26.88	£24.85	CB1128208	Black	100m	£49.58	£47.
CB1144908			£27.45	£26.45	CB1128308	Blue	100m	£49.58	£47.
CB1145008	2.5mr	n²	£38.21	£35.25	CB1128408	Brown	100m	£49.58	£47.
CB1145108	4mm ²		£77.00	£73.21	CB1128508	Green/Yellow	100m	£49.58	£47.
CB1145208	6mm ²		£109.98	£104.42	CB1128608	Grey	100m	£49.58	£47.

Conduit/Trunking Cable Spro-Power LSOH - 6491B

- Conforms to BS/211and is RoHS compliant
- Plain Annealed Copper conductors
- Voltage classification: 450/750V




1.50mm ²		1+	5+
CB1130208	100m	£15.98	£15.34
CB1130308	100m	£15.98	£15.34
CB1130408	100m	£15.98	£15.34
CB1130508	100m	£15.98	£15.34
CB1130608	100m	£15.98	£15.34
2.50mm ²			
CB1130708	100m	£24.25	£23.28
CB1130808	100m	£24.25	£23.28
CB1130908	100m	£24.25	£23.28

Technical Data	а			497969
CSA (mm ²)	Current Amps	Core make up	Extern	nalØ
1.5 2.5 4	17 24 32	7x0.53mm 7x0.67mm 7x0.85mm	3.5mm 4.2mm 4.8mm	
2.50mm ² Conti	inued		1+	5+
CB1131008		100m	£24.25	£23.28
CB1131108		100m	£24.25	£23.28
4.00mm ²				
CB1131208		100m	£36.74	£35.27
CB1131308		100m	£36.74	£35.27
CB1131408		100m	£36.74	£35.27
CB1131508		100m	£36.74	£35.27
CB1131608		100m	£36.74	£35.27

-

All Prices Exclude VAT

Cables & Connectors



3	Core	Round	Mains	Cable -	·2183Y
-					

Dro-POWER

- Conforms to BS6500, <HAR> and RoHS standards
- Plain Annealed Copper conductors
 Voltage classification: 300/300V

 voltage classif 	ication. 300/300	v		471049	
0.50mm ²			1+	3+	
CB1117308	White	50m	£9.60	£9.12	
CB1117408	White	100m	£19.21	£18.24	
CB1117508	Black	50m	£9.60	£9.12	
CB1117608	Black	100m	£19.21	£18.24	
CB1117708	Grey	100m	£19.21	£18.24	
0.75mm ²					
CB1117808	White	50m	£11.80	£11.28	
CB1117908	White	100m	£24.08	£22.79	
CB1118008	Black	50m	£12.31	£11.69	
CB1118108	Black	100m	£25.00	£23.35	
CB1118208	Grey	100m	£25.00	£23.35	,

2 Core Oval Mains Dro-POWER **Cable - 2192Y** For use in light electrical applications Conforms to BS6500, <HAR> and **RoHS** standards C Plain Annealed Copper conductors Voltage classification: 300/300V Available in black, white or grey -05 sheath Technical Data CSA Current (mm^2) Amps Core make up OD Dims. 05 3 16x0.20mm 3.30x5.40mm 3 60x5 80mm 0.75 24x0.20mm470963 0.50mm² 1 +3+ CB1115308 White 50m £7.65 £7.15 CB1115408 White 100m £14.35 £13.65 CB1115508 Black 50m £7.65 £7.05 CB1115608 Black 100m £14.58 £13.96 CR111E700 Grow 100~ £14 E0 £12 00

CD1113700	urcy	100111	L14.30	L13.30
0.75mm ²				
CB1115808	White	50m	£9.24	£8.15
CB1115908	White	100m	£16.57	£14.91
CB1116008	Black	50m	£9.24	£8.25
CB1116108	Black	100m	£18.87	£16.98
CB1116208	Grey	100m	£18.54	£16.98

2 Core I Cable -	Round Mair 2182Y		© pro	POWER
 Conforms to and RoHS sta Plain Anneale conductors Voltage classi 300/300V 	ed Copper	6.88		
Technical Data				
(mm ²) Amps		ExternalØ		
0.5 3	16x0.20mm	5.40mm		
0.75 6	24x0.20mm	5.80mm		
				471000
0.50mm ²			1+	3+
CB1116308	White	50m	£7.25	£6.88
CB1116408	White	100m	£14.05	£13.09
CB1116508	Black	50m	£7.25	£6.88
CB1116608	Black	100m	£14.29	£13.70
CB1116708	Grey	100m	£14.40	£14.05
0.75mm ²				
CB1116808	White	50m	£9.60	£9.14
CB1116908	White	100m	£18.50	£18.07
CB1117008	Black	50m	£9.60	£9.14
CB1117108	Black	100m	£18.60	£17.90

All Prices Exclude VAT



3183YAG 300/500V Three-Core Round Arctic Flex

A very flexible three-core, round profile cable, using a special grade PVC that makes it suitable for use down to temperatures -20°C. This makes it ideal for use in very cold environments as well as outdoors. The cable conforms to BS6500 and is supplied by the metre and 100m reels.



DO-POWER

Technical Data

0/D (mm) 7.50 8.90 10.80	Current Rating 6A 15A 20A	Nominal Strands/mm 24/0.20 30/0.25 50/0.25	CSA (m 3 x 0.79 3 x 1.50 3 x 2.50	5 0
				497751
0.75mm			1+	3+
CBBR151708	Yellow	100m Reel	£29.98	£26.05
CBBR151808	Blue 100m Reel		£29.98	£26.05
1.50mm				
CBBR009008	Yellow	100m Reel	£43.25	£40.89
CBBR009108	Blue 10	0m Reel	£43.25	£40.89
2.50mm				
CBBR009208	Yellow	100m Reel	£76.69	£71.24
CBBR009308	Blue 10	Blue 100m Reel		£71.24
4.00mm				
CBBR828208	Blue 10	Om Reel	£129.98	£126.05

Steel Wire Armoured Cable

Harmonised Core Colours


- Suitable for mains supply electricity and can be used externally or buried.
- Cross linked polyethelene (XLPE) insulated booklet armoured cables benefit from superior thermal and mechanical properties
- Conform to: BS6360 Conductors, BS6746 Type 9 - Sheath, BS1442 - Armour

Colour Codes:- 3 core - Brown, Black, Grey. 4 core - Brown, Black, Grey, Blue.

Technical Data

0 1 1	CL 1 1 A 1 1 O	
Conductors	Stranded Annealed Copper	
Insulation	XLPE (cross linked polyethylene) PVC	
Bedding	Extruded PVC	
Armour	Galvanised Steel wire armour	
Sheath	PVC	
Voltage	600/1000V	
Operating temperature	-40°C to 90°C	
		497835

	Size				107 000
3-Core 6943X	(mm ²)	0/D (m	m) Reel (m)	1+	3+
CB0927108	1.5	12.9	50	£45.58	£43.25
CB0927308	2.5	13.8	50	£69.21	£62.69
CB0927408	2.5	13.8	100	£118.05	£113.36
CB0927608	6	17.4	50	£107.98	£101.35
4-Core 6944X					
CB0928008	2.5	14.7	50	£58.16	£54.34
CB0928108	2.5	14.7	100	£147.96	£144.57
<u> </u>					








All Prices Exclude VAT

TRADES - WHAT YOU NEED AT LOW PRICES with

Cables & Connectors






PVC insulated, plain annealed copper cable, laid side by side in a flat figure of 8 construction with markings to indicate polarity. The range is available in a variety of sizes.

45 41 00

			454182
		1+	5+
CBBR040508	7/0.20mm Grey 100m	£5.25	£4.82
CBBR040608	7/0.20mm Black 100m	£5.25	£4.82
CBBR106908	7/0.20mm White 100m	£5.25	£4.82
CBBR040708	13/0.20mm Grey 100m	£8.49	£7.91
CBBR095008	13/0.20mm Grey 1000m	£79.00	£72.00
CBBR095108	13/0.20mm Black 1000m	£79.00	£72.00
CBBR040808	13/0.20mm Black 100m	£8.49	£7.91
CBBR087908	13/0.20mm Brown 100m	£8.49	£7.91
CBBR094908	13/0.20mm White 100m	£8.49	£7.91
CBBR095208	13/0.20mm Black Ribbed 100m	£8.49	£7.91
CBBR040908	24/0.20mm White 100m	£16.69	£15.35
CBBR041008	32/0.20mm White 100m	£20.45	£19.02
CBBR041108	42/0.20mm White 100m	£21.05	£19.74
CBBR041208	79/0.20mm White 100m	£39.89	£37.54
CBBR095308	79/0.20mm Black 100m	£39.89	£37.54
CBBR095408	79/0.20mm Black Ribbed 100m	£39.89	£37.54
`			



White S	pro-po	WER		
Cable • Core type: Annealed Tinn Copper • Conductive ar per core: 0.20 • Conductor ma up: 7/0.19mm • Current rating • Material, prim • Resistance: 96 • Supplied in 10	rea hke g: 1A hary insulatio 3.7Ω/km	n: lead free PVC	1:	497965
CB1147408	4	3.7mm	£8.47	£7.49
CD1147400				
CB1147508	6	4.0mm	£10.98	£9.83



All Prices Exclude VAT



TRADES A LOW TRADE PRICES ON TOOLS FOR THE WORKSHOP OR HOME



75Ω Low Loss Coaxial 📀 pro-power Cahle

A 75 Ω , low loss television downlead available in both white and brown. The cable has a 1.00mm single conductor and an overall PVC sheath.

Technical Data

Impedance	/5\2
Conductor	1/1.00mm
Screen	48/0.12mm Braided Copper Screen
Dielectric	Semi Air-Spaced PE
Outer Diameter	6.50mm
CSA (mm)	0.78
	464987

250m Reels		1+	3+
CBBR012308	Brown 100m	£8.45	£7.96
CBBR202208	Brown 250m	£30.45	£27.05
CBBR012408	White 100m	£8.45	£7.96
CBBR202308	White 250m	£30.45	£27.05

BSkvB Endorsed Satellite Cable

A range of coaxial cables, suitable for the Dro-POWER reception of digital terrestrial and digital satellite reception as well as high speed data transfer. The cable conforms to BS EN 50117-1 and RNE678/100-04 thus making it fully approved for digital installations. Designed and manufactured to minimise signal losses and to provide excellent RLR characteristics up to 1800MHz. The cable is available with either semi air spaced or foam filled dielectric, 64 strand copper braid and copper foil. Available in black, white and brown the cable is supplied in lengths of 50m, 100m and 250m.

Certified to BS EN 50117-1, RNE678/100-04

Technical Data

In a second sector a second sector from the	1.00
Inner conductor nominal diameter	1.00mm bare copper
Dielectric nominal Diameter	4.60mm
Outer Conductor Nom. Diameter	4.65mm
	64/0.12mm Braided Copper
C	
Screen	Screen (54% coverage)
Nominal O/D	6.65mm
Max. Bending Radius Single Bend/	
Multiple Bending	40mm / 70mm
Conductor Resistance - inner	21.50Ω
- Outer	14.9Ω
Nominal Characteristic Impedance	750
	/ 552
Attenuation Loss (dB/100m)	
5 50 100 200 460 860	100 1750 2150
MHz MHz MHz MHz MHz MHz	MHz MHz MHz
1.45 4.32 6.20 9.00 14.9 19.3	2 21.27 28.57 32.03 456214

Semi Air Spaced Dielectric		1+	3+
CBBR671708	Black 50m	£12.86	£12.25
CBBR671808	Black 100m	£24.68	£24.31
CBBR671908	Black 250m	£69.25	£66.31
CBBR672108	White 100m	£24.68	£24.31
CBBR672208	White 250m	£74.58	£69.85
CBBR672408	Brown 100m	£31.33	£29.54
Foam Filled Dielectr	ic		
CBBR672608	Black 50m	£12.86	£12.25
CBBR672708	Black 100m	£29.86	£28.49
CBBR673008	White 100m	£26.05	£25.35



A 75 Ω coaxial cable designed for satellite interconnection purposes. The cable has a 1.00mm conductor and a five cell semi air spaced dielectric


Technical Data

75Ω 1/1.00mm 64/0.12mm Braided Copper Screen 6.50mm 0.78	+ Alumin	ium Foil 462470
	1+	3+
Black 100m	£11.98	£9.98
Black 250m	£27.78	£26.39
Brown 100m	£11.45	£9.98
White 100m	£9.44	-
White 250m	£27.78	£26.39
	1/1.00mm 64/0.12mm Braided Copper Screen 6.50mm 0.78 Black 100m Black 250m Brown 100m White 100m	1/1.00mm 64/0.12mm Braided Copper Screen + Alumin 6.50mm 1+ Black 100m £11.98 Black 250m £27.78 Brown 100m £11.45 White 100m £9.44

Telephone Cable, 10	Om Reel
An internal cable designed for interconnection of communication equipment. The cables range from 2 Pair (4 Core) to 6 Pair (12 Core).	
Max. Current per Core 0.25 A Nom. Conductor Area 0.20mm Max. Working Voltage 80V To BT Spec CW1308F White 100m Reel	.45
Technical Data CV1308F Pair No. '% Wire 'B' Wire 1 WHITE/Bure BLUE/White 2 WHITE/Grange ORANGE/White 3 WHITE/Green GREEN/White 4 WHITE/Green GREEN/White 5 WHITE/Green GREY/White 6 RED/Blue BLUE/Red	456225
CBBR910008 2 Pair	f6.12 f5.85
CBBR910508 2 Pair	£14.45 £13.25
CBBR910608 2 Pair	£29.63 £28.35
CBBR910708 2 Pair	f9.98 f9.25
CBBR910108 3 Pair	£5.98 £5.45
CBBR910808 3 Pair	£23.58 £22.35
CBBR911008 3 Pair	£11.45 £11.03
CBBR910208 4 Pair	£10.79 £10.35
CBBR911208 6 Pair	£30.29 £27.64
Low Smoke & Fume (LSF)	
Low Smoke & Fume (LSF) CBBR998608 2 Pair	£9.25 £8.24
	£9.25£8.24£15.84£14.86
CBBR998608 2 Pair	
CBBR9986082 PairCBBR9987083 Pair	£15.84 £14.86
CBBR998608 2 Pair CBBR998708 3 Pair CBBR998808 4 Pair	£15.84 £14.86 £20.82 £19.79
CBBR998608 2 Pair CBBR998708 3 Pair CBBR998808 4 Pair CBBR998908 6 Pair	£15.84 £14.86 £20.82 £19.79
CBBR998608 2 Pair CBBR998708 3 Pair CBBR998708 3 Pair CBBR998908 4 Pair CBBR998908 6 Pair External Use External Use	£15.84 £14.86 £20.82 £19.79 £26.43 £25.33

All Prices Exclude VAT

Cables & Connectors





All Prices Exclude VAT



£4.21

£4.21

£3.55

£3.55

Black

Silver

CB1106208

CB1106308

PVC Ins Sleevin)n	S pro-	POWER
				() a
Lead free flexibl	e PVC insula	ation sleeving	180 29	.68
 Operating Ter 	np40°C to	5	[52	.00
 Wall thicknes Dielectric stre 		/ mm		
 Supplied on 1 		/ 11111		497910
			1+	3+
CB1024108	2mm	Black	£2.96	£2.68
CB1024208	2mm	Brown	£3.50	£3.33
CB1024308	2mm	Blue	£5.18	£4.94
CB1024408	2mm	Grey	£3.86	£3.36
CB1024508	2mm	Red	£3.50	£3.33
CB1024608	3mm	Green/Yellow	£3.64	£3.34
CB1024708	3mm	Black	£4.39	£4.04
CB1024808	3mm	Brown	£5.13	£4.71
CB1024908	3mm	Blue	£5.18	£4.76
CB1025008	3mm	Grey	£5.13	£4.71
CB1025108	3mm	Red	£5.13	£4.71
CB1025208	4mm	Green/Yellow	£4.35	£4.05
CB1025308	4mm	Black	£4.35	£4.05
CB1025408	4mm	Brown	£5.78	£5.37
CB1025508	4mm	Blue	£5.78	£5.37
CB1025608	4mm	Grey	£5.78	£5.32
CB1025708	4mm	Red	£4.35	£4.05
CB1025808	6mm	Green/Yellow	£10.89	£10.49
CB1025908	6mm	Black	£10.25	£9.87
CB1026008	6mm	Brown	£10.89	£10.49
CB1026108	6mm	Blue	£10.89	£10.49

24

Soma FAX YOUR ORDER TO US ON 08701 20 25 31



Standard Pro-Power Non-Releasable		~			
Cable Ties 484745 Natural 1+ 20+ CBBR666608 100 x 2.50 mm 100 £0.15 £0.10 CBBR666608 100 x 2.50 mm 100 £0.23 £0.17 CBBR667008 142 x 3.20 mm 100 £0.23 £0.17 CBBR667008 142 x 3.20 mm 100 £0.24 £0.93 CBBR66708 200 x 2.50 mm 100 £0.29 £0.24 CBBR66708 200 x 2.50 mm 100 £0.29 £0.24 CBBR668108 203 x 3.60 mm 100 £0.46 £0.38 CBBR66808 203 x 3.60 mm 100 £0.46 £0.38 CBBR66808 203 x 3.60 mm 100 £0.78 £0.69 CBBR66808 200 x 3.60 mm 100 £0.78 £0.69 CBBR66808 300 x 4.80 mm 100 £1.03 £0.88 CBBR66908 370 x 3.60 mm 100 £2.16 £2.03 CBBR66908 500 x 5.00 mm 100 £2.16 £2.03	standard	pro-pow	/ER		-
Cable Ties 484745 Natural 1+ 20+ CBBR666608 100 x 2.50 mm 100 £0.15 £0.10 CBBR666608 100 x 2.50 mm 100 £0.23 £0.17 CBBR667008 142 x 3.20 mm 100 £0.23 £0.17 CBBR667008 142 x 3.20 mm 100 £0.24 £0.93 CBBR66708 200 x 2.50 mm 100 £0.29 £0.24 CBBR66708 200 x 2.50 mm 100 £0.29 £0.24 CBBR668108 203 x 3.60 mm 100 £0.46 £0.38 CBBR66808 203 x 3.60 mm 100 £0.46 £0.38 CBBR66808 203 x 3.60 mm 100 £0.78 £0.69 CBBR66808 200 x 3.60 mm 100 £0.78 £0.69 CBBR66808 300 x 4.80 mm 100 £1.03 £0.88 CBBR66908 370 x 3.60 mm 100 £2.16 £2.03 CBBR66908 500 x 5.00 mm 100 £2.16 £2.03	Non-Rola	acahla 🗃	1000	100	-
• Operating temperature: -40°C to 85°C 484745 Natural 1+ 20+ CBBR666608 100 × 2.50 mm 100 €0.15 €0.10 CBBR666708 142 × 2.50 mm 100 €0.23 €0.17 CBBR66708 142 × 3.20 mm 100 €0.23 €0.23 CBBR667408 150 × 8.00 mm 100 €0.29 €0.24 CBBR667408 203 × 3.60 mm 100 €0.46 €0.38 CBBR668108 203 × 3.60 mm 100 €0.48 €0.38 CBBR66808 203 × 4.60 mm 100 €0.48 €0.78 CBBR66808 203 × 4.80 mm 100 €0.48 €0.78 CBBR66808 300 × 4.80 mm 100 €0.78 €0.69 CBBR66908 370 × 7.60 mm 100 €1.26 €1.03 CBBR669208 370 × 7.60 mm 100 €1.35 €1.20 CBBR669208 100 × 2.50 mm 100 €0.15 €0.10 CBBR669208 100 × 2.50 mm 100 €0.21			1000	-	1
• Operating temperature: -40°C to 85°C 484745 Natural 1+ 20+ CBBR666608 100 × 2.50 mm 100 €0.15 €0.10 CBBR666708 142 × 2.50 mm 100 €0.23 €0.17 CBBR66708 142 × 3.20 mm 100 €0.23 €0.23 CBBR667408 150 × 8.00 mm 100 €0.29 €0.24 CBBR667408 203 × 3.60 mm 100 €0.46 €0.38 CBBR668108 203 × 3.60 mm 100 €0.48 €0.38 CBBR66808 203 × 4.60 mm 100 €0.48 €0.78 CBBR66808 203 × 4.80 mm 100 €0.48 €0.78 CBBR66808 300 × 4.80 mm 100 €0.78 €0.69 CBBR66908 370 × 7.60 mm 100 €1.26 €1.03 CBBR669208 370 × 7.60 mm 100 €1.35 €1.20 CBBR669208 100 × 2.50 mm 100 €0.15 €0.10 CBBR669208 100 × 2.50 mm 100 €0.21	Cable Tie	PS S			
Natural 1+ 20+ CBBR666608 100 × 2.50 mm 100 €0.15 €0.10 CBBR667008 142 × 2.50 mm 100 €0.23 €0.17 CBBR667008 142 × 3.20 mm 100 €0.23 €0.23 CBBR66708 142 × 3.20 mm 100 €0.29 €0.23 CBBR667408 150 × 8.00 mm 100 €0.46 €0.38 CBBR667808 200 × 2.50 mm 100 €0.46 €0.38 CBBR668108 203 × 3.60 mm 100 €0.45 €0.38 CBBR66808 203 × 4.60 mm 100 €0.45 €0.47 CBBR66808 292 × 3.60 mm 100 €0.48 €0.78 CBBR66808 300 × 4.80 mm 100 €1.22 €1.03 CBBR669208 370 × 7.60 mm 100 €1.24 €1.03 CBBR669208 370 × 7.60 mm 100 €2.16 €2.03 CBBR669208 100 × 2.50 mm 100 €0.15 €0.10 CBBR669708 100 × 2.50 mm <t< td=""><td></td><td></td><td>c 🖛</td><td></td><td>484745</td></t<>			c 🖛		484745
CBBR66608 100 x 2.50 mm 100 £0.15 £0.10 CBBR667008 142 x 2.50 mm 100 £0.23 £0.17 CBBR667008 142 x 3.20 mm 100 £0.23 £0.17 CBBR667084 150 x 8.00 mm 100 £1.02 £0.93 CBBR667808 200 x 2.50 mm 100 £0.29 £0.24 CBBR667808 200 x 2.50 mm 100 £0.46 £0.38 CBBR66808 203 x 4.60 mm 100 £0.58 £0.47 CBBR66808 203 x 3.60 mm 100 £0.58 £0.47 CBBR66808 200 x 3.60 mm 100 £0.78 £0.69 CBBR66808 300 x 4.80 mm 100 £1.32 £1.03 CBBR66908 370 x 7.60 mm 100 £2.16 £2.03 BBR64 C CBBR669708 100 x 2.50 mm 100 £2.16 £2.03 Black C CBBR69708 100 x 2.50 mm 100 £0.21 £0.17 CBBR68908 120 x 4.80 mm 100				1+	20+
CBBR667008 142 x 2.50 mm 100 €0.23 €0.17 CBBR667008 142 x 2.50 mm 100 €0.24 €0.17 CBBR667208 142 x 3.20 mm 100 €0.23 €0.17 CBBR667408 150 x 8.00 mm 100 €1.02 €0.93 CBBR667808 200 x 2.50 mm 100 €0.46 €0.38 CBBR66808 203 x 3.60 mm 100 €0.46 €0.38 CBBR66808 292 x 3.60 mm 100 €0.48 €0.57 CBBR66808 200 x 4.80 mm 100 €0.89 €0.78 CBBR66808 370 x 3.60 mm 100 €1.36 €1.20 CBBR66908 370 x 4.80 mm 100 €1.36 €1.21 CBBR66908 370 x 7.60 mm 100 €2.16 €2.03 Black		100 x 2.50 mm	100		
CBBR667208 142 x 3.20 mm 100 €0.29 €0.23 CBBR667408 150 x 8.00 mm 100 €1.02 €0.93 CBBR667808 200 x 2.50 mm 100 €0.29 €0.24 CBBR667808 203 x 3.60 mm 100 €0.46 €0.38 CBBR68108 203 x 3.60 mm 100 €0.58 €0.47 CBBR668508 250 x 8.00 mm 100 €0.69 €0.57 CBBR668508 300 x 4.80 mm 100 €0.78 €0.699 CBBR66908 370 x 3.60 mm 100 €0.78 €0.699 CBBR66908 370 x 3.60 mm 100 €1.36 €1.21 CBBR66908 370 x 7.60 mm 100 €1.36 €1.21 CBBR66908 500 x 5.00 mm 100 €0.15 €0.10 CBBR66908 100 x 2.50 mm 100 €0.21 €0.17 CBBR724208 142 x 3.20 mm 100 €0.21 €0.17 CBBR72408 142 x 3.20 mm 100 €0.24 €0.79 <t< td=""><td></td><td></td><td></td><td></td><td></td></t<>					
CBBR667408 150 x 8.00 mm 100 £1.02 £0.33 CBBR667808 200 x 2.50 mm 100 £0.29 £0.24 CBBR668108 203 x 3.60 mm 100 £0.46 £0.38 CBBR668108 203 x 3.60 mm 100 £0.46 £0.38 CBBR668308 203 x 4.60 mm 100 £0.45 £0.47 CBBR668308 292 x 3.60 mm 100 £0.45 £0.57 CBBR66808 292 x 3.60 mm 100 £0.48 £0.78 CBBR66808 300 x 4.80 mm 100 £0.78 £0.69 CBBR66908 370 x 3.60 mm 100 £1.22 £1.03 CBBR669208 370 x 7.60 mm 100 £1.36 £1.21 CBBR669208 370 x 7.60 mm 100 £2.16 £2.03 BBack £0.31 £0.17 CBBR669708 100 x 2.50 mm 100 £0.21 £0.17 CBBR724208 142 x 3.20 mm 100 £0.23 £0.17 <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
CBBR667808 200 x 2.50 mm 100 €0.29 €0.24 CBBR668108 203 x 3.60 mm 100 €0.46 €0.38 CBBR668108 203 x 4.60 mm 100 €0.46 €0.38 CBBR668308 203 x 4.60 mm 100 €0.58 €0.47 CBBR66808 292 x 3.60 mm 100 €1.35 €1.20 CBBR66808 292 x 3.60 mm 100 €0.59 €0.57 CBBR66808 300 x 4.80 mm 100 €0.78 €0.69 CBBR66908 370 x 7.60 mm 100 €1.22 €1.03 CBBR66908 370 x 7.60 mm 100 €1.36 €1.21 CBBR66908 500 x 5.00 mm 100 €2.16 €2.03 Back C CBBR69708 100 x 2.50 mm 100 €0.15 €0.10 CBBR69708 100 x 2.50 mm 100 €0.21 €0.17 CBBR69708 100 x 2.50 mm 100 €0.21 €0.17 CBBR69708 100 x 2.50 mm 100 €0.24 €0.7					
CBBR668108 203 x 3.60 mm 100 €0.46 €0.38 CBBR668308 203 x 4.60 mm 100 €0.58 €0.47 CBBR668308 203 x 3.60 mm 100 €0.58 €0.47 CBBR668508 250 x 8.00 mm 100 €0.58 €0.47 CBBR668608 292 x 3.60 mm 100 €0.89 €0.78 CBBR668008 300 x 4.80 mm 100 €0.89 €0.78 CBBR669008 370 x 3.60 mm 100 €1.78 €0.69 CBBR66908 370 x 7.60 mm 100 €1.184 €1.84 CBBR69408 370 x 7.60 mm 100 €0.15 €0.10 CBBR69708 100 x 2.50 mm 100 €0.15 €0.10 CBBR69708 100 x 2.50 mm 100 €0.21 €0.17 CBBR69708 100 x 2.50 mm 100 €0.21 €0.17 CBBR724208 142 x 3.20 mm 100 €0.21 €0.17 CBBR724708 165 x 2.50 mm 100 €0.43 €0.88 <	CBBR667808		100		
CBBR668308 203 x 4.60 mm 100 £0.58 £0.47 CBBR668308 203 x 4.60 mm 100 £1.35 £1.20 CBBR668508 250 x 8.00 mm 100 £0.58 £0.57 CBBR668608 292 x 3.60 mm 100 £0.89 £0.78 CBBR668808 300 x 4.80 mm 100 £0.78 £0.69 CBBR66908 370 x 3.60 mm 100 £0.78 £0.69 CBBR66908 370 x 3.60 mm 100 £1.22 £1.03 CBBR66908 370 x 7.60 mm 100 £1.36 £1.21 CBBR669608 500 x 5.00 mm 100 £1.36 £1.21 CBBR669608 500 x 5.00 mm 100 £0.15 £0.10 CBBR669608 100 x 2.50 mm 100 £0.21 £0.17 CBBR724208 142 x 2.50 mm 100 £0.21 £0.17 CBBR724708 165 x 2.50 mm 100 £0.23 £0.19 CBBR724708 165 x 2.50 mm 100 £0.24 £0.49					
CBBR668608 292 x 3.60 mm 100 €0.69 €0.57 CBBR668808 300 x 4.80 mm 100 €0.89 €0.78 CBBR669008 370 x 3.60 mm 100 €0.78 €0.69 CBBR669008 370 x 3.60 mm 100 €0.78 €0.69 CBBR669208 370 x 7.60 mm 100 €1.22 €1.03 CBBR669208 370 x 7.60 mm 100 €1.22 €1.03 CBBR669408 370 x 7.60 mm 100 €2.10 €1.84 CBBR669508 400 x 5.00 mm 100 €2.16 €2.03 Black CBBR69708 100 x 2.50 mm 100 €0.15 €0.10 CBBR69708 100 x 2.50 mm 100 €0.21 €0.17 CBBR724208 142 x 3.20 mm 100 €0.24 €0.79 CBBR724408 142 x 3.20 mm 100 €0.49 €0.43 CBBR724408 160 x 4.80 mm 100 €0.49 €0.43 CBBR725008 200 x 2.50 mm 100 €0.49 €0.49	CBBR668308				
CBBR668608 292 x 3.60 mm 100 €0.69 €0.57 CBBR668808 300 x 4.80 mm 100 €0.89 €0.78 CBBR669008 370 x 3.60 mm 100 €0.78 €0.69 CBBR669008 370 x 3.60 mm 100 €1.22 €1.03 CBBR66908 370 x 7.60 mm 100 €1.22 €1.03 CBBR669508 400 x 5.00 mm 100 €1.36 €1.21 CBBR669508 500 x 5.00 mm 100 €2.16 €2.03 Black CBBR669708 100 x 2.50 mm 100 €0.15 €0.10 CBBR69708 100 x 2.50 mm 100 €0.21 €0.17 CBBR724208 142 x 3.20 mm 100 €0.24 €0.79 CBBR724408 165 x 2.50 mm 100 €0.24 €0.49 CBBR724808 160 x 4.80 mm 100 €0.49 €0.43 CBBR724808 160 x 4.80 mm 100 €0.49 €0.43 CBBR725008 200 x 2.50 mm 100 €0.49 €0.49	CBBR668508	250 x 8.00 mm	100	£1.35	£1.20
CBBR668808 300 x 4.80 mm 100 £0.89 £0.78 CBBR669008 370 x 3.60 mm 100 £0.78 £0.69 CBBR669008 370 x 4.80 mm 100 £1.78 £0.69 CBBR669208 370 x 4.80 mm 100 £1.78 £0.69 CBBR669208 370 x 4.80 mm 100 £1.20 £1.03 CBBR669408 370 x 7.60 mm 100 £2.10 £1.84 CBBR669508 400 x 5.00 mm 100 £2.16 £2.03 Black	CBBR668608		100		
CBBR669208 370 x 4.80 mm 100 €1.22 €1.03 CBBR669208 370 x 7.60 mm 100 €1.24 €1.03 CBBR669508 400 x 5.00 mm 100 €1.36 €1.21 CBBR669508 400 x 5.00 mm 100 €2.16 €2.03 Black CBBR669708 100 x 2.50 mm 100 €0.15 €0.10 CBBR669908 120 x 4.80 mm 100 €0.21 €0.17 CBBR724208 142 x 3.20 mm 100 €0.21 €0.17 CBBR72408 142 x 3.20 mm 100 €0.24 €0.17 CBBR72408 160 x 4.80 mm 100 €0.24 €0.17 CBBR724808 160 x 4.80 mm 100 €0.49 €0.43 CBBR724808 160 x 4.80 mm 100 €0.24 €0.88 CBBR72508 200 x 3.60 mm 100 €0.49 €0.49 CBBR72508 203 x 3.60 mm 100 €1.53 €1.42 CBBR72508 2	CBBR668808	300 x 4.80 mm	100	£0.89	£0.78
CBBR669408 370 x 7.60 mm 100 £2.10 £1.84 CBBR669508 400 x 5.00 mm 100 £1.36 £1.21 CBBR669508 400 x 5.00 mm 100 £2.16 £2.03 Black C CBBR669708 100 x 2.50 mm 100 £0.15 £0.10 CBBR669708 100 x 2.50 mm 100 £0.15 £0.10 CBBR669708 100 x 2.50 mm 100 £0.21 £0.17 CBBR724208 142 x 3.20 mm 100 £0.23 £0.17 CBBR724408 165 x 2.50 mm 100 £0.24 £0.49 CBBR724708 165 x 2.50 mm 100 £0.49 £0.43 CBBR724508 160 x 4.80 mm 100 £0.49 £0.43 CBBR72508 200 x 2.50 mm 100 £0.49 £0.49 CBBR72508 203 x 3.60 mm 100 £1.18 £1.05 CBBR72508 203 x 3.60 mm 100 £1.53 £1.42 CBBR72508 203 x 3.60 mm 100 £1.53 <	CBBR669008	370 x 3.60 mm	100	£0.78	£0.69
CBBR669508 400 x 5.00 mm 100 £1.36 £1.21 CBBR669608 500 x 5.00 mm 100 £2.16 £2.03 Black	CBBR669208	370 x 4.80 mm	100	£1.22	£1.03
CBBR669608 500 x 5.00 mm 100 £2.16 £2.03 Black CBBR669708 100 x 2.50 mm 100 £0.15 £0.10 CBBR669708 100 x 2.50 mm 100 £0.15 £0.10 CBBR669708 120 x 4.80 mm 100 £0.39 £0.31 CBBR724708 142 x 2.50 mm 100 £0.21 £0.17 CBBR724708 142 x 3.20 mm 100 £0.24 £0.17 CBBR724708 155 x 2.50 mm 100 £0.24 £0.17 CBBR724708 165 x 2.50 mm 100 £0.49 £0.43 CBBR724808 160 x 4.80 mm 100 £0.49 £0.43 CBBR725008 200 x 2.50 mm 100 £0.49 £0.43 CBBR72508 203 x 3.60 mm 100 £0.46 £0.88 CBBR72508 203 x 3.60 mm 100 £0.59 £0.49 CBBR72508 203 x 3.60 mm 100 £0.59 £0.49 CBBR72508 203 x 3.60 mm 100 £0.57 £0.87	CBBR669408	370 x 7.60 mm	100	£2.10	£1.84
Black E0.1 E0.1 CBBR669908 100 x 2.50 mm 100 €0.15 €0.10 CBBR669908 120 x 4.80 mm 100 €0.33 €0.31 CBBR724208 142 x 2.50 mm 100 €0.21 €0.17 CBBR724208 142 x 3.20 mm 100 €0.21 €0.17 CBBR724708 150 x 8.00 mm 100 €0.24 €0.17 CBBR724708 165 x 2.50 mm 100 €0.23 €0.19 CBBR724708 165 x 2.50 mm 100 €0.24 €0.43 CBBR724808 160 x 4.80 mm 100 €0.29 €0.24 CBBR72508 200 x 8.00 mm 100 €0.49 €0.43 CBBR72508 203 x 3.60 mm 100 €0.59 €0.49 CBBR725708 250 x 8.00 mm 100 €1.53 €1.42 CBBR72608 300 x 4.80 mm 100 €0.59 €0.49 CBBR72608 300 x 4.80 mm 100 €0.89 €0.78 CBBR72608 300 x 4.80 mm <t< td=""><td>CBBR669508</td><td>400 x 5.00 mm</td><td>100</td><td>£1.36</td><td>£1.21</td></t<>	CBBR669508	400 x 5.00 mm	100	£1.36	£1.21
CBBR669708 100 x 2.50 mm 100 £0.15 £0.10 CBBR669908 120 x 4.80 mm 100 £0.39 £0.31 CBBR724208 142 x 2.50 mm 100 £0.21 £0.17 CBBR724208 142 x 3.20 mm 100 £0.21 £0.17 CBBR72408 150 x 8.00 mm 100 £0.23 £0.19 CBBR724708 165 x 2.50 mm 100 £0.49 £0.43 CBBR724708 165 x 2.50 mm 100 £0.24 £0.49 CBBR724808 160 x 4.80 mm 100 £0.49 £0.43 CBBR72508 200 x 2.50 mm 100 £0.49 £0.43 CBBR72508 203 x 3.60 mm 100 £0.46 £0.88 CBBR725508 203 x 3.60 mm 100 £0.59 £0.49 CBBR725508 203 x 3.60 mm 100 £1.53 £1.42 CBBR72508 250 x 8.00 mm 100 £0.59 £0.49 CBBR72608 300 x 4.80 mm 100 £0.86 £0.78 <t< td=""><td>CBBR669608</td><td>500 x 5.00 mm</td><td>100</td><td>£2.16</td><td>£2.03</td></t<>	CBBR669608	500 x 5.00 mm	100	£2.16	£2.03
CBBR669908 120 x 4.80 mm 100 £0.39 £0.31 CBBR724208 142 x 2.50 mm 100 £0.21 £0.17 CBBR724208 142 x 3.20 mm 100 £0.21 £0.17 CBBR72408 150 x 8.00 mm 100 £0.421 £0.17 CBBR724708 165 x 2.50 mm 100 £0.49 £0.49 CBBR724708 165 x 2.50 mm 100 £0.49 £0.43 CBBR724708 160 x 4.80 mm 100 £0.49 £0.43 CBBR72508 200 x 2.50 mm 100 £0.49 £0.43 CBBR72508 203 x 3.60 mm 100 £0.49 £0.49 CBBR725708 203 x 3.60 mm 100 £0.59 £0.49 CBBR725708 250 x 8.00 mm 100 £0.58 £1.42 CBBR725808 292 x 3.60 mm 100 £0.89 £0.78 CBBR726008 300 x 4.80 mm 100 £0.86 £0.70 CBBR726208 370 x 3.60 mm 100 £0.86 £0.78	Black				
CBBR724208 142 x 2.50 mm 100 €0.21 f0.17 CBBR724408 142 x 3.20 mm 100 €0.21 f0.17 CBBR724608 142 x 3.20 mm 100 €0.21 f0.17 CBBR724608 150 x 8.00 mm 100 €0.24 f0.17 CBBR724708 165 x 2.50 mm 100 €0.49 f0.49 CBBR724708 160 x 4.80 mm 100 €0.49 f0.43 CBBR72508 200 x 2.50 mm 100 €0.49 f0.44 CBBR72508 203 x 3.60 mm 100 €0.46 f0.88 CBBR72508 203 x 3.60 mm 100 €1.53 f1.42 CBBR72508 203 x 4.60 mm 100 €1.53 f1.42 CBBR72608 300 x 4.80 mm 100 €0.89 f0.57 CBBR72608 300 x 4.80 mm 100 €0.86 f0.70 CBBR726208 370 x 3.60 mm 100 €1.82 f0.78 CBBR726408 370 x 3.60 mm 100 €1.82 f0.78 CBBR726408 370 x 7.60 mm 100 €1.23 f1.05 CBBR726608 370 x 7.60 mm 100 €2.15 f1.97	CBBR669708	100 x 2.50 mm	100	£0.15	£0.10
CBBR724408 142 x 3.20 mm 100 £0.21 £0.17 CBBR724608 150 x 8.00 mm 100 £0.96 £0.79 CBBR724708 155 x 2.50 mm 100 £0.23 £0.19 CBBR724708 165 x 2.50 mm 100 £0.43 £0.43 CBBR724508 160 x 4.80 mm 100 £0.49 £0.43 CBBR725008 200 x 2.50 mm 100 £0.49 £0.24 CBBR72508 200 x 8.00 mm 100 £0.46 £0.88 CBBR725308 203 x 3.60 mm 100 £0.59 £0.49 CBBR725708 250 x 8.00 mm 100 £1.53 £1.42 CBBR72508 292 x 3.60 mm 100 £0.69 £0.57 CBBR72608 300 x 4.80 mm 100 £0.89 £0.78 CBBR726208 300 x 4.80 mm 100 £1.85 £1.05 CBBR726408 370 x 4.80 mm 100 £1.25 £1.05 CBBR726408 370 x 4.80 mm 100 £1.25 £1.97	CBBR669908	120 x 4.80 mm	100	£0.39	£0.31
CBBR724608 150 x 8.00 mm 100 €0.96 €0.79 CBBR724708 165 x 2.50 mm 100 €0.23 €0.19 CBBR724808 160 x 4.80 mm 100 €0.49 €0.43 CBBR724808 160 x 4.80 mm 100 €0.49 €0.43 CBBR725008 200 x 2.50 mm 100 €0.19 €0.24 CBBR72508 200 x 8.00 mm 100 €1.18 €1.05 CBBR72508 203 x 3.60 mm 100 €0.46 €0.88 CBBR725508 203 x 4.60 mm 100 €0.59 €0.49 CBBR725708 250 x 8.00 mm 100 €0.69 €0.57 CBBR72608 300 x 4.80 mm 100 €0.89 €0.78 CBBR726208 370 x 3.60 mm 100 €0.86 €0.70 CBBR726208 370 x 3.60 mm 100 €0.86 €0.78 CBBR726208 370 x 3.60 mm 100 €1.23 €1.05 CBBR726408 370 x 4.80 mm 100 €2.15 €1.97	CBBR724208	142 x 2.50 mm	100	£0.21	£0.17
CBBR724708 165 x 2.50 mm 100 £0.23 ft.019 CBBR724808 160 x 4.80 mm 100 £0.49 ft.0.43 CBBR725008 200 x 2.50 mm 100 £0.49 ft.0.43 CBBR725008 200 x 2.50 mm 100 £0.29 ft.0.24 CBBR72508 200 x 8.00 mm 100 £1.18 ft.1.05 CBBR725308 203 x 3.60 mm 100 £0.59 ft.0.49 CBBR725708 290 x 8.00 mm 100 £0.59 ft.0.49 CBBR725708 290 x 3.60 mm 100 £0.59 ft.1.42 CBBR72608 300 x 4.80 mm 100 £0.89 ft.0.78 CBBR72608 300 x 4.80 mm 100 £0.86 ft.0.70 CBBR726208 370 x 3.60 mm 100 £0.86 ft.0.70 CBBR726408 370 x 7.60 mm 100 £1.25 ft.1.97 CBBR726408 370 x 7.60 mm 100 £1.35 ft.1.21 CBBR726708 400 x 5.00 mm 100 £1.35 ft.21	CBBR724408	142 x 3.20 mm	100	£0.21	£0.17
CBBR724808 160 x 4.80 mm 100 €0.49 €0.43 CBBR725008 200 x 2.50 mm 100 €0.29 €0.24 CBBR725208 200 x 8.00 mm 100 €1.18 €1.05 CBBR725208 203 x 3.60 mm 100 €0.49 €0.49 CBBR725308 203 x 3.60 mm 100 €0.46 €0.88 CBBR725508 203 x 4.60 mm 100 €0.59 €0.49 CBBR72508 292 x 3.60 mm 100 €1.53 €1.42 CBBR72608 300 x 4.80 mm 100 €0.89 €0.78 CBBR726208 370 x 3.60 mm 100 €0.86 €0.70 CBBR726208 370 x 3.60 mm 100 €1.23 €1.05 CBBR726408 370 x 7.60 mm 100 €1.23 €1.05 CBBR726608 370 x 7.60 mm 100 €2.15 €1.97 CBBR726708 400 x 5.00 mm 100 €1.35 €1.21	CBBR724608	150 x 8.00 mm	100	£0.96	£0.79
CBBR725008 200 x 2.50 mm 100 €0.29 €0.24 CBBR725208 200 x 8.00 mm 100 €1.18 €1.05 CBBR725308 203 x 3.60 mm 100 €0.46 €0.88 CBBR725308 203 x 4.60 mm 100 €0.45 €0.49 CBBR725508 203 x 4.60 mm 100 €1.53 €1.42 CBBR725708 250 x 8.00 mm 100 €1.53 €1.42 CBBR725808 292 x 3.60 mm 100 €0.69 €0.57 CBBR726008 300 x 4.80 mm 100 €0.88 €0.78 CBBR726208 370 x 3.60 mm 100 €1.23 €1.05 CBBR726408 370 x 4.80 mm 100 €1.23 €1.05 CBBR726408 370 x 7.60 mm 100 €2.15 €1.97 CBBR726708 400 x 5.00 mm 100 €1.35 €1.21	CBBR724708	165 x 2.50 mm	100	£0.23	£0.19
CBBR725208 200 x 8.00 mm 100 £1.18 £1.05 CBBR725308 203 x 3.60 mm 100 £0.46 £0.88 CBBR725508 203 x 4.60 mm 100 £0.59 £0.49 CBBR725508 203 x 4.60 mm 100 £1.53 £1.42 CBBR725708 250 x 8.00 mm 100 £0.59 £0.49 CBBR725008 292 x 3.60 mm 100 £0.59 £0.57 CBBR726008 300 x 4.80 mm 100 £0.86 £0.78 CBBR726208 370 x 3.60 mm 100 £1.23 £1.05 CBBR726408 370 x 4.80 mm 100 £2.15 £1.97 CBBR726708 400 x 5.00 mm 100 £1.55 £1.21	CBBR724808	160 x 4.80 mm	100	£0.49	£0.43
CBBR725308 203 x 3.60 mm 100 £0.46 £0.88 CBBR725508 203 x 4.60 mm 100 £0.59 £0.49 CBBR725708 250 x 8.00 mm 100 £1.53 £1.42 CBBR726708 292 x 3.60 mm 100 £0.69 £0.57 CBBR726008 300 x 4.80 mm 100 £0.89 £0.78 CBBR726208 370 x 3.60 mm 100 £0.86 £0.70 CBBR726208 370 x 4.80 mm 100 £1.23 £1.05 CBBR726408 370 x 7.60 mm 100 £2.15 £1.97 CBBR726708 400 x 5.00 mm 100 £1.35 £1.21	CBBR725008	200 x 2.50 mm	100	£0.29	£0.24
CBBR725508 203 x 4.60 mm 100 €0.59 €0.49 CBBR725708 250 x 8.00 mm 100 £1.53 £1.42 CBBR725708 292 x 3.60 mm 100 £0.69 £0.57 CBBR726008 300 x 4.80 mm 100 £0.89 £0.78 CBBR726208 370 x 3.60 mm 100 £0.86 £0.70 CBBR726408 370 x 4.80 mm 100 £1.23 £1.05 CBBR726608 370 x 7.60 mm 100 £2.15 £1.97 CBBR726708 400 x 5.00 mm 100 £1.35 £1.21	CBBR725208	200 x 8.00 mm	100	£1.18	£1.05
CBBR725708 250 x 8.00 mm 100 £1.53 £1.42 CBBR725808 292 x 3.60 mm 100 £0.69 £0.57 CBBR726008 300 x 4.80 mm 100 £0.89 £0.78 CBBR726208 370 x 3.60 mm 100 £0.86 £0.70 CBBR726408 370 x 4.80 mm 100 £1.23 £1.05 CBBR72608 370 x 7.60 mm 100 £2.15 £1.97 CBBR726708 400 x 5.00 mm 100 £1.35 £1.21	CBBR725308	203 x 3.60 mm	100	£0.46	£0.88
CBBR725808 292 x 3.60 mm 100 £0.69 £0.57 CBBR726008 300 x 4.80 mm 100 £0.89 £0.78 CBBR726208 370 x 3.60 mm 100 £0.86 £0.70 CBBR726208 370 x 4.80 mm 100 £1.23 £1.05 CBBR726408 370 x 7.60 mm 100 £1.55 £1.97 CBBR726708 400 x 5.00 mm 100 £1.35 £1.21	CBBR725508	203 x 4.60 mm	100	£0.59	£0.49
CBBR726008 300 x 4.80 mm 100 £0.89 £0.78 CBBR726208 370 x 3.60 mm 100 £0.86 £0.70 CBBR726408 370 x 4.80 mm 100 £1.23 £1.05 CBBR726408 370 x 7.60 mm 100 £2.15 £1.97 CBBR726708 400 x 5.00 mm 100 £1.35 £1.21	CBBR725708	250 x 8.00 mm	100	£1.53	£1.42
CBBR726208 370 x 3.60 mm 100 €0.86 €0.70 CBBR726408 370 x 4.80 mm 100 €1.23 £1.05 CBBR726608 370 x 7.60 mm 100 £2.15 £1.97 CBBR726708 400 x 5.00 mm 100 £1.35 £1.21	CBBR725808	292 x 3.60 mm	100	£0.69	£0.57
CBBR726408 370 x 4.80 mm 100 £1.23 £1.05 CBBR726608 370 x 7.60 mm 100 £2.15 £1.97 CBBR726708 400 x 5.00 mm 100 £1.35 £1.21	CBBR726008	300 x 4.80 mm	100	£0.89	£0.78
CBBR726608 370 x 7.60 mm 100 £2.15 £1.97 CBBR726708 400 x 5.00 mm 100 £1.35 £1.21	CBBR726208	370 x 3.60 mm	100	£0.86	£0.70
CBBR726708 400 x 5.00 mm 100 £1.35 £1.21	CBBR726408	370 x 4.80 mm	100	£1.23	£1.05
	CBBR726608	370 x 7.60 mm	100	£2.15	£1.97
CBBR726808 500 x 5.00 mm 100 £2.05 £1.90	CBBR726708	400 x 5.00 mm	100	£1.35	£1.21
	CBBR726808	500 x 5.00 mm	100	£2.05	£1.90

Weathe	r Resista i	nt Cable	Ties	;
	es that are ufactured for use onments. Supplied			497754
		\sim	1+	20+
CBBR770208	100 x 2.50mm		£0.42	£0.33
CBBR770308	120 x 4.80mm		£1.20	£1.13
CBBR770408	142 x 2.50mm		£0.57	£0.55
CBBR770508	142 x 3.20mm		£0.83	£0.76
CBBR770608	165 x 2.50mm		£0.86	£0.78
CBBR770708	160 x 4.80mm		£1.12	£1.06
CBBR770808	203 x 2.50mm		£0.73	£0.70
CBBR770908	200 x 3.60mm		£1.30	£1.20
CBBR771008	203 x 4.60mm		£1.36	£1.29
CBBR771108	292 x 3.60mm		£1.63	£1.52
CBBR771208	300 x 4.80mm		£3.18	£2.89
CBBR771308	370 x 3.60mm		£2.55	£2.27
CBBR771408	370 x 4.80mm		£2.27	£2.22

Ualit I	lie Bases 🛛 📚	pro-P	OWER
sizes and two	ding wood,		
		V	47121
Supplied in pa		1+	47121 20+
		1+ £0.19	47121 20+ £0.14
Supplied in pa	acks of 10.		20+
Supplied in pa	ucks of 10.	£0.19	20+ £0.14

Round Cab	le Clips	S pr	O-POWER
 Tough PE clip, elast shock resisting High impact nail attached Available in Black of White Various sizes available to fit round cable 100 enders 	0		
• 100 per box			495640
• 100 per 60x	3.5 mm	White	495640 £0.13
	3.5 mm 3.5 mm	White Black	
CBBR726908			£0.13
CBBR726908 CBBR727008	3.5 mm	Black	£0.13 £0.13
CBBR726908 CBBR727008 CBBR727108	3.5 mm 4.0 mm	Black White	£0.13 £0.13 £0.15
CBBR726908 CBBR727008 CBBR727108 CBBR727208	3.5 mm 4.0 mm 4.0 mm	Black White Black	£0.13 £0.13 £0.15 £0.19
CBBR726908 CBBR727008 CBBR727108 CBBR727208 CBBR727308	3.5 mm 4.0 mm 4.0 mm 5.0 mm	Black White Black White	£0.13 £0.13 £0.15 £0.19 £0.15

CBBR727708	7.0 mm	White		£0.17
CBBR727808	7.0 mm	Black		£0.17
CBBR727908	8.0 mm	White		£0.28
CBBR728008	8.0 mm	Black		£0.28
Flat Cable • Flat cable clips Twin & Earth ca • Tough PE clip, elasticity and resisting • Hardened meta • Available in Grew White • 100 Pack	for holes I nail y or 20p		pro	495641
CBBR729508	1.00mm T&E	Grey	100	£0.20
CBBR729608	1.00mm T&E	White	100	£0.28
CBBR729708	1.50mm T&E	Grey	100	£0.30
CBBR729808	1.50mm T&E	White	100	£0.30
CBBR729908	2.50mm T&E	Grey	100	£0.37

2.50mm T&E

CBBR730008

All Prices Exclude VAT

100

White

£0.37

IP68 Nylon Cable Glands 🗢 🕬 🕬 🕬 - Metric Thread

462516

- Protected to IP68 rating
- Working temperature: -40°C to 100°C
- Manufactured from nylon 66 to UL94v-2

		-	462516
Single Glands		1+	10+
CBBR737108	M12 White	£0.27	£0.21
CBBR737208	M12 Black	£0.27	£0.21
CB0862108	M12 Grey	£0.21	£0.18
CBBR737308	M16 White	£0.36	£0.33
CBBR737408	M16 Black	£0.67	£0.59
CB0862308	M16 Grey	£0.29	£0.26
CB0890808	M16 Red	£0.25	£0.23
CBBR737508	M20 White	£0.44	£0.41
CBBR737608	M20 Black	£0.44	£0.41
CB0862508	M20 Grey	£0.34	£0.32
CBBR737708	M25 White	£0.73	£0.65
CBBR737808	M25 Black	£0.73	£0.65
CB0862708	M25 Grey	£0.39	£0.37
CB0891208	M25 Red	£0.31	£0.29
CBBR737908	M32 White	£1.44	£1.21
CBBR738008	M32 Black	£1.44	£1.21
CB0862908	M32 Grey	£0.88	£0.83
CB0891408	M32 Red	£0.63	£0.59
CB0891608	M40 Red	£0.85	£0.80
CB0863308	M50 Grey	£1.19	£1.16

Cable C A range of blac suitable for all installation typ • Maximum pa 1.60mm (CB • Operating Te • Supplied in p	ek PVC gro general e uses. anel thickn BR580108 mperature	mmets ess 1.20mm) -35°C to			pro-P	497755
	ranci	Cable Dia		Thickness	1+	5+
Open Grommets						
CBBR580008	4.80	3.20	8.00	6.40	£2.42	£2.22
CBBR580108	6.40	4.00	9.50	4.00	£2.02	£1.84
CBBR580208	6.40	4.00	9.50	6.40	£2.60	£2.37
CBBR580308	6.40	4.80	9.50	7.10	£2.99	£2.70
CBBR580408	8.00	4.80	11.10	6.40	£2.47	£2.27
CBBR580508	9.50	4.80	12.70	5.60	£3.09	£2.79
CBBR580608	9.50	6.40	12.70	4.80	£4.46	£4.04
CBBR580708	9.50	6.40	14.30	6.40	£3.75	£3.40
CBBR580808	9.50	7.50	13.50	6.40	£2.48	£2.26
CBBR580908	9.50	8.00	14.30	4.80	£4.12	£3.76
CBBR581008	10.30	8.00	15.90	6.40	£4.48	£4.07
CBBR581108	11.10	7.20	15.90	6.40	£3.89	£3.54
CBBR581208	11.10	8.00	14.30	4.80	£3.62	£3.28
CBBR581308	11.90	6.40	15.90	8.00	£4.10	£3.74
CBBR581408	11.90	9.50	17.50	6.80	£3.96	£3.62
CBBR581508	12.70	9.50	15.90	6.30	£2.89	£2.62
CBBR581608	14.30	11.10	19.00	6.40	£6.07	£5.52
CBBR581708	19.00	12.70	25.40	6.40	£6.78	£6.18
CBBR581808	20.00	15.90	23.80	6.40	£2.93	£2.67
CBBR581908	25.40	19.00	30.00	7.50	£6.36	£5.77

All Prices Exclude VAT

Heatshrink Kits DIO-POWER 2:1 and 3:1 Technical Data Dielectric strength 15kV/mm -55°C to 110°C Temperature range 110°C Shrink Temperature **Kit Contents** UnshrunkØ Colour Length (mm) 3.20mm Black 50 Blue 50

	Yellow	50		15	
	Red	50		15	
	White	50		15	
4.80mm	Black	50		6	
	Blue	50		6	
	Yellow	50		6	
	Red	50		6	
	White	50		6	
9.50mm	Black	50		10	
	Blue	50		10	
	Yellow	50		10	
	Red	50		10	
10 70	White	50		10	
12.70mm	Black	70		5 5	
	Blue Yellow	70 70		5 5	
	Red	70		5	
	White	70		5 5	
	vvince	70		476168	,
					5
			1+	5+	
CB1046708	2:1 Kit		£6.51	£5.99	
CB1046808	3:1 Kit		£11.87	£10.89	

Heatshrink Sleeving 2:1 Shrink Ratio

- · Normal wall general purpose tubing · Manufactured from modified radiation cross linked Polyolefin
- Operating temperature -55 to + 125°C
- Minimum shrink temperature 70°C
- UL recognised UL224, VW-1, C-UL CSA 22.20FT

	Pro-Power
1	•

Qty 15 15

	Dia.	Dia.			481417
Colour – Black	(mm)	(mm)	Length (m)	1+	20+
CB1145608	1.6	0.8	20	£1.72	£1.57
CB1145708	2.4	1.2	15	£1.72	£1.56
CB1145808	3.2	1.6	15	£2.03	£1.80
CB1145908	4.8	2.4	12	£2.18	£1.96
CB1146008	6.4	3.2	12	£2.27	£2.05
CB1146108	9.5	4.75	8	£2.56	£2.30
CB1146208	12.7	6.35	8	£2.75	£2.50
CB1146308	19	9.5	5	£2.88	£2.59
Colour – Natural					
CB1146508	1.6	0.8	20	£1.76	£1.57
CB1146608	2.4	1.2	15	£1.76	£1.56
CB1146708	3.2	1.6	15	£2.03	£1.79
CB1146808	4.8	2.4	12	£2.19	£1.96
CB1146908	6.4	3.2	12	£2.30	£2.02
CB1147008	9.5	4.75	8	£2.55	£2.24
CB1147108	12.7	6.35	8	£2.77	£2.49
CB1147208	19	9.5	5	£2.90	£2.54



Aerials & Satellite



Coaxial Plug to Coaxial Plug 481044 High quality television and video coaxial fly leads with moulded end connections (75 Ω) 25+ 1+ AP0170608 f0.45 £0.24 1 m White AP0170708 Black £0.45 £0.24 1 m AP0170808 White £0.37 2 m £0.58

AP0170908	2m	Black	£0.59	£0.41
AP0171008	4m	White	£0.83	£0.64
AP0171108	4m	Black	£0.83	£0.64
AP0171208	10m	White	£1.48	£1.19
AP0171308	10m	Black	£1.49	£1.20
Coaxial Plug to Coa	xial Socket			
AP0168308	1m	White	£0.48	£0.26
AP0168408	1m	Black	£0.48	£0.26
AP0168508	2m	White	£0.58	£0.37
AP0168608	2m	Black	£0.58	£0.37
AP0168708	4m	White	£0.81	£0.58
AP0046108	4m	Black	£0.62	£0.54
AP0067608	10m	White	£1.32	£1.17
AP0067708	10m	Black	£1.27	£1.13
Right Angled Coaxial	Plug to Right A	Angled Coaxial Plug		
AP0171508	2m	Black	£0.58	£0.37
AP0171608	4m	White	£0.62	£0.50
AP0171708	4m	Black	£0.62	£0.50
Right Angled Coaxial F	Yug to Right A	ngled Coaxial Socket		
AP0169008	2m	White	£0.58	£0.37
AP0169108	2m	Black	£0.58	£0.37
AP0169308	4m	Black	£0.81	£0.58
Right Angled Coaxia	I Plug to Coa	axial Plug		
AP0171808	2m	White	£0.58	£0.37
AP0171908	2m	Black	£0.58	£0.37
<u> </u>				

Signal Amplifiers

- Unlike standard boosters SLx Gold's flat gain response across full frequency spectrum ensures optimum digital reception
- Dedicated inputs for UHF and FM/DAB
- Full VHF compatability for TV and FM/DAB including Ireland
 Integrated by-pass to control Digital satellite

	receivers from a second	d TV	451138	
	AP0143408	SLx2	£10.82	
	AP0143508	SLx4	£13.59	
	AP0143608	SLx6	£16.92	
	AP0143708	SLx8	£18.42	
	AP0150308	SLx4 F Type	£14.64	
	AP0150408	SLx6 F Type	£16.97	
(AP0150508	SLx8 F Type	£21.65	
•				/

Kit Contains: Front boom, rear boom, joining clamp assembly, reflector arms **TV Aerial 52 Element Gold Kit** reflector bracket assembly, reflector elements, director elements, pre wired balun, wall mounting assembly, masonry screws, raw plugs, wood screws, adjustable boom clamp, 10m coax cable, coax connector, cable clips. COMMTEL High gain wideband analogue/digital TV antenna · Snap to fit parts for quick installation (1) digital 🔽 Pre wired water tight balun assembly quarantees Adjustable clamp for easy fine tuning order code AP0186708 479789 and accurate setup


All Prices Exclude VAT

21

5L×

WE ARE PLEASED TO ACCEPT IN STAR AND DOWN DOC

PA/AV Installation





A compact power mixer amplifier for general public address and background music applications.



- 2x microphone inputs with individual level control
- Suitable for $300 600\Omega$ unbalanced microphones with 1/4" Jack connection
- 1x Phono/Aux. CD input with individual level controls
- 4, 8,16Ω and 100V speaker outputs
- Tone control
- Master volume control and power switch
- Steel construction with rubber feet for surface mounting



Two-Way Hi-Fi Speaker -Ceilina Mount A ceiling mount speaker containing a woofer with a coaxial tweeter element. An ideal choice for background music or home cinema systems Polypropylene cone 61/2" woofers with rubber surround Pivotal titanium tweeter Built in crossover . Push terminals for easy connections Paintable grill and frame Built-in brackets for easy installation 456664 1+ 5+ <u>995</u> £349 order code LS0279208 KEENE Flush Mount Audio Amplifiers Ideal for use in multi-room audio installations. High quality stereo audio amplifier thats built into a standard sized UK double pattress box. · Built in shortcircuit, open circuit, 100 thermal and under voltage protection Microcontroller controlled amplifier . Full remote control Volume up/down plus 10 preset volumes Bedroom friendly LED's follow ambient light and get darker . as the room gets darker Installer friendly screw terminals for speaker and line input · Self resetting 3A fuse built in

- Full bridge mode all speaker connections are live
- Available with or without PSU

		1+	3+
DP2913508	With PSU	£69.95	£62.95
DP2913608	Without PSU	£49.95	£46.95
PW0133808	PSU	£21.95	£19.45

CD/Tuner Mixer Amplifier 💿 adastra

This unit features a 120W amplifier, a single CD player and a



461792

digital FM tuner. 4 XLR sockets for Mic/Line inputs on the rear panel. On the front panel are volume controls, tone controls for the bass and treble frequencies, input select buttons, master volume and a 5 bar LED monitor.

- Selectable VOX and Phantom power (+18V)
- · Auxiliary IN, line OUT, amp IN and Preamp OUT via RCA phono
- LCD readout for function status.
- Screw terminals for speaker output (4 ohms, 8 ohms, 70V & 100V line)
- 19" rack mount
- · 240Vac mains or 24Vdc operation



All Prices Exclude VAT


vnio DON'T FORGET_{ET} THERE'S NO MINIMUM ORDER AT CPC!





GREAT PRICES ON OVER 100,000 QUALITY STOCKED PRODUCTS

PA/AV Installation



VGA Extender, CAT5

- VGA connector to shielded RJ45 female
 Supplied in pairs to extend VGA signals over CAT 5 STP cable
- Resolutions up to 1280x1024 pixels selectable via DIP switch
- Transmission Range: Up to 135m (at 640x480 resolution)
- Works with desktop PCs, laptops, LCD projectors, plasma displays etc. Perfect for classrooms, lecture halls, tradeshows, video information displays
 Dimensions (WxHxD): 110x77x24mm



All Prices Exclude VAT



AV1613108

AV1613208

AV1613308

AV1613408

AV1613508

10m

20m

30m

40m

50m



£1.51

£2.93

£4.70

£5.71

£7.11

£1.90


£3.75

£4.95

£7.40

£8.95

Computers & Networking



CAT 5e and CAT 6 **Patch Panels**

- · CAT 5E and 6 patch panels
- Available in 12 (1U), 24 (1U) or 48 (2U) way versions
- 586a and 586b compatible
- RJ45 connectors with punch down connections

Contents:Panel, screws and cable ties

CAT 5e Panels		443680
CS1218808	16 Ports	£15.00
CS1218908	24 Ports	£19.50
CAT 6 Panels		
CS1219008	16 Ports	£17.50
CS1219108	24 Ports	£25.00
CS1219208	48 Ports	£39.50

CAT5e RJ45 Surface Sockets

•	RJ45 CAT5e sockets Surface mount Supplied with mounting screws Cable clamp mounting point Dimensions	£1.23			1
	(HxWxD): 29x60	x60mm		444481	1
			1+	3+	
C	51318008	1 Port Unshielded	£1.46	£1.23	
CS	51318208	1 Port Shielded	£2.83	£2.27	
	51318308	2 Port Shielded	£3.30	£2.65	
					/

Fast Ethernet Switches NETGEAR ------

The FS105/108/116 are ideal network switches for office use with small footprints and durable metal cases. With plug and play installation and automatic speed and duplex sensing ports.

- · Broadband compatible
- 5/8/16x 10/100Mbps auto-sensing and auto-uplink RJ45 ports
- Plug and Play installation no software .
- Indicators for network traffic •
- Compatible with Macintosh and PC computers
- Can be wall mounted or used horizontally
- · Powered by the supplied ac adaptor
- . Dimensions 5 Port (HxWxD): 27x103x94mm, 8 port: 27x103x158mm, 16 port: 27x285x103mm

Contents: Switch, wall mount kit, user guide and ac adaptor

		443234
CS1281508	5 Port	£22.50
CS1281608	8 Port	£27.50
CS1005308	16 Port	£49.50
		/

5/8 Port Fast Ethernet NETGEAR Switches

With plug and play installation, automatic speed and duplex sensing the FS605 is an ideal network switch for home or SOHO use.

DIO-SIGNAL



- · Store and forward protocol 100m maximum cable length
- Indicators for network traffic
- Compatible with Macintosh and PC computers
- · Can be wall mounted, used horizontally or vertically
- · Powered by the supplied ac adaptor

Dimensions (HxWxD): 5 port - 28x175x118mm, 8 port 35x160x90mm

CS1006308	8 Port	£25.00
CS1006108	5 Port	£19.50
contents. Switch, stand	and ac adaptor	443233

24 Port Fe	edthrough Pat	ch Pa	nel
BREER .		. 66.61	\mathbf{T}
of portable or ex • Feedthough (also sided or back to • 24-port with prin	nted numbers	SF.	3
CAT5E and CAT6	, shielded or unshielded couple	rs available	497909
 CAT5E and CAT6 	, shielded or unshielded couple	rs available 1+	497909 3+
• CAT5E and CAT6	, shielded or unshielded couple Patch Panel		
		1+	3+
CS1320608		1+	3+
CS1320608 Couplers	Patch Panel	1+ £12.92	3+ £11.69
CS1320608 Couplers CS1320708	Patch Panel CAT5E Unshielded	1+ £12.92 £1.84	3+ £11.69 £1.70

All Prices Exclude VAT

TRADES- WHAT YOU NEED AT LOW PRICES

Computers & Networking



- Backwards compatible with Cat 5 and 5E
- 568A/B UTP wiring layout
- Label slot

	1+	5+
Contents: Face and label	plate, screws	45822
backbox (4 s 86x147mm b		
 TILS a Stanua 	IIU UK, 60X60	

CS1423908 1 Port £4	0.5 00.00
11011	4.25 £3.99
CS1424008 2 Port £7	7.50 £6.95
CS1523508 4 Port £5	9.25 £8.50





CATSE & 6 I Wiring Box - Connection box for 4 cable pairs for use ir and CAT6 applications - Both unshielded and shielded versions ave - Ideal for custom wiri specifications Contents: Box, screws, and cable ties	A twisted CAT 5/4/3 bilable eng		497911 10+
	B 1 1	1+	
CS1327908	Black	£2.15	£1.89
CS1328008	White	£2.15	£1.89
CS1407908	Shielded CAT 5E	£3.45	£3.15

White CAT6

Shielded CAT6

£3.65

£4.85

£3.35

£4.49





All Prices Exclude VAT

32

TRADES-LOW TRADE PRICES ON TOOLS FOR THE WORKSHOP OR HOME

CS1408008

CS1408108




490385

CAT 5E RJ45 Low DIO-SIGNAL **Profile Patch Cables** A range of RJ45 to RJ45 UTP, Category 5E patch cables. These cables have lowprofile moulded strain reliefs which allow them to be plugged into wall sockets etc. without the strain relief fouling on the plate. • Grev 498112 10+ 1+ CS1442008 0.5m £1.02 £0.85 CS1442108 1m £1.24 £1.04 CS1442208 2m £1.47 £1.31 CS1442308 £1 71 £1 54 3m CS1442408 4m £2.12 £1.86 CS1442508 £2.08 f2.31 5m CS1442608 **Monitor Cables 15** 6m f2 78 £2.53 CS1442708 7m £3.02 £2.78 to 15 Wav CS1442808 £4.03 £3 54 10m CS1442908 £5.76 £5.04 15m

£7.98

£6.57



20m

VGA/SVGA Splitters, 2, 🗇 pro-signal 4 & 8 Wav

Ideal for educational use, presentations and shop displays.

CS1443008

- · 350MHz bandwidth (300MHz for 8-way)
- · Effective transmission distance of 210 ft. · Active and Power LEDs
- · Male in/female out connections (15way Hi-D)
- · Powered by an AC adaptor (supplied) · Supplied in a heavy metal case with non-

slip feet (

Video Splitter		443303
CS0798408	2 Way	£17.50
CS0798508	4 Way	£25.00
CS1371408	8 Way	£39.50

25x180x90mm

and user quide

Contents: Splitter, AC adaptor

 VGA CAT5 Extee Send video or video and audio da along a CAT5 cable to a pair of monitors up to 150m away. 4 Position distance equaliser for optimum signal Supports resolutions up to 1024x768 Use standard CAT5/5e/6 unshielded cable as the data li Standard 15way Hi-D male inp and 2x 15way Hi-D female outputs The audio version uses 3.5mm 	video Auc sockets for input and out • RJ45 sockets for the CAT.	5 cable <104x70mm
CS1093208	Video Extender	£42.50
CS1093308	Audio/Video Extender	£49.95

Dro-SIGNAL Cables are wired for use with monitors

- Not wired 1-1
- · Ferrite filters on all cables from 10-40m

				+30303
Female to Male			1+	10+
CS1447808	0.5m		£1.10	£0.90
CS1447908	1m		£1.46	£1.20
CS1448008	2m		£2.32	£1.90
CS1448208	5m		£4.04	£3.23
CS1448308	10m		£8.26	£6.61
CS1448508	20m	1	£12.12	£10.81
CS1448608	30m	1	E16.20	£15.58
CS1448708	40m	1	£21.43	£20.60
Male to Male				
CS1449808	0.5m		£1.12	£0.91
CS1449908	1m		£1.46	£1.20
CS1450008	2m		£2.32	£1.86
CS1450208	5m		£4.04	£3.23
CS1450308	10m		£8.26	£6.61
CS1450508	20m	1	£12.12	£10.81
CS1450608	25m	1	£17.35	£15.46
CS1450708	30m	1	E16.20	£15.58
CS1450808	40m	ł	£21.43	£20.60

Wireless G Presentation Gateway projector/monitor with

- Allows any member of the group to take instant control of the
 - projector/monitor with no cable-swapping
- Real time display of PowerPoint presentations, JPEG images, or any other application
- Display (up to 1024x768) Works with virtually any

order code CS1521008

Base-T support Connections: VGA DVI, audio out, RJ45

VGA or DVI connector

802.11b/g and 10/100

- Supports Win
 - 2000SP4/ XP Min. Sys. Req: 900MHz CPU, 256MB RAM,
 - wireless enabled PC Dimensions (HxWxD): 36x152x83mm
 - 479423

All Prices Exclude VAT

442505

33

• Dimensions (HxWxD):

Computers & Networking



34

ma FAX YOUR ORDER TO <u>US ON 08701 20 25 31</u>

Energy Saving Lamps

- Rapid start up (between 0.5 and 1 sec)
- 8,000 Hours average life
- Colour temperature: 2700k (Warm White)
- Diameter: 41mm

Not suitable for use with with dimmers, photocells or timer devices

464164

BC Fitting				1+	10+
LP0263908	9W	40W	145mm	£0.90	£0.79
LP0264008	11W	60W	155mm	£0.90	£0.79
LP0264108	15W	75W	165mm	£0.90	£0.79
LP0264208	18W	100W	175mm	£0.90	£0.79
ES Fitting					
LP0264308	9W	40W	145mm	£0.90	£0.79
LP0264408	11W	60W	155mm	£0.90	£0.79
LP0264508	15W	75W	165mm	£0.90	£0.79
LP0264608	18W	100W	175mm	£0.90	£0.79

(Rapid start 8,000 Hours Colour Tem Diameter: 4 	up (betw s average perature: 0mm	y Savin veen 0.5 and 1 e life 2700k (Warm	sec) White)	2	46416 evices	5
	SES Fitting	Watts	GLS Equiv.	Length	1+	10+	
	LP0266008	5W	25W	102mm	£1.35	£0.94	
	BC Fitting						
	LP0266408	8W	40W	112mm	£1.35	£0.94	
	LP0266508	11W	60W	122mm	£1.35	£0.94	
	LP0266608	14W	75W	132mm	£1.35	£0.94	
	ES Fitting						
	LP0266108	8W	40W	112mm	£1.35	£0.94	
	LP0266208	11W	60W	122mm	£1.35	£0.94	
	LP0266308	14W	75W	132mm	£1.35	£0.94	
×							1

🛾 Double D Lamps 🌆


- Low energy, long life lamps for domestic and commercial applications
- 10,000 Hours average lamp life
- 10,000 Hours average lamp
 3500K Colour temperature
- Compatible with all current control gear

Technical Data	Technical Data							
Type	Cap	Lumens	Length	Width				
2 Pin 16W	GR8	1050lm	132mm	132mm				
2 Pin 28W	GR8	2250lm	196mm	196mm				
2 Pin 38W	GR8	3000lm	198mm	198mm				
4 Pin 16W	GR10q	1050lm	132mm	132mm				
4 Pin 28W	GR10q	2250lm	196mm	196mm				
4 Pin 38W	GR10q	3000lm	198mm	198mm				

2 Pin		1+	10+	
LP0259808	16W	£1.49	£1.05	
LP0259908	28W	£2.28	£1.70	
LP0260008	38W	£2.72	£2.09	
4 Pin				
LP0260108	16W	£1.49	£1.04	
LP0260208	28W	£2.28	£1.69	
LP0260308	38W	£2.72	£2.09	

LYNX-D Lamps			SYLV/	
integral starter. • Colour: Homel Technical Data	light	pe base - requires		
Dia. Length Base (2 Pin)	28mm 118, 153	, 173 or 193mm		
10 & 13W	G24d-1			F
18W 26W	G24d-2 G24d-3			497766
	Watts	Light Output (Im)	1+	10+
LP0001008	10W	600	£2.45	£2.33
LP0001108	13W	900	£2.45	£2.33
LP0001208	18W	1200	£2.45	£2.33
LP0001308	26W	1800	£2.45	£2.33

Fluoresc	ent Tub	es	SY	LV/A/	
Supplied in packs of * Colour W= White		ite, WW	= Warm	White	BULKY
TT (Dis (0,000)					49783
T5 (Dia. 16mm)	Length	4W	Colour W	1+ £3.64	5+ £3.33
LP0240608	150mm/6" 225mm/9"	4W	W	£3.64	£3.33
LP0240708		8W	W		
LP0240808	300mm/12"	13W	W	£4.49 £4.89	£4.19
	525mm/21"	1300	VV	£4.89	£4.49
T8 (Dia. 26mm)	000 /01	4.014/	ww	00.04	00.70
LP0241308	600mm/2'	18W		£3.94	£3.72
LP0241408	600mm/2'	18W	CW	£3.94	£3.69
LP0241108	600mm/2'	18W	W	£3.69	£3.49
LP0241908	895mm/3'	30W	W	£2.85	£2.76
LP0242008	895mm/3'	30W	WW	£2.85	£2.76
LP0242108	895mm/3'	30W	CW	£2.85	£2.76
LP0242208	1200mm/4'	36W	W	£4.79	£4.59
LP0242308	1200mm/4'	36W	WW	£4.69	£4.49
LP0242408	1200mm/4'	36W	CW	£4.69	£4.49
LP0242508	1500mm/5'	58W	W	£4.30	£4.19
LP0242608	1800mm/6'	70W	W	£7.75	£7.10
T12 (Dia. 38mm)					
LP0242708	1200mm/4'	40W	W	£4.82	£4.42
LP0242808	1500mm/5'	65W	W	£6.19	£5.99
LP0242908	1800mm/6'	75W	W	£9.24	£8.84
LP0310308	2400mm/8'	100W	W	£15.39	£13.58
LP0310408	2400mm/8'	125W	W	£15.39	£13.58



All Prices Exclude VAT

Lamps

MR16 Low Voltage Halogen Lamps

- 2,000 hours average life
- Diameter: 50mm
- Aluminium coated reflector

.

• Voltage: 12V

Base: GX5.3/GU5.3	voltage. 12v		48106
20W Lamps		1+	20+
LP0307608	12°	£0.31	£0.20
LP0307708	24°	£0.31	£0.20
LP0307808	36°	£0.31	£0.20
35W Lamps			
LP0307908	12°	£0.31	£0.20
LP0308008	24°	£0.31	£0.20
LP0308108	36°	£0.31	£0.20
50W Lamps			
LP0308208	13°	£0.31	£0.20
LP0308308	24°	£0.31	£0.20
LP0308408	38°	£0.31	£0.20

Low Voltage Halogen Capsule Lamps



- Single-ended, low voltage (12V) capsule lamps
- 2,000 hours average life
 Space between pins: G4 = 4mm, GY6.35 = 6.35mm

- Frank - Fran			47634	1
G4 Fitting		1+	5+	
LP0283208	5W	£0.69	£0.65	
LP0283308	10W	£0.69	£0.65	
LP0283408	20W	£0.69	£0.65	
GY6.35 Fitting				
LP0283508	35W	£0.89	£0.84	
LP0283608	50W	£0.89	£0.84	
LP0283708	75W	£1.09	£1.02	
LP0283808	100W	£1.09	£1.02	

 Ideal for use in 	rough-service terior uplights ghts	lalogen	-	
				49791
240V			1+	5+
LP0281808	100W	80mm	£0.63	£0.59
LP0281908	150W	80mm	£0.63	£0.59
LP0282008	200W	80mm	£0.63	£0.59
LP0282108	250W	80mm	£0.63	£0.59
LP0282208	200W	118mm	£0.57	£0.50
LP0282308	300W	118mm	£0.57	£0.50
LP0282408	500W	118mm	£0.57	£0.50
110V				
LP0282808	300W	118mm	£0.96	£0.85
LP0282908	500W	118mm	£0.96	£0.85
LP0283008	100W	189mm	£1.84	£1.75

All Prices Exclude VAT

Maine Hal	040	n		GV		
Mains Hal						
Lamps - Hi	-SD	Dt 🚄	-	7 (
 Suitable for indoor 	-	- -	7	-		
outdoor use (when			1	· 🛒		
 from direct contact Can be dimmed using 			1	- W		6
dimmer switches	iy stant	aru				4978
 UV stop glass fronte 	ed	Base		Life		4370
PAR16 - Ø 50mm (R50)	Watts	Fitting	Beam	(Hours)	1+	15+
LP0255908	25W	E14	25°	1500	£3.57	£3.23
LP0256008	40W	E14	25°	2000	£3.89	£3.56
PAR20 - Ø 63mm (R63)						
LP0256108	50W	E27	10°	2500	£3.89	£3.56
LP0256208	50W	E27	25°	2500	£3.89	£3.56
PAR25 - Ø 80mm (R80)						
LP0256308	50W	E27	10°	2500	£3.89	£3.56
LP0256408	50W	E27	25°	2500	£3.89	£3.56
LP0256508	75W	E27	10°	3000	£3.89	£3.56
LP0256608	75W	E27	25°	3000	£3.89	£3.56
PAR30 – Ø 95mm (R95)						
LP0256708	75W	E27	10°	3000	£3.89	£3.56
LP0256808	75W	E27	30°	3000	£3.89	£3.56
LP0256908	100W	E27	10°	3000	£3.89	£3.56
LP0257008	100W	E27	30°	3000	£3.89	£3.56
PAR38 – Ø 120mm						
LP0257108	75W	E27	10°	3000	£3.89	£3.56
LP0257208	75W	E27	30°	3000	£4.17	£3.81
LP0257308	100W	E27	10°	3000	£4.17	£3.81
LP0257408	100W	E27	30°	3000	£4.17	£3.81

 12V MR16 LED Lamps Ideal replacements for low voltage halogen lamps Longer life with low heat and low power consumption 50,000 hours average life Base: GX5.3/GU5.3 							
				478513			
	No. of LEDs	Wattage	1+	5+			
LP0301908	15	1.0-1.5W	£5.28	£4.87			
LP0302008	20	1.5-2.0W	£8.12	£7.65			

 Rough S Suitable for interapplications Reinforced interconstruction Can be used w 	497814			
	Watts	Fitting	Voltage	
LP0227308	60W	BC	110/120V	£0.80
LP0227408	60W	BC	200/250V	£0.80
LP0227808	60W	ES	110/120V	£0.80
LP0227908	60W	ES	200/250V	£0.80
LP0227508	100W	BC	110/120V	£0.86
LP0227608	100W	BC	200/250V	£0.86
LP0228008	100W	ES	110/120V	£0.86
LP0228108	100W	ES	200/250V	£0.86

36

Download DELIMERY IS FREE ON ALL UK ORDERS OVER £40 (EX VAT)

Tiltina

471263

/	T5 Linkable Fittings	e Fluo	rescent	()E	erna	
		-	0.0		1.5	ŀ.
	Easy to install linkable fittings with diffuser, i kitchen cuboards Compact and slimline 21x55mm (WxH)	 IP20 rated Supplied w Complete v cable, 500r fixings 	vith 2m r	nains	29	
		Watts	Length	1+	5+	
	LA0279308	8W	345mm	£4.74	£4.42	
	LA0279408	13W	570mm	£6.47	£6.03	
	LA0279508	21W	900mm	£8.18	£7.64	

1200mm

£9.91

£26.92 £25.20

£9.24

28W

116w

LA0279608

LA0008708

Battens 'Popular Pack' Supplied complete with high efficiency 26mm (3500K) tubes Surface or suspended mounting · Clip-on cover plate and adjustable end cap 497767 Single 1+ 10 +LA0008208 18w 600mm £13.00 £11.50 LA0008308 36w 1200mm £13.67 £12.95 LA0008408 58w 1500mm £14.49 £13.27 Twin LA0008508 36w 600mm £19.17 £18.01 LA0008608 72w 1200mm £23.00 £21.84

1500mm

Designed to comply Sound Insulation req various national UK Regulations	sed for up to 90 minutes with Fire Safety & uirements of the Building		J						
Designed to comply Sound Insulation req various national UK Regulations	with Fire Safety & uirements of the Building		Y						
Sound Insulation req various national UK Regulations	uirements of the Building	-							
Regulations		-	Sound Insulation requirements of the						
		Regulations							
Complies to BS 476: Parts 21 & 23: 1987 and Hospital									
Regulation HTM 81		02 I.I.I	E.						
Part "E" compliant (A 50w Lamps (not sup)		2112	-						
Sow Lamps (not sup)	plica)	21							
			4979						
Flored Docum Politic									
Fixed Downlights		1+	5+						
	White	1+ £4.91							
LA0297708	White Satin Chrome		£4.54						
LA0297708 LA0297808		£4.91	£4.54 £5.16						
LA0297708 LA0297808 LA0297908	Satin Chrome	£4.91 £5.34	£4.54 £5.16						
LA0297708 LA0297808 LA0297908	Satin Chrome Chrome	£4.91 £5.34 £5.34	£4.54 £5.16 £5.16						
LA0297708 LA0297808 LA0297908 LA0298008 Tilting Downlights	Satin Chrome Chrome	£4.91 £5.34 £5.34	£4.54 £5.16 £5.16						
LA0297708 LA0297808 LA0297908 LA0298008 Tilting Downlights LA0298108	Satin Chrome Chrome Brass	£4.91 £5.34 £5.34 £5.34	£4.54 £5.16 £5.16 £5.16						
Fixed Downlights LA0297708 LA0297808 LA0297908 LA0298008 Tilting Downlights LA0298108 LA0298208 LA0298308	Satin Chrome Chrome Brass White	£4.91 £5.34 £5.34 £5.34 £5.34 £5.34	£4.54 £5.16 £5.16 £5.16 £5.16						

12V Dimmable Lighting Transformers

- ITS/EMC approved
- · Short circuit, overload and surge protected
- Thermal cut-off
- Screw terminals
- Operating Temp (max): 50°C (40°C 35-105VA)

	VA Rating	Dims (LxWxD	1+	10+
LA0293808	20-60VA	120x38x26	£4.10	£3.40
LA0293908	35-105VA	152x48x38	£6.10	£5.45
LA0294008	50-150VA	218x48x40	£10.77	£9.51
LA0294108	70-200VA	218x48x40	£17.13	£16.44
\				

Mains Voltage Fireproof **Wall** Downlights - 230v

- Fire tested and assessed for up to 90 minutes
 Designed to comply with Fire Safety & Sound Insulation requirements of the various national UK Building Regulations
- Maintains acoustic barrier
- Ventilation holes in top for cooler operation
- Complies to BS 476: Parts 21 & 23: 1987 and Hospital Regulation HTM 81
- Part "E" compliant (Acoustics)

LA0271908

50w Lamps (not supplied)

			497977
Fixed Downlights		1+	5+
LA0298508	White	£5.30	£4.95
LA0298608	Satin Chrome	£5.85	£5.50
LA0298708	Chrome	£5.85	£5.50
LA0298808	Brass	£5.85	£5.50
Tilting Downlights			
LA0298908	White	£5.85	£5.50
LA0299008	Satin Chrome	£6.68	£6.32
LA0299108	Chrome	£6.68	£6.32
LA0299208	Brass	£6.68	£6.32



Grey - Aluminium

			_
All	Prices	Exclude	VAT


£4.98

WE ARE PLEASED TO ACCEPT as Search and Down

£4.81

Lighting









	e halogen trial and home ast aluminum t adjustable cet cage ty cable with plug 118mm double-		
ended halogen	lamps		483704
ended halogen	lamps	1+	3+
	150W Worklight	1+ £4.62	



- Rechargeable, portable fluorescent tube light with . 12V power outlet
- Ideal for site, garage/workshop and domestic applications
- 2 x 18W fluorescent tubes encased in tough, impact-resistant plastic
- Sturdy splash-proof construction with non-slip base and carry handle
- · One tube can be lit on its own or both can be lit together
- Self-righting base, will not tip over easily
- . 12V DC outlet for powering other 12V DC appliances

469359

- 12V 8Ah sealed lead-acid rechargeable battery . Supplied with both mains charger and 12V DC car charger
- Dimensions (HxWxD): 810x310x290mm



DON'T FORGET - THERE'S NO MINIMUM ORDER AT CPC!

Security



All Prices Exclude VAT

Security



- · Function open sprung shackle
- 3 nickel plated keys
- Hardened steel shackle
- 3-6 pin tumbler lock mechanism
- Solid brass body

- · Keyed alike versions available in
- 40 & 50mm

Standard	Size	476137
SR0702008	20mm	£0.30
SR0702108	30mm	£0.69
SR0702208	40mm	£0.94
SR0702408	50mm	£1.63
Keyed Alike		
SR0702308	40mm	£0.94
SR0702508	50mm	£1.63

Premium Brass Padlocks kasp (Keved Alike)

- · Hardened Steel Shackle extra protection against hacksaw & cropping attacks
- · Double bolted locking mechanism (30 mm and above) - extra strength to resist torsion & pull attacks
- · Anti-pick mushroom pins (30 mm and above) - extra protection against picking
- · Paracentric keyway extra protection against manipulation

473939

Standard Body Size			
SR0696108	30mm	£3.96	
SR0696208	40mm	£4.62	
SR0696308	50mm	£7.17	
SR0696408	60mm	£9.28	
Long Shackle			
SR0696508	40mm	£5.66	

All Prices Exclude VAT







Health and safety regulations regarding the isolation of industrial power supplies demand colour coded padlocks be used in conjunction with a lock-off hasp.

- Plastic coated body maximum resistance against corrosion
- Brass shackle anti-snark & added resistance

 Drass snackie - anti-spark et audeu resistance against corrosion 							
Different keys	Size		497953				
SR0697008	40mm	Black	£4.87				
SR0697108	40mm	Blue	£4.87				
SR0697208	40mm	Green	£4.87				
SR0697308	40mm	Orange	£4.87				
SR0697408	40mm	Red	£4.87				
SR0697508	40mm	Yellow	£4.87				
Keyed Alike							
SR0719208	40mm	Black	£4.99				
SR0719308	40mm	Blue	£4.99				
SR0719408	40mm	Green	£4.99				
SR0719508	40mm	Orange	£4.99				
SR0719608	40mm	Red	£4.99				
SR0719708	40mm	Yellow	£4.99				







TRADES - WHAT YOU NEED AT LOW PRICES

Security



TRADES - LOW TRADE PRICES ON TAOLS FOR THE WORKSHOP OR HOME

Batteries

Procell Batteries

'Best ever' Procell alkaline batteries are dedicated to industrial and commercial markets. They have the same specification and high performance as the Duracell Plus 'copper and black' range.

- Most powerful Procell battery to date packaged for the professional user
- 7 Year shelf life (9V PP3 5 year shelf life)
 Technical Data

Techn	ical Data						
Туре	Voltage (V)		Dia. (mm)	Heigh	nt (mm)		
AAA	1.5		10.5	44.5			
AA	1.5		14.5	50.5			
С	1.5		26.2	50.0			
D	1.5		34.2	61.5			
PP3	9.0		26.5	48.5		456162	
		Туре	Pack Cont	ents	1+	10+	
BTOO	35408	AAA	10		£3.99	£3.70	
BT02	40308	AAA	20		£7.49	£6.95	
BTOO	35508	AA	10		£3.99	£3.70	
BT02	40408	AA	20		£7.49	£6.95	
BTOO	35608	С	10		£6.99	£6.55	
BTOO	35708	D	10		£9.59	£9.05	
BTOO	35808	PP3	10		£12.99	£12.25	
							/

ceu

Industrial Alkaline Batteries -Bulk Buy VARTA Merchanny power of Di

Excellent performance from Industrial Alkaline cells, which are well suited for constant or pulse discharge with high discharge currents.

	As low as 12p per AAA/AA battery	
		463346
BT0307408	AAA Pack of 500	£59.95
BT0307508	AA Pack of 500	£59.95
BT0307608	C Pack of 200	£68.95
BT0307708	D Pack of 100	£51.95
BT0307808	PP3 Pack of 200	£134.95
		/

 Non-rechargeable lithium coin cells High capacities and long shelf life 3V nominal voltage Applications include memory support, calculators, watches and cameras 							
	Туре	Pack Size	Capacity (MAh)	1+	10+		
BT0381308	CR1220	1	40	£1.16	£1.06		
BT0381408	CR1616	1	55	£1.16	£1.06		
BT0381508	CR1620	1	79	£1.16	£1.06		
BT0381608	CR2016	1	90	£1.16	£1.06		
BT0381708	CR2025	1	163	£1.16	£1.06		
BT0381808	CR2032	1	240	£1.16	£1.06		
BT0381908	CR2430	1	290	£1.60	£1.46		
BT0382008	CR2450	1	620	£1.60	£1.46		
BT0382108	CR2016	2	90	£2.13	£1.95		
BT0382208	CR2025	2	163	£2.13	£1.95		
BT0382308	CR2032	2	240	£2.13	£1.95		

	arm System S d Batteries	Sealed	YUASA
A range of mainter rechargeable, seale lead acid batteries ideal for alarm systems, emergence lighting and other applications. • Faston tabbed co	470832		
	(°)	1+	5+
BT0193908	12V, 1.2Ah	£6.95	£6.46
BT0194008	12V, 2.1Ah	£8.50	£7.88
BT0194108	12V, 2.8Ah	£9.12	£8.24
BT0194208	12V, 7Ah	£10.62	£9.84

High Temperature Emergency Lighting Batteries

Ine VID/OC range is now used by major manufacturers worldwide for longer lifetime at higher temperatures.

- 2.4V to 12V Nickel Cadmium
- batteries fitted with end caps
 Supplied with push fit flying leads
- Easy installation
- No soldering required
- Charge current 400mA (cyclic), 200mA (float)
- 4 years life duration at higher temperatures
- Meets IEC 61951-1 & 619551-2

 INIGETS IEC 61951- 	-1 H h19551-7	+373+3
111001	1 & 619551-2	1+ 5+
BT0400308	2 x D Single Stick	£9.08 £8.46
BT0400408	3 x D Single Stick	£12.18 £11.41
BT0400508	4 x D Single Stick	£16.36 £15.24
BT0400608	5 x D Single Stick	£20.59 £18.79
BT0362208	2 x 3 D Twin Stick	£24.53 £22.62
BT0362308	2 x 4 D Twin Stick	£33.27 £30.64
BT0362408	2 x 5 D Twin Stick	£41.59 £38.29
BT0362508	2 x D Side x Side	£9.09 £8.46
BT0362608	3 x D Side x Side	£12.27 £11.31
BT0362708	4 x D Side x Side	£16.64 £15.31
<u> </u>		



All Prices Exclude VAT

497949

Heating & Ventilation



44

Download from Www.Soma FAX YOUR ORDER TO US ON 08701 20 25 31





All Prices Exclude VAT

45

Heating & Ventilation

4" (100mm) Extractor Fans

A range of low profile axial wall fans manufactured from high gloss white ABS. The fans are suitable for 4" ducting and accessories.

- Exceeds the UK Building Regulations
- Tested for electrical safety to EN60335 by TUV
- Pull cord, timer and humidistat control options
- IP35 rating
- · Easy to installation
- Manufactures technical support available
- · 3 year manufactures guarantee

Technical Data

Extract Performance	26 I/s	
Extract Performance Power Noise at 3m Voltage	95m ³ /hr 14W 34dB (A) 220-240V 50Hz	
voltage		464200
HG0022408	Standard Fan	£6.47
HG0022508	Pull Switch Fan	£6.89
HG0022608	Timer Fan (2-30mins)	£8.35
HG0022708	Timer/Pull Switch Fan	£10.16
HG0022808	Humidstat/Timer Fan	£13.77
HG0022908	Humid/Timer/Pull Switch	£16.70





4" (100mm) Wall Fixing Kit 🟵 💷 💷

Kit suitable for any 4" (100mm) axial fans installations.

- Contents:
- · Louvred Grille (brown) 100mm
- . 100mm Aluminium Duct, 300mm extended
- 4 Fixing screws & rawl plugs



495604

order code HG0023108

4" (100mm) In-Line Duct 1000 444 **Timer Fan and Ceiling Kit**

Mixed flow in-line duct fan designed to provide a high extract rate over long distances where a high rate of extraction is required. The unit is produced in clean white ABS with detachable mounting foot to allow fast, trouble free installation



- Ceiling kit includes inlet, 3m of compressed PVC flexible duct, ٠ brown louvered outlet and flaps for conversion to gravity flap outlet
- Remotely operated electronic overrun timer adjustable from 1 to 25mins, enabling a 15min overrun
- Exceeds building regulations for bathrooms and toilets ٠
- Ideal for installation within shower cubicles
- BSI Kitemarked to BS EN 60335 for electrical safety ٠
 - Three year guarantee

Note: extraction figures are not quoted as they vary dependant on the installation





DELIVERY IS FREE ON ALL LIK ORDERS OVER £40 (EX VAT)



4" (100mm) In-Line Duct Timer Fan, Ceiling Kit and Light Mixed flow in-line duct fan designed to provide a high

extract rate over long distances where

a high rate of extraction is required. The unit is produced in either clean white ABS or chrome coloured ABS with detachable mounting foot to allow fast, trouble free installation.



- allow fast, trouble free installation. • Ceiling kit includes inlet, 3m of compressed PVC flexible duct, brown louvered outlet and flaps for
- compressed FVC flexible duct, brown louvered outlet and haps for conversion to gravity flap outlet
- Light kit includes 12V 50W halogen floodlight with cover lens and a 12V 60W transformer
- Remotely operated electronic overrun timer adjustable from 1 to 25mins, enabling a 15min overrun
- Exceeds building regulations for bathrooms and toilets
- Ideal for installation within shower cubicles
- BSI Kitemarked to BS EN 60335 for electrical safety
 Three years quarantee
- Three year guarantee
 Note: extraction figures are not quotes

Note: extraction figures are not quoted as they vary dependant on the installation 495605

HG0004608 HG0004708	Chrome	£44.39 £47.76
HG0004708	Chrome	£47.76



6" (150mm) Extractor Fans 🕮 🎫

A range of 150mm axial wall fans manufactured from high gloss white ABS. The fans are suitable for 6" ducting and accessories. Suitable for larger rooms such as the kitchen, utility room or larger bathrooms.

- Exceeds the UK Building Regulations
 Tested for electrical safety to EN60335 by TLIV
- Pull cord, timer and humidistat control options
- IP35 rating
- Manufactures technical support available
 3 year manufactures guarantee

Technical Data

reennear Data	
Extract Performance	82 l/s
Extract Performance	294m ³ /hr
Power	24W
Noise at 3m	39dB (A)
Voltage	220-240V 50Hz

466719

HG0023508	Standard Fan	£10.18
HG0023608	Pull Switch Fan	£10.60
HG0023708	Timer Fan (2-30mins)	£13.63
HG0023808	Timer/Pull Switch Fan	£14.10
HG0023908	Humidstat/Timer Fan	£21.60
HG0024008	Humid/Timer/Pull Switch	£24.30





All Prices Exclude VAT

WE ARE PLEASED TO ACCEPTUALS SEAR FAND DOWN DOC

Workwear



Class 3 Hi-Visibility Jacket

X-Large (46"/48"

PU coated 300 denier Oxford polyester outer fabric meeting the full EN471 Class 3 certification. Heavy duty zip with storm flap. Polyeater filler with guilt lining. Concealed hood in collar. Fully taped seams. Phone pocket, security pocket in storm flap. Zipped access to shell to enable personalisation.



		1+	5+
1150005000			
HE3025208	M	£24.97	£22.78
HE3025308	L	£24.97	£22.78
HE3025408	XL	£24.97	£22.78
HE3025508	XXL	£24.97	£22.78
HE3025608	XXXL	£24.97	£22.78

EN471 Anorak and Overtrousers

- Class 3.3.1 waterproof polyester taped seams •
- 200g filling with nylon lining and waterproof wick strip 2 band and brace 50mm retro tape (sewn-on)
- 2 inset front pockets with flaps and a large inside pocket · No. 8 2-way YKK front zip with storm flap and studs

· Concealed un-lined hood Matching Fluorescent

Yellow Overtrousers

HE2773508

· Class 1 un-lined waterproof trousers with elasticated waist · 2 x 50mm sewn-on retro stripes on each leg

				5			
Size	Medium	Large	X-Large	ХХ	(-Large	-9	2
Anorak to fit Chest (Inches) Trousers to fit	40-43	43-46	46-49	49	-52		
Waist (Inches) Anorak to fit	34-37	37-40	40-43	43	-46		
Chest (cm) Trousers to fit	100-108	108-115	115-122	12	2-130	17 1	
Waist (cm)	84-92	92-100	100-108	10	8-116	4977	64
Anorak					1+	5+	
HE2970008	I	Medium			£26.80	£25.20	
HE2970108	I	Large			£26.80	£25.20	
HE2970208)	X Large			£26.80	£25.20	
HE2970308)	XX Large			£26.80	£25.20	

2970308	XX Large	£26.80	£25.20
ertrousers			
2970508	Medium	£12.94	£11.78
2970608	Large	£12.94	£11.78
2970708	X Large	£12.94	£11.78
2970808	XX Large	£12.94	£11.78

Body Protector Disposable Suit

HE3003708

HE3003808

HE3003908

HE3004008

General purpose overall. Designed for light protection against non-toxic liquids and dust. Strong and comfortable.

Μ

L

XL XXL



100% Waterproof **Jackets and Trousers**

A range of stylish olive green 100% waterproof jackets and trousers. All the garments are manufactured from 100% waterproof nylon outer coating and with a PVC inner lining. The fabric has been further sealed and taped at the seams to ensure of no leakages. The hooded jackets have sturdy, zipped front fastenings with two hip pockets. The jackets have also been designed with adjustable waists, hoods and cuffs. The jackets and trousers are ideal for outdoor professional and recreational purposes and are guaranteed to keep the individual dry, despite the weather.

Jackets		
HE2758008	Olive Green Small (38"-40")	£9.96
HE2758808	Olive Green Medium (40"-42")	£9.45
HE2758208	Olive Green Large (42"-44")	£9.45
HE2758308	Olive Green X-Large (44"-46")	£9.45
Trousers		
HE2758108	Olive Green Small (28"-30")	£5.63
HE2758908	Olive Green Medium (32"-34")	£5.80
HE2759008	Olive Green Large (36" - 38")	£5.80
HE2759108	Olive Green X-Large (38"-40")	£5.80



All Prices Exclude VAT

ЛR

0

HE

HE

HE


HE





Dual Density Rigger Boots • Golden tan rigger boot with cold insulating lining • Steel midsole • Padded ankle • Shock absorbing heel • Anti-static		497812
HE3025808	6	£19.54
HE3025908	7	£19.54
HE3026008	8	£19.54
HE3026108	9	£19.54
HE3026208	10	£19.54
HE3026308	11	£19.54
HE3026408	12	£19.54





Moulded in top quality polyethylene. High visibility cone with white reflectorised sleeve and sand weighted base. Meeting the 1975 traffic sign regulations. Des 2.

				495670
		Size (in)	Size (cm)	
	HE3034608	18	45	£3.15
	HE3034708	21	53	£4.84
	HE3034808	24	61	£5.25
	HE3034908	30	76	£6.75
	HE3035008	39	100	£8.82
1				







All Prices Exclude VAT

GREAT PRICES ON OVER 100,000 QUALITY STOCKED PRODUCTS

Health & Safetv



BIG BLUE Ear Defenders

The 'Big Blue' ear defenders are suitable for all medium industrial applications as the large acoustic foam filled cups offer excellent attenuation. Other features include:

· Soft, wide foam cushions for long-term

· A reinforced, padded plastic headband

Technical Data

Conforms to EN352-1

comfort

1+			5.					489117	7
(dB) Standard Deviation Assumed Protection	2.3	4.2	3.2	3.7	5.1		5.8	39.8 4.6 35.2	
Frequency (Hz) Mean Attenuation	63	125	250	500	1000	2000	4000	8000	



Electronic Ear Muffs

- Revolutionary technology blocks out only the sounds that exceed safety levels. · Electronically reduces & protects hearing above 85dB · Hear normally up to 85dB · Over 200 hours of battery life · Auto adjustable headband
- Rotary on/off volume control
- LED indicator light
- Solid state circuit
- · Operating environment temperature range -6°c to +40°c
- Requires 2 x AA batteries (not supplied)







- Tough and functional
- · Manufactured from high density Polyethylene · Approved to DIN and ANSI standards

SA0168108	Blue	
SA0168308	White	
SA0168208	Red	/JT . IU





All Prices Exclude VAT









Fumes Mask with Valve

HE2747108

Statutory First Aid Kit (Standard)

Contained in injection moulded plastic case with optional wall fixing bracket. Suitable for premises with up to 10 employees. The contents meet the requirements as specified on the HSE March 1997 Approved Code of Practice, See table for full details of the



•	А	complete	remi	раск	IS	available	

		1+	5+
SA0171908	Kit with mounting bracket	£15.98	£14.50
SAS-COM2B08	Kit without mounting bracket	£9.50	£9.00
SA0001808	Refill Pack	£9.89	£8.90

Statutory First Aid Kit (Large)

This large economy kit is extremely robust. The case is also available empty. The contents meet the requirements as specified in the HSE March 1997 Approved Code of Practice. Suitable for premises with 21-50 employees. See table for full details of the



497760

A complete refill pack is available. Dimensions (HxWxD)mm 230x330x100

		1+	5+
HE2731708	Large Economy Kit	£22.97	£20.45
HE2731808	Empty Case	£10.50	£9.49
HE2779008	Refill Pack	£19.50	£18.90

Economy Eye Wash Cabinet

An inexpensive eye care kit which complies with the ACOP L74 Health & Safety (First Aid) Regulations. The kit contains 2 x 500ml sterile saline solution, 2 x sterile eye pads and an instruction panel. The transparent, moulded plastic cabinet has a quick release bracket and convenient carry handle.



- Dimensions (HxWxD): 260x210x90mm
- · Wall fixings not supplied

			107700
		1+	5+
HE2799108	Eye Wash Cabinet	£9.98	£9.20
HE2780208	Eye Wash (2x 500ml)	£7.48	£7.12

All Prices Exclude VAT

TRADES - WHAT YOU NEED AT LOW PRICES

£1.89

£1.99

497758

Labelling



Bullet tip, stroke width 2 - 4mm





LahelPOINT 150 Lahel Printer DYMO Clear 13 character semi-graphical display (77x16mm) ABC keyboard 2 type sizes, 4.2mm (max) character height . Type Styles - Normal, bold, italic, outline, shadow, mirror, vertical & strikethrough 5 box styles/underline Print preview Vertical & horizontal printing . Multiple copies Prints up to 2 lines Memory - Last 3 printed labels, 3 label designs & 3 label formats Utilises 2 Tape widths (D1 tapes) - 9, 12mm Power supply - 6 x AAA batteries (not supplied) Technical Data Dimensions (HxWxD) 63x120x181mm Weight 300a 492425 £26.99

Contains low corrosion ink for precision engineering. Useful for producing fine lettering in any industrial environment.

8404 Aerospace Marker

order code LM0040508

Lightfast, smudgeproof and water resistant ink with no xylene or toluene added

Specially developed at the request of the

aerospace industry. Quality tested and

approved to Bae ABP-9-3323 Class A.

- Resistant to many solvents including acids, alcohols and varnishes
- Ideal for writing on components and circuitry Also for labelling chemical bottles and laboratory equipment
- Fine bullet tip, stroke width 0.75mm



edding 6300

8300 Industrial Permanent Markers

Specialist industrial marker which uses

permanent marking on greasy or dusty

Bullet tip, stroke width 1.5 – 3mm

xvlene and toluene - These solvents enable



edding

497848

472687



All Prices Exclude VAT



surfaces



Sealants & Adhesives



SA0185408	250ml	£3.55
SA0185508	500ml	£4.92
SA0185608	1 Litre	£9.45
SA0185708	2.5 Litre	£15.99
SA0185808	5 Litre	£29.85
<u> </u>		

Weatherproof Wood Adhesive

- Fast setting, extra strong weatherproof wood adhesive for interior or exterior use
- Suitable for wood, hardboard, chipboard, blockboard, cardboard, paper, textiles
- Dries to a clear finish that can be sanded, painted or stained
- No mess, clog-free nozzle and twist to seal cap
- Anti-roll bottles
- Complies with EN 204 Type D3 – weatherproof, water resistant wood adhesive

EVO-STIK

107002

24

No.

		457055
SA0185908	250ml	£3.50
SA0186008	500ml	£5.20
SA0186108	1 Litre	£7.99
SA0186208	2.5 Litre	£15.98
SA0186308	5 Litre	£29.50
<u> </u>		

Spray Adhesive



- Developed for fixing and bonding a wide range of materials
- · Quick and easy to use
- Apply to both surfaces, leave until adhesive feels tacky and then simply bond surfaces together
- Suitable for wood, metal, most plastics, rubber, glass, paper and card etc
- Ideal for speaker coverings and cabinet veneers
 400ml





Ímpact Adhesive

A general purpose high strength adhesive for sticking decorative laminates, rigid PVC, wood, chipboard, hardboard, leather, rubber, stone, metal and dense, firm fabrics. Instant – needs no clamping. 250ml



Super Glue

A highly effective superglue in a handy, nonclog dispenser. Suitable for porcelain, most plastics, leather, metals, wood, card, porous materials and many more. Not recommended for glass, glazed surfaces or plastics that are oily/waxy in appearance e.g. polypropylene, polyethylene. Bonds in seconds. 3g



EVO-STIK

1+ 20+ **£2.12 £2.07** order code SASGM08

Araldite[®] Epoxy Resins

for metals, ceramics, jewellery, rubber, glass, leather, wood and most hard plastics that are resistant to heat, oil and grease.

Standard: Workable for up to 2 hours and sets within 6 hours. Rapid: Workable for 3 - 5 minutes and sets in 10 minutes. Contents: 32g

	Chal	Ara	dito
14		THY	flapid
adilite	aldite	lefte	ě.
An	An		

			497771
		1+	5+
SA0131708	Araldite Standard	£2.50	£2.30
SA0131808	Araldite Rapid	£3.19	£2.99
			/

All Prices Exclude VAT

Sealants & Adhesives



Professional Glazing/Frame Sealants Arbosil LM

- · One part, low modulus, fast curing silicone sealant
- Suitable for joints in roofing sheets, MVP and Heel Bead methods of glazing double glazed units, Remedial glazing and Perimeter sealing of PVCu frames
- Not suitable for use with natural stone. overpainting, glass wall assemblies

All Prices Exclude VAT

54

Download from Www.Soma FAX YOUR ORDER TO US ON 08701 20 25 31

UV-resistant

- Service temperature range: -40°C to +120°C • Size: 310ml (Grey is 380ml)
 - SA0184708 White SA0184808 Black SA0184908 Translucent SA0185008 Grey

ARBO PROFESSIONAL



Cleaning & Lubricating





Anti-Seize Copper Grease



Capable of withstanding extreme temperatures, this powerful lubricant and anti-seize compound protects metal from corrosion, water, heat and acid. Once applied, a friction reducing protective coating is formed that will not wash off or burn.

- Prevents seizure from high temperature and corrosion
- Assists dismantling of threaded fastenings
- Prevents disk brake squeal
- Operating temperatures from -30°C to 1100°C
- 300ml





All Prices Exclude VAT

RECOMMEND A FRIEND AND RECEIVE UP TO SEA IN HOUGHERSI VISIT WWW.GPG.GO.HK

Cleaning & Lubricating



56

VILLAND MELLINEBY IS FREE ON ALL LIK ORDERS OVER £40 (EX VAT)

Solderina



Orvx Portasol Technic

Delivers power equivalent to a 60 watt electric iron.

- · Powered by ordinary lighter fuel.
- Up to 60 minutes continuous use.
- · Adjustable temperature equivalent to 10-60 watts.
- Tip temperatures to max of 400°C.
- Supplied with one 2.4mm tip.



24+

Butane Gas Refill

order code SA0189408

butane filled apparatus.



SD0112208

SD0111808

454298

derin	ıg irons 🛽	URAT	OOL
ally priced	mains		
dering	ug		
ding Tip)	220 - 240Vac 190mm 110mm 21mm Blue/Black 1.2m		465731
		1+	3+
40W		£2.16	£1.93
60W		£2.32	£2.10
ŧoW			
0.6mm	Pointed	£0.74	£0.70
2.0mm	Screwdriver	£0.74	£0.70
3.8mm	Chisel (45°)	£0.74	£0.70
60W			
0.6mm	Pointed	£0.74	£0.70
2.0mm	Screwdriver	£0.74	£0.70
3.0mm	Chisel (45°)	£0.74	£0.70
	40W 40W 40W 60W 40W 0.6mm 2.0mm 0.6mm 2.0mm	ally priced mains with a dering (mains plug 220 - 240Vac 190mm 10mm 110mm 21mm Blue/Black 1.2m 40W 60W 60W 50W 50M 2.0mm Pointed 2.0mm Screwdriver 3.8mm Chisel (45°)	with a dering California and the second seco



Element for Soldering Iron

Sponge (71x41mm) Pk 5

All Prices Exclude VAT

£1.27

£1.22

ME ARE PLEASED TO ACCEPT IS SEAR TAND DOWN ON

£1.08

£1.12

Soldering





Bench Top DURATOOL **Fume Absorber** A portable bench top fume absorber to be used during hand soldering applications. Available in standard and ESD versions. High performance fan . Activated carbon filter Absorbs flux and lead fumes Easy filter replacement Supplied with 3 filters . . Mains cable length: 1.1m Colour: Black (Both versions) · Light duty hand soldering only Not recommended when using Rosin based flux solders.

Fechnical Data

Power Consumption Dimensions (HxWxl Filter Dimensions (H Weight	D)	23W 270x220x168mm 130x130x10mm 1.5kg		488517
			1+	3+
SD0123608	Standard	Version	£18.43	£16.92
SD0123808	ESD Vers	ion	£24.10	£22.60
SD0124008	Replacem	ent Filters (Pk 5)	£3.78	£3.40



ervisol

497780

'No-Clean' Green Label Soldamop

This soldamop is manufactured using high purity oxygen free and oil free fine gauge copper wire. It is impregnated with a special 'No-Clean' flux. This flux improves the wicking action of the braid and the residue left behind is halide free and non-conductive which means it does not need to be cleaned off.


- · Significant Health & Safety benefits
- · Faster desoldering

	Width	Reel Length	1+	10+
SD0066208	0.8mm	1.5m	£1.55	£1.42
SD0066308	1.5mm	1.5m	£1.79	£1.65
SD0066408	1.5mm	10m	£7.30	£6.85
SD0066608	2.5mm	1.5m	£1.70	£1.60
SD0066708	2.5mm	10m	£8.25	£7.80


All Prices Exclude VAT



Fasteners & Fixings



Counte • Zinc plated • Supplied in p • 9.5mm - 380	backs of 200		Ta A		I SCI Rat	
	Gauge	Length		Driver	1+	497847 10+
FN0161408	No. 4	3⁄8"	9.5	PZ1	£0.73	£0.69
FN0161508	No. 4	1⁄2"	13	PZ1	£0.77	£0.72
FN0161608	No. 6	1⁄2"	13	PZ2	£0.96	£0.90
FN0161708	No. 6	3⁄4"	20	PZ2	£1.13	£1.06
FN0161808	No. 6	1"	25	PZ2	£1.46	£1.37
FN0161908	No. 8	3⁄4"	20	PZ2	£1.50	£1.41
FN0162008	No. 8	1"	25	PZ2	£1.10	£1.03
FN0162108	No. 8	11⁄4"	32	PZ2	£1.60	£1.50
FN0162208	No. 8	11⁄2"	38	PZ2	£1.75	£1.65





All Prices Exclude VAT

Fasteners & Fixings

Pan Head Pozidriv DURATOOL **Self Tapping Screws**

• Zinc plated

· Fully threaded

 Supplied in packs of 200 				100	497845	
	Gauge	Lengt	th	Driver	1+	10+
FN0178308	No. 4	1⁄4"	6	PZ1	£0.44	£0.41
FN0178408	No. 4	3⁄8"	9.5	PZ1	£0.67	£0.63
FN0178508	No. 4	1⁄2"	13	PZ1	£0.54	£0.51
FN0178608	No. 4	3⁄4"	20	PZ1	£0.62	£0.58
FN0178808	No. 6	1⁄2"	13	PZ2	£0.91	£0.86
FN0179008	No. 6	3⁄4"	20	PZ2	£1.12	£1.05
FN0179108	No. 6	1"	25	PZ2	£1.28	£1.20
FN0179208	No. 8	1⁄2"	13	PZ2	£1.26	£1.18
FN0179308	No. 8	5⁄8"	16	PZ2	£1.39	£1.31
FN0179408	No. 8	3⁄4"	20	PZ2	£1.56	£1.47
FN0179508	No. 8	1"	25	PZ2	£1.75	£1.65

0

Coach Screws DURATOOL with Hexagon Head

Zinc plated

 Conforms to 	DIN571		- સ્વે	office and	105001
	Dia. (mm)	Length	mm	Pack	495681
FN0166508	M8	2"	50	25	£0.67
FN0166608	M8	23⁄8"	60	25	£0.70
FN0166708	M8	2¾"	70	25	£0.75
FN0166808	M8	31⁄4"	80	25	£0.77
FN0166908	M8	4"	100	25	£0.93
FN0167008	M8	51⁄4"	130	25	£1.44
FN0167108	M8	6"	150	25	£2.45
FN0167208	M8	8"	200	25	£2.57
FN0167308	M10	15%8"	40	10	£0.39
FN0167408	M10	2"	50	10	£0.41
FN0167508	M10	2%"	60	10	£0.44
FN0167608	M10	2¾"	70	10	£0.46
FN0167708	M10	31⁄4"	80	10	£0.56
FN0167808	M10	4"	100	10	£0.64
FN0167908	M10	51⁄4"	130	10	£0.73
FN0168008	M10	6"	150	10	£0.99
FN0168108	M10	8"	200	10	£1.18

Mirror Screws

	Gauge	Lengt	h	1+	10+
FN0162308	No. 8	1"	25	£1.18	£1.11
FN0162408	No. 8	11⁄4"	32	£1.18	£1.11
FN0162508	No. 8	11⁄2"	38	£1.25	£1.18

DURATOOL

All Prices Exclude VAT



Drywall Phillips DURATOOL **Screws** · Bugle head-phillips recess · For fixing plasterboards to metal studding

• Zinc plated

· Phillips insert bit included

Note: 3.5mm diameter screw shank is equivalent to a No. 6 497862 aquae screw and 4.5mm equivalent to No. 9

gaage seren ana		quiruiciic c	0	0		
	Dia. (mm) Length	mm	Pack	1+	10+
FN0153508	3.5	1"	25	1000	£2.90	£2.73
FN0153608	3.5	1¼"	32	1000	£3.53	£3.32
FN0153708	3.5	11⁄2"	38	1000	£3.84	£3.61
FN0153808	3.5	13⁄4"	45	1000	£5.00	£4.70
FN0153908	3.5	2"	50	1000	£5.24	£4.93
FN0154008	4.5	2%"	65	500	£8.55	£8.04

Collated Drywall Screws

- Dark grey phosphate
 Sharp point coating
 - Driver size: PH2
- Coarse thread Universal collated
- · Supplied in packs of 1000

	-
49792	9 .

DURATOOL

DURATOOL

C

	Dia. (mm)	(")	mm	1+	10+
FN0187708	3.5 (No. 6)	1"	25	£7.79	£7.60
FN0187808	3.5 (No. 6)	11⁄4"	32	£7.84	£7.70
FN0187908	3.5 (No. 6)	1%"	35	£7.84	£7.70
FN0188008	3.5 (No. 6)	1½"	38	£8.45	£8.30
FN0188108	3.5 (No. 6)	13⁄4"	45	£12.60	£10.81
FN0188208	3.5 (No. 6)	2"	50	£13.95	£11.81
FN0188308	3.5 (No. 6)	2%"	55	£14.62	£12.35

Decking Screws

- Designed for all deck and outdoor applications
- Countersunk pozi head
- Net-coat green Supplied in packs of 200

							497869	
		Dia.	Length	mm	Driver	1+	10+	
	FN0168208	4.5mm	2"	50	PZ2	£3.71	£3.49	
	FN0168308	4.5mm	21⁄5"	55	PZ2	£4.10	£3.85	
	FN0168408	4.5mm	2 %"	60	PZ2	£4.48	£4.21	
	FN0168508	4.5mm	3"	75	PZ2	£5.52	£5.19	,
۰.								,





Hammer-In Fixings

Hammer-in fixings with a pozi screw head which

- can be used for release if required.
- · Pre-assembled for quick easy and repetitive installation
- For fixings battens, conduit etc. to masonry
- Through fixing eliminating the need for marking and repositioning

DURATOOL

DURATOOL

495677

497849

	Dia. x Length (mm)	Pack	1+	10+
FN0139908	5 x 40	25	£0.70	£0.66
FN0140008	5 x 50	25	£0.64	£0.60
FN0140108	6 x 40	25	£0.64	£0.60
FN0140208	6 x 50	25	£0.60	£0.56
FN0140308	6 x 60	25	£0.84	£0.79
FN0140408	6 x 80	25	£1.05	£0.99
FN0140508	8 x 80	10	£0.60	£0.56
FN0140608	8 x 100	10	£0.59	£0.55
FN0140708	8 x 120	10	£0.78	£0.73
FN0140808	10 x 100	10	£1.00	£0.94

Frame Fixings

- Pozi head screw
- Through fixing eliminating
- the need for marking and repositioning
 The plug supports the screw along its total length
- The plug supports the screw along its total leng
 Nulon plug body
- Nylon plug body
 Supplied in packs of 10

 Supplied in packs 	01 10		
	Dia. x Length (mm)	1+	10+
FN0139008	8 x 60	£0.57	£0.54
FN0139108	8 x 80	£0.72	£0.69
FN0139208	8 x 100	£0.83	£0.78
FN0139308	8 x 120	£0.95	£0.89
FN0139408	10 x 80	£1.00	£0.94
FN0139508	10 x 100	£1.05	£0.99
FN0139608	10 x 115	£1.23	£1.16
FN0139708	10 x 135	£1.29	£1.24
FN0139808	10 x 160	£1.69	£1.59

Window Frame Anchors 🛛 🖛



- Fixes aluminum and PVCU frames, to brick concrete and block work
 Twin wedges on the sleeve ensure a secure grip on PVCu or aluminum window and door profiles
- Through-fixing for ease and speed of installation
- Complete with white cover cap
- Nylon plug body
- Supplied in packs of 10

	Dia. x Length (mm)	Driver	49785	0
FN0140908	8 x 100	Size	£0.64	
FN0141008	8 x 120	PZ3	£0.76	
FN0141108	8 x 140	PZ3	£0.80	
FN0141208	10 x 75	PZ3	£0.90	
FN0141308	10 x 100	PZ3	£0.73	
FN0141408	10 x 120	PZ3	£0.84	
FN0141508	10 x 140	PZ3	£1.09	,
				/

Masonry Anchor DURATCOL Loose Bolts

- For use in concrete, brick and block
- Four way expansion shield and retaining spring offering strong and secure anchorage
 Supplied in packs of 10

	Supplied in packs of 10 4978					
		Thread	Fastens	Min. Hole		
		Size (mm)	Material up to	Depth (mm)	1+	10+
	FN0142508	M6	10	50	£2.40	£2.26
	FN0142608	M6	25	50	£2.53	£2.38
	FN0142708	M6	40	50	£2.61	£2.45
	FN0142808	M8	10	55	£2.99	£2.81
	FN0142908	M8	25	55	£3.05	£2.87
	FN0143008	M8	40	55	£3.33	£3.13
	FN0143108	M10	10	65	£4.10	£3.85
	FN0143208	M10	25	65	£4.19	£3.94
	FN0143308	M10	50	65	£4.34	£4.08
	FN0143408	M10	75	65	£5.60	£5.26
1						

Masonry Anchor Projection Bolts



- Zinc and yellow passivated
 For use in concrete, brick and block
- Four way expansion shield and retaining spring offering strong and secure anchorage
- Supplied in packs of 1

 Supplied in packs of 10 					
	Thread	Fastens Material	Min. Hole		
	Size (mm)	up to (mm)	Depth (mm)	1+	10+
FN0143508	M6	10	50	£2.25	£2.12
FN0143608	M6	25	50	£2.50	£2.35
FN0143708	M6	50	50	£2.65	£2.49
FN0143808	M8	10	55	£2.95	£2.77
FN0143908	M8	25	55	£3.12	£2.93
FN0144008	M8	40	55	£3.35	£3.15
FN0144108	M10	15	65	£4.15	£3.90
FN0144208	M10	30	65	£4.38	£4.12
FN0144308	M10	60	65	£5.46	£5.13

Masonry Bolts

Designed to be screwed directly into the base material.



- · Versatile alternative to a traditional shield anchor
- · Zinc and yellow passivated
- Supplied in packs of 10

 Supplied III 	packs of TO				497872
	Dia./Drill Size (mm)	Thread Length		1+	10+
FN0170008	6	50	2"	£1.88	£1.77
FN0170108	6	75	3"	£2.43	£2.28
FN0170208	6	100	4"	£2.76	£2.59
FN0170308	8	60	2%"	£2.31	£2.17
FN0170408	8	75	3"	£2.70	£2.54
FN0170508	8	100	4"	£3.66	£3.44
FN0170608	10	75	3"	£3.74	£3.52
FN0170708	10	100	4"	£4.83	£4.54
FN0170808	10	150	6"	£7.26	£6.82
FN0170908	12	100	4"	£6.06	£5.70

All Prices Exclude VAT

TRADES - WHAT YOU NEED AT LOW PRICES which

Fasteners & Fixings





DURATOOL

£0.65

£0.65

495682

10 +

£0.92

£0.62

£0.61

£0.61

f0.61

£0.61

497876

Oval Head Nails

EN0176708

FN0176808

£0.89

General purpose construction nail
Supplied in weights of 0.5kg

OL						
			(")	mm	Approx. Qty.	1+
F	FN0176308	1"	25	1265	£0.97	
	FN0176408	15⁄8"	40	470	£0.66	
•		FN0176508	2"	50	235	£0.65
		FN0176608	25⁄8"	65	115	£0.65

3" 75 62

4" 100 32

Plasterboard Anchors DURATCOL

- Designed specifically for plasterboard and panelled walls
 Anti-rotation teeth pierce the base material to form firm
- All metal, zinc plated construction suitable for heat
- in packs of 10

Technical Data


FN0146008

Screw	Anchor Body	Board	Fixing Hole	
Dia.	Length (mm)	Size (mm)	Size (mm)	
4mm	32	2 - 6	7	
4mm	45	5 - 18	7	
5mm	37	6 - 13	8	
5mm	52	3 - 16	8	
5mm	65	14 - 32	8	
6mm	65	14 - 32	10	410823

 Dia. x Length (mm)
 Board Size (mm)

 4 x 32
 2 - 6

FN0146508	6 x 65	14 - 32	£1.70
FN0146408	5 x 65	14 - 32	£1.50
FN0146308	5 x 52	3 - 16	£1.29
FN0146208	5 x 37	6 - 13	£1.18
FN0146108	4 x 45	5 - 18	£1.08



All Prices Exclude VAT

62

TRADES A LOW TRADE PRICES ON TOOLS FOR THE WORKSHOP OR HOME

Masonry	Nails		D	URAT	OOL
Hardened and teZinc plated	mpered				
Warning: Aways wo to BS2092	ear eye protec	ction			497
FN0177808	2.5	1"	25	100	f0.49

FN0177808	2.5	1"	25	100	£0.49
FN0177908	3	1%"	40	100	£0.88
FN0178008	3	2"	50	100	£1.02
FN0178108	3.5	2%"	65	100	£1.78
FN0178208	3.5	3"	75	100	£2.01















A choice of four colour coded plastic wall plugs for use with screw sizes 3 - 10mm (4 to 18 gauge).

- · All purpose lightweight fitting
- · Anti-rotation ribs at the head of the plug for extra holding power
- Four way split
- Ideal for use with standard and parallel threaded woodscrews
- Supplied in boxes of 100 (10 x 10 clusters)

Technical Dat	а				
Colour	Length	Screw Gauge	Dr	ill Size	
Yellow	23mm	4-8		nm	
Red	31mm	6-10		5mm	
Brown	38mm	8-12		nm	
Blue	44mm	14-18	10	mm	467150
				1+	20+
FN0138608	Ye	ellow		£0.23	£0.19
FN0138708	R	ed		£0.27	£0.24
FN0138808	B	rown		£0.41	£0.30
FN0138908	В	ue		£1.40	£1.19



All Prices Exclude VAT

63

Fasteners & Fixings

it toull	1age I	Bolt		Cup Square Coach Bolts DURATCOL with Nut (Carriage Bolts)					

ed DIN603 ith nuts			L	61p					
Dia. (mm)	Length		Pack						
M6	(") mm	40	25	£0.61					
M6	2"	50	25	£0.63					
M6	2%"	65	25	£0.70					
M6	3"	75	25	£1.10					
M6	4"	100	25	£1.17					
M6	5"	125	25	£1.55					
M6	6"	150	25	£1.65					
M8	1%"	40	25	£0.89					
M8	2"	50	25	£0.90					
M8	2%"	65	25	£1.10					
M8	3"	75	25	£1.10					
M8	3%"	90	25	£1.34					
M8	4"	100	25	£1.80					
M8	4%"	110	25	£1.95					
M8	5%"	130	25	£1.99					
M8	6"	150	25	£2.40					
M10	2"	50	10	£0.63					
M10	2%"	65	10	£0.70					
M10	3"	75	10	£0.77					
M10	4"	100	10	£0.99					
M10	4%"	110	10	£1.05					
M10	5%"	130	10	£1.28					
M10	6"	150	10	£1.40					
	ed DIN603 ith nuts Dia. (mm) M6 M6 M6 M6 M6 M6 M6 M8 M8 M8 M8 M8 M8 M8 M8 M8 M8	DIN603 Dia. (mm) Length M6 (") mm M6 2" M6 3" M6 4" M6 5" M6 5" M6 5" M6 5" M8 1%" M8 2%" M8 2%" M8 3%" M8 3%" M8 3%" M8 3%" M8 5%" M8 6" M10 2" M10 3" M10 4%" M10 4%"	ed DIN603 ith nuts Dia. (mm) Length M6 (") mm 40 M6 2" 50 M6 2%" 65 M6 3" 75 M6 4" 100 M6 5" 125 M6 6" 150 M8 1%" 40 M8 2" 50 M8 2%" 65 M8 3" 75 M8 3%" 90 M8 3%" 90 M8 4" 100 M8 4%" 110 M8 5%" 130 M8 5%" 150 M10 2" 50 M10 2%" 65 M10 3" 75 M10 4" 100 M10 4%" 110 M10 4%" 110	ed p DIN603 ith nuts Dia. (mm) Length Pack M6 (") mm 40 25 M6 2" 50 25 M6 2% 65 25 M6 3" 75 25 M6 4" 100 25 M6 5" 125 25 M6 6" 150 25 M6 6" 150 25 M8 1%" 40 25 M8 2%" 65 25 M8 2%" 65 25 M8 2%" 65 25 M8 2%" 65 25 M8 3%" 90 25 M8 3%" 90 25 M8 3%" 90 25 M8 3%" 100 25 M8 4%" 110 25 M8 5%" 130 25 M8 5%" 65 10 M10 2%" 65 10 M10 4%" 110 10 M10 4%" 110 10 M10 5%" 130 10					

Electrical Screws

DURATOOL

A range of electrical screws designed to replace those used in standard electrical sockets, blanking plates, switches and pattresses etc. The screws are nickel plated and supplied in packs of 50

		499664
FN0195308	M3.5 x 25mm	£2.14
FN0195408	M3.5 x 40mm	£2.82
FN0195508	M3.5 x 50mm	£3.56
FN0195608	M3.5 x 75mm	£5.69

All Prices Exclude VAT

FΔ



Downlo

some FAX YOUR ORDER TO US ON 08701 20 25 31

Storage









Boxes Provides maximum shock protection to contents . Waterproof Can be padlocked for additional security Built in pressure valve . Corrosion proof Ideal for instruments, audio visual, photographic and test equipment 474263 14 5+ SG3290008 465x360x175mm £24.95 £21.20 SG3290108 £29.80 £24.90 515x435x225mm

All Prices Exclude VAT


Storage



66

nioad DELIMERY IS FREE ON ALL UK ORDERS OMER £40 (EX VAT)





All Prices Exclude VAT

WE ARE PLEASED TO ACCEPT Law Search and Down back

67

Storage

68



Downlo DON'T FORGET IT THERE'S NO MINIMUM ORDER AT CPC!

Safe. Secure. Reliable.

- Model: XTR446 (Twin Pack)
 Up to 9 km range depending on terrain and conditions

- Channel memory
 38 Codes and CSQ
 Rugged water resistant design
- Room monitor
- Side PPT switch and volume control
 500mW Tx power
- Power save

- 20 Hour battery life (14 hrs with NiMH)
 Backlit LCD display


- Keypad tones (selectable on/off)

- Roger beep
 Battery low alert
- batteries
- Dimensions (WxHxD): 55x118x34mm

Contents: 2 x XTR446 radios, 2 x NiMH batteries, 2 x earbuds, 2 x belt clips, twin charging pod,

PMR Radios £48.95 order code IT4499308

Hand Tools



All Prices Exclude VAT





TRADES - WHAT YOU NEED AT LOW PRACES which

Hand Tools











Antivibe Single Forged Hammer

STANLEY

- · One piece forged hammer, provides maximum comfort and grip in use
- 100% crack detection for maximum safety
- · Features include a large striking face, patented grip and patented butt reinforcement

Curved Head	Weight (gm)	Weight (oz)	1+	5+
TL0946508	450	16	£15.98	£14.85
TL0946608	570	20	£17.15	£16.02
Ripping Head-Straight				
TL0946708	570	20	£17.84	£16.50



All Prices Exclude VAT



TRADES A LOW TRADE PRICES ON TOOLS FOR THE WORKSHOP OR HOME














• A range of screwdrivers with a satin finish shaft, magnetic tip and a 2 component handle	\sim	RATO	462867
Slotted	Type/Size	1+	5+
TL1037908	3 x 0.4mm	£0.94	£0.85
TL1038008	4 x 0.7mm	 £0.94	£0.85
TL1038108	5.5 x 0.8mm	£1.09	£0.94
TL1038208	6.5 x 0.9mm	£1.09	£0.94
TL1038308	8 x 1.5mm	£1.16	£1.01
Pozi			
TL1038508	1 x 80mm	£0.94	£0.85
TL1038608	2 x 100mm	£1.09	£0.94
TL1038708	2 x 38mm	£1.09	£0.94
TL1038808	3 x 150mm	£1.30	£1.09
Phillips			
TL1038908	PH0 x 80mm	£0.94	£0.85
TL1039008	PH2 x 100mm	£1.09	£0.94



		1+	5+
TL1111708	Slotted / Phillips	£13.97	£13.27
TL1111808	Slotted / Pozidriv	£14.39	£13.72

All Prices Exclude VAT

<u> 2010MII</u>	14019		Fat	Max
for greater torq • Colour coded end	ince of tip bre ibber grip andle is overn ue nds for easy id	akage noulded onto bars		4800
Slotted			1+	5+
TL1143608	2.5	50	£1.69	£1.62
TL1143708	3	100	£2.16	£2.07
TL1143808	3.5	75	£1.98	£1.90
TL1143908	3.5	100	£2.18	£2.10
TL1144408	4	30 (Stubby)	£2.03	£1.94
TL1144008	4	100	£2.36	£2.27
TL1144508	5.5	30 (Stubby)	£2.36	£2.27
TL1147508	5.5	125	£2.89	£2.77
TL1144108	5.5	150	£2.90	£2.79
TL1144608	6.5	30 (Stubby)	£2.71	£2.60
TL1144208	6.5	150	£3.72	£3.57
TL1144308	6.5	250	£4.06	£3.90
Phillips				
TL1144708	PHOO	50	£2.23	£2.14
TL1144808	PHO	75	£2.36	£2.27
TL1145508	PH1	30 (Stubby)	£2.03	£1.94
TL1144908	PH1	100	£2.71	£2.60
TL1145008	PH1	250	£3.39	£3.24
TL1145608	PH2	30 (Stubby)	£2.71	£2.60
TL1145108	PH2	125	£3.72	£3.57
TL1145208	PH2	250	£4.06	£3.90
TL1145308	PH3	150	£4.06	£3.90
TL1145408	PH4	200	£5.41	£5.19
Pozidriv				
TL1145708	PZO	75	£2.36	£2.27
TL1146308	PZ1	30 (Stubby)	£2.03	£1.94
TL1145808	PZ1	100	£2.71	£2.60
TL1145908	PZ1	250	£3.39	£3.24
TL1146408	PZ2	30 (Stubby)	£2.71	£2.60
TL1146008	PZ2	125	£3.39	£3.24
TL1146108	PZ3	150	£4.06	£3.90
TL1146208	PZ4	200	£5.30	£5.08

Cerowdrivere



£14.19



Download from Www.Soma FAX YOUR ORDER TO US ON 08701 20 25 31

4.98

order code TL1111908




Proturn® VDE Screwdrivers



- Ergonomic multi component handle with the practical hanging hole provides firm hold with maximum torque
- Blade made from high-quality steel through hardened with a black oxide tip for exceptional strength and durability
 Each screwdriver is tested in accordance with EN /IEC 600900:2004
 for working on live equipment up 1000 V AC / 1500 V DC

for working on	live equipmen	t up to i	000 V AC /	1500 V D	48010
Slotted				1+	5+
TL1112008	2.5x0.4	75	161	£1.91	£1.83
TL1112108	3.0x0.5	100	186	£2.01	£1.86
TL1112208	3.5x0.6	100	200	£2.07	£1.92
TL1112308	4.0x0.8	100	207	£2.53	£2.35
TL1112408	4.5x1.0	125	232	£2.85	£2.65
TL1112508	5.5x1.0	125	244	£3.27	£3.04
TL1112608	6.5x1.2	150	269	£3.65	£3.39
TL1112708	8.0x1.2	175	269	£4.28	£3.98
Phillips					
TL1112808	PH1	80	187	£2.73	£2.55
TL1112908	PH2	100	219	£3.44	£3.19
Pozidriv					
TL1113008	PZ1	80	187	£3.06	£2.84
TL1113108	PZ2	100	219	£3.69	£3.43
TL1113208	PZ3	150	269	£4.87	£4.61





All Prices Exclude VAT

1+

order code TL1089608

5+



All Prices Exclude VAT

76

Noad DELIMERY IS EREE ON ALL UK ORDERS OVER £40 (EX VAT)





WE ARE PLEASED TO ACCEPT IS STATE AND DOWN

78



owno DAN'T FORGET IS THERE'S NO MINIMUM ORDER AT CPC!





GREAT PRICES ON OVER 100,000 QUALITY STOCKED PRODUCTS







TRADES - WHAT YOU NEED AT LOW PRICES



Bolt Cutters DURATOOL Drop forged, heat treated steel Ideal for cutting bolts, rivets, rods, bars, chains etc. 472305 1+ 5+ TL1035008 455mm (18") £6.12 £5.72 TL1035108 600mm (24") £7.64 £6.43



Curved J • The curved jaws secure fit arounc irregular shaped	VISE O provide for a more round stock or		C	454374	
	Length (mm)		1+	5+	
TL0950408	100	4	£6.94	£6.70	
TL0950508	125	5	£9.43	£8.88	
TL0950608	175	7	£10.00	£9.44	
TL0950708	250	10	£9.45	£9.15	



All Prices Exclude VAT




TRADES 7 LOW TRADE PRICES ON TOOLS FOR THE WORKSHOP OR HOME












All Prices Exclude VAT





Cuickly converts from clamp to spreader Construction provides strength and durability					
		Length (mm)	1+	5+	
TL1140008	Small	114	£3.39	£3.24	
TL1140108	Medium	152	£6.74	£6.31	
TL1140208	Medium	304	£8.13	£7.79	
TL1140308	Medium Heavy Duty	304	£13.49	£12.87	
TL1140408	Large Heavy Duty	609	£16.27	£15.59	
TL1140508	Large Heavy Duty	914	£20.33	£19.49	



84

FAX YOUR ORDER TO US ON 08701 20 25 31







DELIVERY IS FREE ON ALL UK ORDERS OVER £40 (EX VAT)






87

WE ARE PLEASED TO ACCEPT IN STAR AND DOWN DOC

	g Cement Tro e DuraSoft handle reduces	weis		IL.	
fatigue and offe	rs excellent durability mounting is lightweight et for the d balance	1		49802	4
			1+	5+	
TL1191008	Standard	£	21.74	£20.90	
TL1191108	Stainless steel	£	24.75	£23.80	













All Prices Exclude VAT



owno DAN'T FORGET IN THERE'S NO MINIMUM ORDER AT CPCI











GREAT PRICES ON OVER 100,000 QUALITY STOCKED PRODUCTS





- · Moulded elastomer jacket for improved grip
- · Long bevelled tips for easier nail alignment Sizes: 0.8mm (1/32"), 1.6mm (1/16") and 2.4mm (3/32")
- 467129






All Prices Exclude VAT

GET IT FASTI - SAME DAY DESPATCH ON ALL ORDERS PLACED BEFORE 7PM



General • Pure bristles FROM ONE 38p	Purpose Pain	t Brush	PS 496855
		1+	5+
TL0433508	½" (13mm)	£0.43	£0.38
TL0433608	¾" (20mm)	£0.52	£0.47
TL0433708	1" (25mm)	£0.63	£0.56
TL0433808	11⁄2" (38mm)	£0.89	£0.84
TL0433908	2" (50mm)	£1.43	£1.30
TL0434008	21⁄2" (62mm)	£2.15	£2.03
TL0434108	3" (75mm)	£2.62	£2.41
TL0434208	4" (100mm)	£4.26	£3.94



Professional Pure Bristle Paint Brushes • Professional quality for use with gloss, emulsion or varnish paints • 100% pure natural bristle - treble boiled to ensure finest finish • Stainless steel ferrule • Wooden handle • Sold separately or as a 6 piece set					
 6 piece set size 	es: 2 x 1", 2 x 11⁄2", 2 x 2"	1+	5+		
TL0996208	½" (12mm)	£1.54	£1.36		
TL0996308	¾" (19mm)	£1.88	£1.66		
TL0996408	1" (25mm)	£2.37	£2.08		
TL0996508	1½" (37mm)	£2.90	£2.56		
TL0996608	2" (50mm)	£3.79	£3.50		
TL0996708	3" (75mm)	£5.99	£5.80		
TL0996808	4" (100mm)	£7.80	£7.49		
TL0996908	Pack of 6	£10.98	£9.79		

 Paint Br Professional q emulsion or va Solid round ta 	uality for use with gloss, arnish paints sper filament eates a superb,	c Bristle	/) /) 1.58
 Squared stain Wooden hand Sold separatel 	less steel ferrule le ly or as a 3 piece set zes: 1", 11/2", 2"		49788
 Squared stain Wooden hand Sold separatel 	le ly or as a 3 piece set	1+	
 Squared stain Wooden hand Sold separatel 	le ly or as a 3 piece set	1+ £1.79	49788
 Squared stain Wooden hand Sold separatel 3 piece set siz 	le ly or as a 3 piece set zes: 1", 1½", 2"		49788 5+
 Squared stain Wooden hand Sold separatel 3 piece set siz 	le ly or as a 3 piece set zes: 1", 1½", 2" 1" (25mm)	£1.79	49788 5+ £1.58 £2.20
 Squared stain Wooden hand Sold separatel 3 piece set siz TL0997008 TL0997108	le ly or as a 3 piece set zes: 1", 1½", 2" 1" (25mm) 1½" (38mm)	£1.79 £2.50	49788 5+ £1.58 £2.20 £2.98
 Squared stain Squared stain Wooden hand Sold separatel 3 piece set siz TL0997008 TL0997108 TL0997208 	le ly or as a 3 piece set ress: 1", 1½", 2" 1" (25mm) 1½" (38mm) 2" (50mm)	£1.79 £2.50 £3.38	49788 5+ £1.58 £2.20 £2.98 £4.38



TRADES - WHAT YOU NEED AT LOW PRICES which







All Prices Exclude VAT

Paint Roller Kits · Slide on, slide off system . Large capacity paint trays Low paint splatter 480559 Ideal for use with all water based paints 1. 5+ TL0432408 7" (180mm) Paint Roller Kit £1.77 £1.64 TL0432508 9" (230mm) Paint Roller Kit £2.27 £2.38



9" (225mm) Roller Sleeves

Suitable for use with all 9" x 13/4" (225x44mm) roller frames.

- Short Pile: Ideal for gloss and eggshell paints on smooth surfaces
- Medium Pile: Woven fabric for semi-rough surfaces



- · Long Pile: Woven fabric for rough surfaces
- Heavy Duty Long Pile: Extra strength woven fabric for use on rough surfaces
- Sheepskin: Suitable for use on rough surfaces and embossed wall coverings 497784

		107701
TL0435908	Short Pile Sleeve	£1.98
TL0436008	Medium Pile Sleeve	£1.47
TL0436108	Long Pile Sleeve	£1.64
TL0436208	Heavy Duty Long Pile Sleeve	£1.90
TL0436308	Sheepskin Sleeve	£5.40







94

Download from Www.Soma FAX YOUR ORDER TO US ON 08701 20 25 31











5+

£1.82

£1.51

1 +

£1.95

£1.61

TL1055908

TL1056008

Lighter

Spare Flints (5 PK)



			472301
		1+	5+
TL1052808	15 mm	£9.62	£9.31
TL1052908	22 mm	£10.56	£9.78
TL1100308	28mm	£15.25	£14.29

All Prices Exclude VAT



nioad DELIMERY IS FREE ON ALL UK ORDERS OVER £40 (EX VAT)



97



WE ARE PLEASED TO ACCEPT AND SEAR TAND DOWN DOOR

79n			- 63			
loh	Size	Long Arm	Short Arm	PK Size		498005
	(mm)	(mm)	(mm)		1+	5+
TL1135708	1.5	45	14	5	£0.78	£0.73
TL1135808	2	50	16	5	£0.78	£0.73
TL1135908	2.5	55	19	5	£0.78	£0.73
TL1136008	3	63	21	5	£0.78	£0.73
TL1136108	4	70	27	5	£1.05	£0.99
TL1136208	4.5	70	29	1	£1.15	£1.08
TL1136308	5	81	31	1	£1.15	£1.08
TL1136408	5.5	87	34	1	£1.21	£1.14
TL1136508	6	92	36	1	£1.27	£1.20
TL1136608	8	104	42	1	£1.45	£1.36
TL1136708	10	116	48	1	£1.99	£1.87
TL1136808	1.5	14	90	5	£0.97	£0.92
TL1136908	2	16	100	5	£1.00	£0.94
TL1137008	2.5	19	111	5	£1.04	£0.97
TL1137108	3	21	125	5	£1.12	£1.06
TL1137208	4	27	140	5	£1.46	£1.37
TL1137308	4.5	29	152	1	£1.22	£1.15
TL1137408	5	31	161	1	£1.28	£1.21
TL1137508	5.5	34	170	1	£1.39	£1.31
TL1137608	6	36	182	1	£1.45	£1.36
TL1137708	8	42	202	1	£1.72	£1.63
TL1137808	10	48	228	1	£2.33	£2.20



}[]

order code TL1041808

30 Piece Hexagonal

Kev Set Imperial & Metric DURATOOL

468969



6mm Imperial Sets

TL1138008

TL1138208

11 piece: 1.2, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, and

8 piece: 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, and 1/4"

1+ Metric £1.91 £1.61 11 Piece Metric £2.65 £2.25 8 Piece Imperial f1.91 £1.61 11 Piece Imperial £2.65 £2.25

olding Ball End Hex Key Set

- Chamfered ball point end allows user to work at angles up to 25°
- Manufactured from hardened and tempered . chrome vanadium steel
- Set contains 1.5, 2, 2.5, 3, 4, 5, 6 and 8mm



DURATOOL



All Prices Exclude VAT



DON'T FORGET - THERE'S NO MINIMUM ORDER AT CPC!

<u>£4 99</u>



 Wide Opening Adjustable Wrench
 Slim head, short handle and low weight make it ideal for plumbers and tradesmen
 Precision-hardened and anti-corrosion treated steel
 Comfortable, slip-free thermoplastic handle
 Max. jaw width: 38mm
 Length: 218mm

All Prices Exclude VAT

GREAT PRICES ON OVER 100,000 QUALITY STOCKED PRODUCTS

100



<u>GET IT FASTI - SAME DAY DESPANCH AN ALL OBDERS PLACED BEFORE 7PM</u>

5+

DURATOO

479798

497796

5+

£8.96

£9.33

478464

497795

1+

£9.71

£10.06









 Tappe Meea 32mm width blade stand out to 3.35m 2 accuracy Bi-material high in case with soft touc for comfort & grip Bladearmour protect thermoplastic coati the first 6" for prot the most handled a Mylar highly protect coating - 10 x great compared to lacquut 3 pin true zero hoo internal/external m Multi function hoo Belt Clip 	for increased / 11ft. Class papet ABS h panels trive ng on ection to trea tive blade ter abrasion ered blades k for accurate	ve edge	480101 5+	
TL1143308	5m	£11.56	£11.05	
TL1143408	8m	£14.33	£13.65)





TRADES - WHAT YOU NEED AT LOW PRICES which



	I allow the second	497942
TL1077808	150mm	£1.50
TL1077908	300mm	£2.38
TL1078008	600mm	£4.45
TL1078108	1000mm	£7.86



71/2" **Rosewood** DURATOOL **Sliding Bevel** Hardwood handle Etched stainless steel sliding blade Blade length 9" 497960 1+ 5+ £2.94 £2.39 order code TL1046508 **Combination Square** DURATOOL Engraved stainless steel ruler . Extra strong metal body Integrated spirit level At least 10 different uses with scriber and level • Length 300mm (12") 480424 1+ 5+ £2 44 £2.83 order code TL1045708 **Folding Square** DURATOOL 60 Multi-purpose folding ruler supplied in a pouch Designed and used for setting out and obtaining right angle measurements 480117 1+ 5+ £65 £6.7

All Prices Exclude VAT

TRADES A LOW TRADE PRICES ON TOOLS FOR THE WORKSHOP OR HOME

order code TL1045808



STANLEY



Ribbed Lu • Ribbed and milled) .19
		497863
TL0934108	600mm (24")	497863 £2.19
TL0934108 TL0934208	600mm (24") 900mm (36")	
	. ,	£2.19

AN PRO ... AL Standard (Non-Magnetic) 480108 1 +5+ TL1142708 600mm £9.16 £8,44 TL1142808 1200mm £13.46 £12.73 TL1142908 1800mm £19.19 £17.84



Length (cm) Length (") 1+ 5+ TI 0947208 £20.53 £19.79 60 24 TL0947508 120 48 £28.76 £27.01

All Prices Exclude VAT



¹⁰⁴

FAX YOUR ORDER TO US ON 08701 20 25 31







All Prices Exclude VAT

Download DELIMERY IS FREE ON ALL UK ORDERS OVER £40 (EX VAT)





107

WE ARE PLEASED TO ACCEPT AS SEAR FAR DOWN

Ladders



Builders Step Ladders

- · Industrial standard swing-back step
- Strong aluminium frame
- · Large non-slip treads provide excellent
- stability and safety
- BS 2037 Class 1 Industrial rating



		Height	
SI1502208	6 Tread	1.27m	£57.85
SI1502308	8 Tread	1.69m	£69.95
SI1502408	10 Tread	2.10m	£79.90
\			

Heavy Trade Fibreglass Steps

- · A robust, non-conductive glass fibre range of step ladders for use where there may be risk of electrical hazards
- Solid and reliable for regular use
- · Wider tread spacing for faster, easier access
- Integral tool rack .

SI1520108

SI1520208

SI1520308

- Slip-resistant treads and feet
- · Braces for extra rigidity

4

6

8

Non-conductive to 30,000V





Ste Youngman





runas

- and stairway ladder modes Easily transported and stored

•	Comprises of	2	sections	with	6+6
	Built to BS EI	11	21 oppro	wol .	

. Built to BS EN131 approval Te

н

	0.00	00		451584
leight .70m	Height 2.48m	Height 1.60m	Weight 8.5kg	
losed	Extended	Step Mode		\square
echnical	Data			



Trade Extension Ladders

- · High performance box-section alloy stiles
- Interlock clip locks sections together for safe use and transport





			497881
2 Section Ladders	Closed Height	Extended Height	
SI1520408	2.5m	3.95m	£58.98
SI1520508	3.08m	5.11m	£66.49
SI1520608	3.66m	6.27m	£85.49
3 Section Ladders			
SI1520808	2.5m	5.57m	£92.99

All Prices Exclude VAT

108

DAN'T FORGET - THERE'S NO MINIMUM ARDER AT CPC!

- BS EN131 approval

Site Maintenance



GREAT PRICES ON OVER 100,000 QUALITY STOCKED PRODUCTS

Site Maintenance



All Prices Exclude VAT

D. GET IT FASTI - SAME DAY DESPATCH ON ALL OPDERS PLACED BEFORE 7PM





TRADES - WHAT YOU NEED AT LOW PRICES



480125

NAL

480126

BOSCH

478001

£67.95

£92.95







114

FAX YOUR ORDER TO US ON 08701 20 25 31







116

DELIVERY IS EREE ON ALL HK ORDERS OVER £40 (EX VAL)





WE ARE PLEASED TO ACCEPT IN Start Find Down back



1 year manufacturer's warranty

All Prices Exclude VAT

118

IO DON'T FORGET IN THERE'S NO MINIMUM ORDER AT CPC!





- Ideal for drilling anchors and fixing holes into concrete. brick and masonry from 4 mm to 26 mm
- · New 36 Volt Li-lon technology
- · Efficient and compact gearbox for longer runtime and lighter weight
- · Extremely compact design and rear mounted battery for excellent balance and optimum comfort

Contents: 1 x 1 hour charger. 2 x Li-lon batteries. 1 x Multiposition side handle, 1 x 13 mm diameter 3 jaw keyless quick change chuck, 1 x Grease tube, 1 x Heavy duty carrying case

Battery Capacity: 2.2Ah. 2 x 2.2Ah Li-ion: N Load Speed: 1150rpm: Hammer: Yes: Impact Rate: 4300BPM: Drilling CapacityØ: Wood 30mm, Steel 13mm, Masonry 24mm; Weight: 3.8kg

order code TL1154208



All Prices Exclude VAT

GREAT PRICES ON OVER 100 000 QUALITY STOCKED PRODUCTS







All Prices Exclude VAT



18V heavy-duty combination kit, containing 2 \times 2.6Ah Ni-MH batteries, 1 \times 30 minute charger, heavy-duty carrying case, and the following:

- Combi Drill DC925
- Circular Saw DC390
 Proving Saw DC390
- Reciprocating Saw DC380
- Jigsaw DC330
- Flexible Flashlight DW919

465570

480145





Model: MONSTER

18V professional combination kit, containing 2 x 2.6Ah Ni-MH batteries, 1 x 30 minute charger, heavy-duty tool bag, and the following:

- Combi Drill GSB 18VE2
- Circular Saw GKS 18V
- Planer GHO 18V
 Jiqsaw GST 18V
- Flashlight GLI 18V
- NB. the individual tools are supplied 'naked' without batteries or chargers



120

, GET IT FASTI - SAME DAY DESPATCH ON ALL OPDERS PLACED BEFORE 7PM





TRADES - WHAT YOU NEED AT LOW PRICES woload



122

TRADES A LOW TRADE PRICES ON TOOLS FOR THE WORKSHOP OR HOME



Screwdriver Bits A range of 1/4" hexagonal drive screwdriver and torx bits manufactured from the highest quality alloy steel. The screwdriver bits are 25mm in length and 480219 suitable for use with both hand and power tools Slotted mm $1 \pm$ 5+ TL1117508 4.5. 5.5mm 2 £1.38 £1.29 TL1117608 4.5, 5.5, 6.5mm 3 £1.83 £1.71 Phillips 3 x PH1 TL1117708 3 £1.33 £1.25 TL1117808 3 X PH2 3 £1.33 £1.25 3 x PH3 TL1117908 3 £1.33 £1.25 Phillips Hot 2 x PH1 TL1118608 2 £1 43 £1 32 TL1118708 2 x PH2 2 f1.43 £1.32 TL1118808 2 x PH3 2 £1.43 £1.32 Pozidriv TL1118008 3 x PZ1 3 £1.33 £1.25 TL1118108 3 x PZ2 f1 25 З £1.33 TL1118208 3 x PZ3 3 £1.33 £1.25 Pozidriv Hot TL1118908 2 x PZ1 2 £1.43 £1.32 TL1119008 2 x PZ2 2 £1.43 £1.32 TL1119108 2 x PZ3 2 £1 43 £1 32 Torx TL1118308 Torx: T7, T8, T9 £1.83 £1.71 3 TI 1118408 Torx: T10, T15, T20 3 £1.83 £1.71 TL1118508 Torx: T25, T30, T40 3 £1.83 £1.71









All Prices Exclude VAT

CALL OUR CUSTOMER HOTLINE FOR ALL ORDERS AND ENGINELES ON 08701 20 25 30

12<u>3</u>_



1<u>24</u>

Download from Www.Soma FAX YOUR ORDER TO US ON 08701 20 25 31



125



RECOMMEND A FRIEND AND RECEIVE UP TO \$20 IN YOUCHERS! VISIT WWW.CPC.CO.UK

HSS Jobber Drill Bits DURATOOL HSS - Ground to DIN338 Black oxide M1 material Straight shank 118° standard point

- 118° standard point
 For metal, wood and
- plastic



					480232
	Dia	Length	Pack Size	1+	5+
TL1126008	0.5	22	5	£0.86	£0.78
TL1126108	1.0	34	5	£0.52	£0.47
TL1126208	1.5	40	5	£0.61	£0.56
TL1126308	2.0	49	5	£0.80	£0.73
TL1126408	2.5	57	5	£0.91	£0.83
TL1126508	3.0	61	5	£1.11	£1.06
TL1126608	3.2	65	5	£1.17	£1.09
TL1126708	3.5	70	1	£1.25	£1.19
TL1126808	4.0	75	1	£0.43	£0.39
TL1126908	4.5	80	1	£0.47	£0.43
TL1127008	4.8	86	1	£0.47	£0.43
TL1127108	5.0	86	1	£0.47	£0.43
TL1127208	5.5	93	1	£0.61	£0.58
TL1127308	6.0	93	1	£0.69	£0.64
TL1127408	6.5	101	1	£0.83	£0.77
TL1127508	7.0	109	1	£0.88	£0.83
TL1127608	7.5	109	1	£0.93	£0.89
TL1127708	8.0	117	1	£1.13	£1.07
TL1127808	8.5	117	1	£1.26	£1.18
TL1127908	9.0	125	1	£1.48	£1.39
TL1128008	9.5	125	1	£1.63	£1.54
TL1128108	10.0	133	1	£1.92	£1.80
TL1128208	10.5	133	1	£2.08	£1.95
TL1128308	11.0	142	1	£2.39	£2.25
TL1128408	11.5	142	1	£2.62	£2.45
TL1128508	12.0	151	1	£2.81	£2.72

HSS Jobber Drill Bits - Long

- HSS Ground to DIN340
- Black oxide M2 material
- Straight shank
- 118° standard point
 For metal, wood and plastic

	ROMONIN
	37 p
480234	Ľ

DURATOOL

	-			
	Dia	Length	1+	5+
TL1128608	3.0	100	£0.41	£0.37
TL1128708	4.0	119	£0.59	£0.54
TL1128808	5.0	132	£0.78	£0.73
TL1128908	6.0	139	£1.02	£0.94
TL1129008	7.0	156	£1.42	£1.31
TL1129108	8.0	165	£1.85	£1.72
TL1129208	9.0	175	£2.36	£2.19
TL1129308	10.0	184	£2.80	£2.70

HSS Johber Drill D URATOOL **Bit Sets** Metric and Imperial HSS - Ground to DIN338 (Metric) and ANSI (Imperial) Straight shank 118° standard point · Supplied in plastic case Contents. 6 Piece Metric: 2, 3, 4, 5, 6, 8mm 13 Piece Metric: 2, 2.5, 3, 3.2, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7. 7.5. 8mm 13 Piece Imperial: 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 11/64", 7/32", 15/64", 1/4" 480235 1+ 5+

TL1129608	13 Piece Imperial	£5.62	£5.23
TL1129508	13 Piece Metric	£5.62	£5.23
TL1129408	6 Piece Metric	£2.82	£2.63



18 Piece Drill DURATOOL Bit Set 18 piece drill bit set comprising of:

6 x Twist drill - 3, 4, 5, 6, 8 and 10mm 6 x Wood working drill - 3, 4, 5, 6, 8 and 10mm 6 x Masonry drill - 3, 4, 5, 6, 8 and 10mm



All Prices Exclude VAT



Download DELIMERY IS FREE ON ALL UK ORDERS OVER £40 (EX VAT)





WE ARE PLEASED TO ACCEPT ALS SEAR FAND DOWN DOC

DURATOO

DURATOOL

Masonry Drill Bits Hard allov For drilling concrete, wallboard, stone,

 For unning content of brick and slate Some sizes available longer length 				480240
Standard Length	Dia (mm)	Length	1+	5+
TL1130108	3.0	65	£0.28	£0.25
TL1130208	4.0	70	£0.28	£0.25
TL1130308	5.0	80	£0.33	£0.27
TL1130408	5.5	80	£0.38	£0.31
TL1130508	6.0	100	£0.38	£0.31
TL1130608	6.5	100	£0.38	£0.31
TL1130708	7.0	110	£0.43	£0.36
TL1130808	8.0	125	£0.57	£0.47
TL1130908	10.0	125	£0.66	£0.55
TL1131008	12.0	140	£1.04	£0.87
TL1131108	14.0	140	£1.32	£1.11
TL1131208	16.0	140	£1.51	£1.26
TL1131308	18.0	160	£1.56	£1.30
TL1131408	20.0	160	£1.84	£1.58
Long Series (150mm)			
TL1131508	5.0	150	£0.52	£0.45
TL1131608	5.5	150	£0.57	£0.49
TL1131708	6.0	150	£0.57	£0.49
TL1131808	6.5	150	£0.61	£0.54
TL1131908	7.0	150	£0.61	£0.54
TL1132008	8.0	150	£0.71	£0.61
TL1132108	10.0	150	£0.85	£0.74

5 Piece Masonry Drill Bit Set

- Hard alloy tipped
- · For drilling concrete, brick, stone and slate
- Sizes: 4, 5, 6, 8, 10mm

480242 1+ 5+ £1.68 F1 81 order code TL1132208

3 Piece Tile/Glass Drill Set Spear-shaped point for reduced breakage when drilling holes in glass and ceramic tiles Tungsten carbide tip for durability 5mm, 6mm, 8mm sizes Length: 65mm and 80mm 497816 order code TL0843008

Extreme™ Masonry Drilling Dewal and Screwdriver Bit Set Small tough storage case for drill and screwdriver bits Designed to withstand worksite conditions Contents: Pozidriv - PZ2 (x4). P72 x 50mm Phillips - PH2 (x4). PH2 x 50mm Slotted - 5.5 x 50mm Extreme™ masonry drill bits 4, 5, 5.5, 6, 7, 8mm Magnetic holder Magnetic drive guide 497825 14 5+ £21.98 £20.50 order code TL0898308 **3 Piece Masonry Drill Duratool Bit Set - Long** 400mm masonry drill bit set Sizes: 8, 10 and 12mm . 462853 1+ 5+ £1.35 £1.69 order code TL1044508 SDS Drill Bits DURATOOL hard alloy tipped Q Chrome vanadium steel · For drilling concrete, **64**n wallboard, stone, brick and slate Suitable for all SDS direct fitting 480243 hammer drills 1+ 5+ TL1132408 4.0 110 £0.72 £0.64 TI 1132508 5.0 110 £0.74 £0.65 TL1132608 5.5 110 £0.74 £0.65 TL1132708 £0.65 6.0 110 £0.74 TL1132808 7.0 110 £0.78 £0.66 TL1132908 8.0 110 £0.94 £0.85 TL1133208 8.0 210 £1.26 £1.13 TL1133008 10.0 110 £1.00 £0.90 TL1133308 10.0 210 £1.31 £1.18 TL1133108 12.0 £1.31 £1.18 110 TL1133408 12.0 210 £1.73 £1.56 TL1133508 14 0 210 £2.05 £1.84 TL1133608 16.0 210 £2,42 £2.17 TL1133708 20.0 210 £3.43 £3.26

All Prices Exclude VAT





GREAT PRICES ON OVER 100,000 QUALITY STOCKED PRODUCTS

1<u>29</u>



 Wood Boring Forstner DURATOOL

 Bit Sets
 •
 •
 •
 •
 •
 •
 •
 •
 •
 •
 •
 •
 •
 •
 •
 •
 •
 •
 •
 •
 •
 •
 •
 •
 •
 •
 •
 •
 •
 •
 •
 •
 •
 •
 •
 •
 •
 •
 •
 •
 •
 •
 •
 •
 •
 •
 •
 •
 •
 •
 •
 •
 •
 •
 •
 •
 •
 •
 •
 •
 •
 •
 •
 •
 •
 •
 •
 •
 •
 •
 •
 •
 •
 •
 •
 •
 •
 •
 •
 •
 •
 •
 •
 •
 •
 •
 •
 •
 •
 •
 •
 •
 •
 •
 •
 •
 •
 •
 •
 •
 •





All Prices Exclude VAT

D. GET LT FASTI - SAME DAY DESPATCH ON ALL OBDERS PLACED BEFORE 7PM





TRADES - WHAT YOU NEED AT LOW PRICES while a



See www.cpc.co.uk for Additional Nails and Staples

All Prices Exclude VAT

132 TRADES , LOW TRADE PRICES ON TOOLS FOR THE WORKSHOP OR HOME





All Prices Exclude VAT

Metal Cutting BOSCH Discs Bore size: 22.2mm 451506 Bent Discs Dia (Ø) Thickness 1 +25 +TL0992608 115mm 2.5mm £0.88 £0.77 TL0992708 125mm 2.5mm £0.93 £0.84 TI 0992908 230mm 3 0mm £1 71 £1 54 Flat Discs TI 0993008 £0.69 £0.60 115mm 2.5mm TI 0993108 125mm 2.5mm £0.78 £0.70 TL0993308 230mm 3.0mm £1.28 £1.17

Stone Cutting ⁽¹⁾ BOSCH Discs



497837

Bore size: 22.2mm

				45150
Bent Discs	Dia (Ø)	Thickness	1+	25+
TL0993408	115mm	2.5mm	£0.93	£0.82
TL0993508	125mm	2.5mm	£1.02	£0.96
TL0993708	230mm	3.0mm	£1.83	£1.74
Flat Discs				
TL0993808	115mm	2.5mm	£0.71	£0.65
TL0993908	125mm	2.5mm	£0.93	£0.84
TL0994108	230mm	3.0mm	£1.32	£1.21

Diamond Cutting Discs

- Outstanding cutting performance
 Consistent cutting depth and long
- Consistent cutting depth and long cutting life
- High-quality diamond concentration and excellent concentricity

		Dia (Ø)	Core	1+	5+	
TL091	5008	115mm	22.2mm	£1.50	£1.45	
TL091	5108	230mm	22.2mm	£5.39	£5.16	
TL091	5208	300mm	20mm	£12.49	£11.80)
						~



All Prices Exclude VAT



Diamond Disc Bosch Suitable for cutting a variety of materials including common bricks, concrete blocks, slate and roofing tiles High-quality diamond concentration and excellent concentricity

- Both wheels have a 22mm bore
 - oth wheels have a 22mm bore

order code TL0894808

482313

480272

	Wheel diameter (mm ")	102010
TL1198108	115 41⁄2"	£7.94
TL1198208	230 9"	£22.97
		/

Flap Discs flexOvit Ideal for sanding contoured metal surfaces, blending welds, deburring and finishing castings For use with angle grinders Bore size: 22.2mm 480270 115mm Diameter 1+ 5+ TL1009108 Medium 80 f2.40 f2.15 TL1009208 Coarse 40 £2.40 £2.15 125mm Diameter TL1009308 Medium 80 £2.85 £2.55 TL1009408 £2.55 Coarse 40 £2.85

Grinding Discs

- Depressed centre grinding discs for metal, steels and stainless steels
- Thickness: 6.5mm
- Supplied in packs of 10

		1+	5+
100mm	16.0mm	£7.65	£7.23
115mm	22.23mm	£7.86	£7.57
125mm	22.23mm	£9.11	£8.35
180mm	22.23mm	£15.07	£13.82
230mm	22.23mm	£21.65	£19.85
	115mm 125mm 180mm	115mm 22.23mm 125mm 22.23mm 180mm 22.23mm	100mm 16.0mm £7.65 115mm 22.23mm £7.86 125mm 22.23mm £9.11 180mm 22.23mm £15.07

134

Download from Www.Soma FAX YOUR ORDER TO US ON 08701 20 25 31







136

idea DELIMERY IS EREE ON ALL IK ORDERS OVER £40 (EX VAT)





WE ARE PLEASED TO ACCEPTUAL SHARE AND DOWN WAT



DON'T FORGET - THERE'S NO MINIMUM ORDER AT CPC!





All Prices Exclude VAT

139

GREAT PRICES ON OVER 100,000 QUALITY STOCKED PRODUCTS



Suitable for sanding all metals, woods and plastics Aluminium oxide abrasive Velcro-backed delta and multi-sander pads Pad Sizes 2-Part Detail - 151 x 102mm Delta - 93mm 480431 2-Part Detail - Pks 10 1+ 5+ TL0969208 40 £6.68 £6.11 TI 0969308 80 £6.50 £5.94 TL0969408 120 £6.69 £6.11 TL0969508 180 £6.69 £6.11 Delta, 6 Holes - Pks 50 TL0971208 40 £14.87 £14.11 TI 0971308 60 £14.86 £14.10 TL0971408 80 £14.55 £13.81 TL0971508 180 £14.55 £13.81 TL0971608 240 £14.54 £13.81

230W 1⁄4" Sheet Orbital Palm Grip Sander

Model: D26441-GB & LX

- Sands at 14,000 orbits per minute,
- providing a superior finish Hook & loop platen allows faster paper change, better dust extraction and increase sanding efficiency
- Paper clamps provided for conventional
- Dust sealed switch for increased durability
- Sealed 100% ball-bearing construction provides longer life
- Contents: 1 x Sanding sheets, 1 x Paper punch, 1 x Dust bag with builtin extractor connection


(Rotation Speed: Weight: 1.4kg	4000rpm; Sanding Sheet Size: 140 x 115 mm;)
			480426	
	TL1155908	240V	£55.47	
	TL1156008	110V	£58.11	
· `				/



140

<u>GET IT FASTI - SOME DAY DESPANCH AN OLL OPDERS PLACED BEFORE 7PM</u>





All Prices Exclude VAT

TRADES - WHAT YOU NEED AT LOW PRICES which



All Prices Exclude VAT

TRADES - LOW TRADE PRICES ON TAOLS FOR THE WORKSHOP OR HOME





All Prices Exclude VAT




144

Download from Www.Soman FAS. YO.U.R AND AND FE TO NS ON 08701 20 25 31



£38.29

£59.57



- industrial and hobbyist applications
- · Medium and coarse grinding wheels

No Load Speed Wheel Dia, (Med/Coarse) Wheel Width (Med/Coarse)

2950rpm 150mm/150mm 16mm/16mm

order code TL1074008

RYOAL EBG-2515 FBG-3720 370W 2850rpm 2850rnm 150 x 20mm 200 x 25mm 498676






All Prices Exclude VAT

462850

Access & Handling



146

DELIMERY IS FREE ON ALL LIK ORDERS OVER £40 (EX VAT)





All Prices Exclude VAT

147

WE ARE PLEASED TO ACCEPTION SEAR THE DOWN BOT

Offers End 30th September 2008





ales office. OPC is a division of Premier Famell UK Limites. Registered No. 660093. Registered Office: 150 Amily RL Leeks, LS12 200, UK, Details of OPCs data protection policy are available. apon request (please quote SUDATA). or Bownload (from WWW/SomanTVATSICON/WAY) PManTAATS Search And Download. A Premier Famell Company Free Manuals Download Website <u>http://myh66.com</u> <u>http://usermanuals.us</u> <u>http://www.somanuals.com</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.com</u> <u>http://www.404manual.com</u> <u>http://www.luxmanual.com</u> <u>http://aubethermostatmanual.com</u> Golf course search by state

http://golfingnear.com Email search by domain

http://emailbydomain.com Auto manuals search

http://auto.somanuals.com TV manuals search

http://tv.somanuals.com