

USER'S MANUAL

AR12D

12" (305mm) DUAL 4 Ω VOICE COIL SUBWOOFER

BOSS[®]
AUDIO SYSTEMS

BOSS Audio Systems
3451 Lunar Court • Oxnard, CA 93030
www.bosssaudio.com | 800.999.1236
tech support: www.bosssaudio.com/support



0314

USER'S MANUAL

AR12D

12" (305mm)

DUAL 4 Ω VOICE COIL SUBWOOFER



BOSS[®]
AUDIO SYSTEMS



Technical Support

If you need technical support with your Boss Audio product or have questions about its use, please contact us:

805.751.4853

www.BossAudio.com

Congratulations on your purchase of the Boss Audio Phantom Series Subwoofer. Boss Audio takes great pride in producing products that look great, sound great, and stand up to the daily rigors applied by audio enthusiasts around the world.

Due to ongoing product development, specifications are subject to change without notice.




Enclosures

The AR12D will work in both sealed and ported enclosures. A sealed enclosure will yield a more linear response. A ported enclosure will roughly increase bass response about 3 – 6 dB.

Below you will find the dimensions to make the enclosure to suit the subwoofers needs, it has been designed for maximum output while retaining great sound quality.


The dimensions have already accounted for the volume displacement of the subwoofer, and using 3/4" (19mm) MDF. All dimensions are external.

Enclosure Dimensions



Sealed Dimensions:

Length (L) : 16.5"(420mm)
Width (W) : 12.6"(320mm)
Height (H) : 9.1"(230mm)
Cutout Diameter: 11"(279mm)



Ported Dimensions:

Length (L) : 17.7"(450mm)
Width (W) : 12.6"(320mm)
Height (H) : 9.1"(230mm)
Port Diameter : 4"(101.6mm)
Port Length : 16"(406.4mm)
Port Freq : 38.2 Hz
Cutout Diameter: 11"(279mm)



AR12D 12" (30.5cm) Subwoofer

- *Dual 4 Ω Voice Coils*
- *2400 W Peak Power Handling*
- *2"(51mm) High Temperature Voice Coil*
- *Butyl Rubber Surround*




Product Specifications


Impedance	8 Ω (Series)
Resonant Frequency	28 Hz
Qts	0.985
Qms	5.225
Qes	1.214
Vas	3.015 cu Ft. (85.38 liters)
Xmax	9.04 mm
Sensitivity (1 W/ 1 m)	85 dB
Peak Power Handling	2400 W
Mounting Depth	5-3/16" (132mm)
Cutout Diameter	11" (279mm)



Wiring your Subwoofer



Multiple Subwoofers



Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>