



This catalogue was handed over to you by:


BRILL GLORIA D-58456 Witten

Därmannsbusch 7 Phone: +49 23 02 / 7 00 - 0 Fax: +49 23 02 / 7 00 - 46

Haus- und Gartengeräte GmbH Sales and Marketing headquarters: D-89231 Neu-Ulm Edisonallee 3

Phone: +49 731/1 40 60 47 Fax: +49 731/1 40 60 43 info@brillgloria-garten.com







BRILL stands for quality and tradition

Already since the establishment of the company in the year 1873 the quality and efficiency of development and production have been the primary focus of BRILL. We started under modest working conditions in an on-site foundry in Wuppertal-Barmen. Today we have modern manufacturing plants as well as a highly developed logistics center at the company's site in Witten-Herbede.

For years our products and services and their reliability have been documented and confirmed with various safety test marks and awards by independent internationally recognized institutions.

















To guarantee consistent production quality, the company has been certified under DIN ISO 9001 since 1997. That means that quality can be checked in all stages of production. That means proven

quality for you.



www.brill.de



Always at the right height...

be attained thanks to the

adjustable handle bars.

without a change of grip.

The ideal position can always

The grass box which opens at

the back can also be emptied





Superior technology, convenient handling, dynamic design


BRILL evolution sets new standards in lawn mower technology. Innovative technology and functional design were the decisive factors in the development of the **evolution** series. The revolutionary space-saving concept is optimally tailored to today's requirements. When positioned upright, the evolution finds room in the smallest of spaces. The patented dual channel air system guarantees a perfect cut.

The **evolution** petrol mower is equipped with a special tank system, so that it can also be stored upright in a filled state. Particularly pleasing is the low weight of the petrol mowers. They only weigh slightly more than comparable electrical appliances. In this way mowing lawns becomes fun!



Now with mulching function





The DuoAir Management

A dual channel air system with effective cutting technology collects grass and sucks the lawn holds dust and pollen. This cuttings in an air flow, resulting means that dirt is no longer in an ideal cutting performance swirled up and allergy sufferers even with the closest cutting height.





Simply practical

The grass cuttings in the grass box can be easily removed in an upright position, without having to change your grip, so that your back is treated with

The closed grass box system protects people with allergies in the best possible way from dust and pollen.



The upright position...

A functional design makes the BRILL evolution a real spacesaver. It is easy to carry or fit into even the smallest car boot. It shrinks in size if not in use. When positioned upright, it finds room in every corner.



More cleaner air for people with allergies

A closed grass box effectively can breathe a new sigh of relief.



Getting a grip... The integrated ergonomical handles are a real relief. They can be used to lift and transport the BRILL evolution easily, in addition to placing it in the boot.

The control centre...

Everything comes together cleanly and clearly – at the comfort panel with the useful cable carrier. Mowing with ease at long last!



The deepest cutting height of

16 mm makes mowing lawns

of golf course quality possible.

Well filled...

The grass box level indicator of the BRILL **evolution** is a new practical thing. It can be easily read and you also know when it is time to empty the grass box.

	Electric lawnmowers		Petrol lawnmowers					
	BRILL evolution 33 EF	BRILL Evolution 36 EF	BRILL Evolution 41 EF	BRILL evolution 33 EM	BRILL evolution 36 EM	BRILL evolution 41 EM	BRILL evolution 42 BM	BRILL evolution 42 BFR
Art no	61050	61051	61052	61040	61041	61042	61053	61054
EAN Code	40 09093 000771	40 09093 000788	40 09093 000795	40 09093 000702	40 09093 000719	40 09093 000726	40 09093 001440	40 09093 001457
Cutting width	33 cm	36 cm	41 cm	33 cm	36 cm	41 cm	42 cm	42 cm
Engine	Electric 230 V	Electric 230 V	Electric 230 V	Electric 230 V	Electric 230 V	Electric 230 V	Briggs & Stratton	Briggs & Stratton
Power	1,000 W	1,300 W	1,600 W	1,000 W	1,200 W	1,500 W	2.6 kW	2.9 kW
Housing	Robust PP plastic	Robust PP plastic	Robust PP plastic	Robust PP plastic	Robust PP plastic	Robust PP plastic	High impact resistant ABS-plastic	High impact resistant ABS-plastic
Cutting technology	Single blade	Single blade	Single blade	Single component blade	Single component blade	Single component blade	Single component blade	Single component blade
Handle bar adjustment	•	•	•	•	•	•	•	•
Wheels	Plain bearing	Ball bearing	Ball bearing	Plain bearing	Plain bearing	Ball bearing	Ball bearing	Ball bearing
Cutting height adjust- ment with display	Central, 7 position height settings from 16 – 70 mm	Central, 7 position height settings from 16 – 70 mm	Central, 7 position height settings from 16 – 70 mm	Central, 7 position height set- tings, from 16 – 70 mm	Central, 7 position height settings, from 16 – 70 mm	Central, 7 position height settings, from 16 – 70 mm	Central, 7 position height settings, from 16 – 70 mm	Central, 7 position height settings from 16 – 70 mm
Grass box volume	281	361	50 I	28 Ĭ	36	50	50	50
Safety	Comfort panel, engine and blade stop under 3 sec.	Comfort panel, engine and blade stop under 3 sec.	Comfort panel, engine and blade stop under 3 sec.	Cable release, engine and blade stop under 3 sec.	Cable release, engine and blade stop under 3 sec.	Flick-Flack cable guide, engine and blade stop under 3 sec.	Engine and blade stop under 3 sec.	Engine and blade stop under 3 sec
Wheel drive	·						0	•
Moving cable guide	•	•	•	•	•	•		
Noise level	88 dB(A)	89 dB(A)	92 dB(A)	88 dB(A)	89 dB(A)	92 dB(A)	95 dB(A)	95 dB(A)
Weight	17 kg	19 kg	22 kg	16 kg	19 kg	21 kg	24 kg	25.5 kg
Recommended for areas up to	400 sq. m	500 sq. m	700 sq. m	400 sq. m	500 sq. m	700 sq. m	800 sq. m	900 sq. m
Packed fully assembled	•	•	•	•	•	•	•	•

● Not standard ● Standard The right to make technical amendments reserved



evolution mulching function

For the 41 and 42 series models a mulch box is available as a special accessory. This is inserted instead of the grass box and distributes the mown grass directly on to the lawn. In this way you fertilize your lawn and protect it from drying out.





Practical cleaning...

Thanks to its upright position, it can be cleaned after use without difficulty.

There is even a storage bracket available as an accessory, making it possible to hang the evolution on a wall without difficulty.

Accessories:

BRILL evolution cutting bl	lade				
	Art no	61604	61605	61606	61608
	EAN Code	40 09093 001044	40 09093 001051	40 09093 001068	40 09093 001525
	Cutting width	33 cm	36 cm	41 cm	42 cm

RILL bracket for evolution			BRILL mulch box f	for evolution	
	Art no	61630	4	Art no	78933
ا لرک کے	EAN code	40 09093 001075		EAN Code	40 09093 001952
				Cutting width	41 cm
				Art no	78934
				EAN Code	40 09093 001945
				Cutting width	42 cm



Brilliant Features

The **brillencio** from BRILL has literally been created for a relaxed lawn mowing. Its design took on fundamental requirements such as a noise prevention, comfortable handling and as far as possible, protection of those suffering from allergies from dust and pollen.

That is also what has emerged: friendly to your ears, just right for people suffering from allergies and kind to your back.

Friendly to your ears as a matter of principle

The silencer system integrated in the housing "swallows" the noise volume and at the same time deflects the exhaust gases from the engine directly towards the ground.

Airspace - just right for people suffering from allergies

The closed all-round retaining system prevents the ejection of grass, dust particles and pollen. People suffering from allergies can breathe a sigh of relief.

Technology which is kind to your back

The closed multi-function box covering the gass box at the rear provides noise insulation and optimises the air flow. The folding mechanism of the handle bars enables the grass box to be removed whilst standing in an upright position.

A central and infinitely variable height adjustment of 30-80 cm provides ideal mowing positions.

Magnesium housing ultra light and unbreakable

The housing of all 43 and 51 models is of ultra light, high impact-resistant magnesium -



The closed silencer concept:

Emissions, dust particles and pollen are almost completely encapsulated in the multifunction box. The low-noise blade and the silencer which is integrated in the housing reduce the noise perception by up to 50%.



High-Tech is used in your garden!

Low-noise blade



	brillencio 4	1 B	brillencio 41 BR	briller	icio 48 BRX	brillencio 48 BR (e)-comfo	rt
Art no	62041		62043	62056	1	62029	
EAN Code	40 09093 0	00474	40 09093 000498	40 09	093 001471	40 09093 000689	
Cutting width	(cm > 41 cm		41 cm	48 cm		48 cm	
Engine	Briggs & St	ratton, 158 cc	Briggs & Stratton, 158 cc	Briggs	& Stratton, 190 cc	Briggs & Stratton, 190 cc	
Max power (kW/hp) (at 3,600 rpm)	2.9 kW (4.0	HP)	2.9 kW (4.0 HP)	4.1 kV	/ (5.5 HP)	4.1 kW (5.5 HP)	
Housing		t resistant PA/ABS-plastic	High impact resistant PA/Al	BS-plastic High i	mpact resistant PA/ABS plast	ic High impact resistant PA/A	ABS plastic
Cutting technology	Low noise s	ingle component blade	Low noise single componen	t blade Low n	oise single component blade	Low noise single compone	nt blade
Wheels	With double	e ball bearing mounting	With double ball bearing m	ounting With	double ball bearing mounting	g With double ball bearing r	nounting
Cutting height adjustment with display	Central, infi	nitely variable 0 mm	Central, infinitely variable from 30 – 80 mm		ıl, infinitely variable 80 – 80 mm	Central, infinitely variable from 30 – 80 mm	
Grass box volume	50 1		50 1	65 I		65	
Safety	Engine and	blade stop under 3 sec.	Engine and blade stop under	er 3 sec. Engin	e and blade stop under 3 sec.	Engine and blade stop und	ler 3 sec.
Wheel drive	_	•	1-speed	1-spec	ed •	1-speed	
Electric start	✓'	0	0		0	•	
Recommended for areas up to	700 sq. m		800 sq. m	1,400	sq. m	1,500 sq. m	
Noise level	94 dB(A)		94 dB(A)	94 dB	(A)	94 dB(A)	
Weight	31 kg		34.5 kg	39,5 k	g	43.5 kg	
Packed fully assembled		•	•		•	•	





Easy start with (e)-comfort

The **brillencio** starts with no problems with this strong 12 Volt power pack whatever the weather. Just turn the key and off it goes. The battery can simply be taken out of the holder and can be charged using an external charger.



State-of-the-art materials

High impact resistance and extremly robust materials characterise the brillencio. The housing of the smaller models is made of high-quality PA/ABS plastic.

Ready to start quickly - rapidly stored

Every **brillencio** is ready for work in an instant folded away again and stored so that it saves space. The compact design, the refined folding mechanism and the two integrated handles make it easy.









		brillencio 43 B OHC	brillencio 43 BR OHC	brillencio 51 BR OHC
Art no	M	62025	62026	62030
EAN Code		40 09093 000627	40 09093 000634	40 09093 000443
Cutting width (cm)	(cm)	43 cm	43 cm	51 cm
Engine	8	Honda, 135 cc	Honda, 135 cc	Honda, 160 cc
Max power (kW/hp) (at 3,600 rpm)	kW (PS)	3.4 kW (4.5 HP)	3.4 kW (4.5 HP)	4.1 kW (5.5 HP)
Housing	\sim	Mg Magnesium	Mg Magnesium	Mg Magnesium
Cutting technology	NO.	Low noise single component blade	Low noise single component blade	Low noise single component blade
Wheels		With double ball bearing mounting	With double ball bearing mounting	With double ball bearing mounting
Cutting height adjustment with display		Central, infinitely variable from 30 – 80 mm	Central, infinitely variable from 30 – 80 mm	Central, infinitely variable from 30 – 80 mm
Grass box volume	****	50	50	65 l
Safety	1	Engine and blade stop under 3 sec.	Engine and blade stop under 3 sec.	Engine and blade stop under 3 sec.
Wheel drive		1-speed o	1-speed	Vario
Electric start	^	0	0	0
Recommended for areas up to	m²	1,000 sq. m	1,200 sq. m	1,800 sq. m
Noise level	-)(e	93 dB(A)	93 dB(A)	98 dB(A)
Weight	ř.	34 kg	37.5 kg	43 kg
Packed fully assembled		•	•	•

Ultra-light – extremely stable

What has proved its worth in the aerospace and aeroplane technology is used in the **brillencio.** The housings made of magnesium are ultra-light, high impact resistant and robust.

Runs very smoothly

The long wheelbase means that the **brillencio** glides over the lawn pass after pass, stably and on track – attractive, clean cutting guaranteed!

Perfect Balance

The right to make technical amendments reserved

The grass box is arranged in such a way on the **brillencio** that its weight is transferred to the rear axle when full.

Convenient Vario-drive

Several models save the gardener from having to push the mower because they have driven wheels. The Vario-drive with infinitely variable adjustable speed enables the brillencio also to handle large areas and lawn areas on slopes without difficulty.

Push or pull - the brillencio lawn roller





The basis of an attractive lawn is the soil preparation when sowing the grass. The hand operated lawn roller presses the lawn seed against the soil ensuring good germination and equal growth.

Hang on: after the lawn has been mown for the first time, the lawn roller can be directly attached onto the brillencio, thereby achieving an additional compacting of the soil.

Accessories:		
Duo-cutting blade for brillencio	Art no	61601
	EAN Code	40 09093 616019
	Cutting width	41 cm
	-	
	Art no	61600
	EAN Code	40 09093 616002
	Cutting width	43 cm
	-	
	Art no	61602
•	EAN Code	40 09093 616026
	Cutting width	48 cm
	Art no	61603
		40 09093 616033
	Cutting width	51 cm
Charger for brillencio	Art no	
	EAN Code	
	Charging time	
	Input voltage	230 V
Battery for electric start	Art no	
	EAN Code	40 09093 629019
	Rating	12 V, maintenance-free
brillencio lawn roller 430 BRW*	Art no	61631
	EAN Code	40 09093 00182

Working width 50 cm Roller diameter 22 cm * Frame and brillencio trailer coupling included in delivery

ideas for the darden

brillencio electro



The **brillencio** electro is ideal for small to medium sized gardens of individual houses. However, considerably larger areas can also be cut without difficulty with the powerful 1,500 W motor.

The innovative cutting geometry of the mowing mechanism also handles tall and damp grass extremely well.

Although it has a cutting width of 41 cm the **brillencio** electro enables to proceed fast and it is very easy to handle and manoeuvre.



The low weight of the plastic housing contributes to this. The wide handles mean that the mower is easy to move around the garden.

enables the **brillencio** 41 E to be switched on easily. The advantages at a glance
The greatest benefit is provided by the new BRILL design
for the grass box, which protects the user's back.

The multi-function box, which acts as a silencer, is opened by a well-designed hinge mechanism, releasing the grass box and enabling the user to remove it whilst in a standing position.

The **brillencio** system, used throughout the range, retains dust, grass and pollen reliably. A clean cut is guaranteed by the long wheelbase, the excellent smooth-running of the lightweight wheels and cleverly designed balancing of the weight.

With its infinitely variable height adjustment from 30 to 80 mm, the **brillencio** electro 41 E can handle any situation.





Accessory:





14



No blade of grass is spared

Robust, sheet steel housing, powerful engines and large cutting widths characterize the new **Steelline** petrol mowers. Fitted with extra-large rear wheels, the petrol mowers are extremely manoeuvrable and demonstrate their great mobility even when the ground is uneven. The grass is cut perfectly even when it is long.

The mowers are fitted with powerful Briggs & Stratton or Honda engines and some of them have a single speed wheel drive giving 3.5 km/h. The 52 series model is executed as standard with discharging of the grass to the side and the mulching function.

new	new	new		new	
		C- B- W	C B	C - 18	W

		Steelline 42 XL 4.0	Steelline 42 XL 6.0	Steelline 46 XL 6.0	Steelline 46 XL R 6.0	Steelline 46 XL R OHC	Steelline 52 XL R 6.0
Art no	B	63310	63311	63312	63306	63307	63308
EAN code		40 09093 173680	40 09093 175400	40 09093 175417	40 09093 001761	40 09093 001778	40 09093 001785
Engine		Briggs & Stratton Quattro 40	Briggs & Stratton Series 675 Ready Start	Briggs & Stratton Series 675 Ready Start	Briggs & Stratton Series 675 Ready Start	Honda GCV135	Briggs & Stratton Series 675 Ready Start
Max. power	kW (PS)	2,9 kW (4,0 HP)	4,4 kW (6,0 HP)	4,4 kW (6,0 HP)	4,4 kW (6,0 HP)	3,4 kW (4,5 HP)	4,4 kW (6,0 HP)
Cutting width	(cm)	42 cm	42 cm	46 cm	46 cm	46 cm	51 cm
Cutting height		central, 7 position height settings (30 – 70 mm)	central, 7 position height settings (30 – 70 mm)	central, 7 position height settings (30 – 80 mm)	central, 7 position height settings (30 – 80 mm)	central, 7 position height settings (30 – 80 mm)	central, 7 position height settings (30 – 80 mm)
Housing made of	\sim	steel sheet					
Blades with rear discharge	NO.	1 blade					
Wheels		Plain bearing	Plain bearing	Ball bearing	Ball bearing	Ball bearing	Ball bearing
Wheel drive	(0	0	0	1-single-speed, 3,5 km/h	1-single-speed, 3,5 km/h	1-single-speed, 3,5 km/h
Lateral discharge	1	0	0	0	0	0	•
Grass box	3335	65 l	65 I	65 I	65 l	65 l	65 I
Grass box level indicator	CITITI	•	•	•	•	•	•
Mulching function	1	0	0	0	0	0	•
Weight	F	28 kg	30 kg	32 kg	33 kg	33 kg	35 kg
Recommended for areas up to	m²	800 sq. m	800 sq. m	1.000 sq. m	1.200 sq. m	1.200 sq. m	1.600 sq. m

O Not standard • Standard The right to make technical amendments reserved



Easily adjustable

The integrated spring system enables the cutting height to be conveniently set centrally to seven different heights from 30 to 80 millimetres.



Clean mowing

The grass box made of robust plastic holds 65 litres and can be removed easily.



Easy to manoeuvre

The extra large wheels with single-speed wheel drive ensure more grip and simple handling.



Easily visible

The practical level indicator shows when the grass box has to be emptied.



ccessories:		
BRILL Steelline	cutting blade	
	Art no	61611
	EAN Code	40 09093 182897
	Working width	42 cm
	Art no	61609
	EAN Code	40 09093 001976
	Working width	46 cm
	Art no	61610
	EAN Code	40 09093 001983
	Working width	51 cm



Hattrick® The all-rounder

Aerating, mowing, collecting - the multifunction machine that can do everything

Spring-clean for the lawn! The Hattrick aerates, mows and collects in one operation. The aerator roller on the front thoroughly removes thatch and moss from the lawn. It is equipped with robust, durable steel tines, which aerate the lawn as they rotate. The aerator roller is activated via the connection button.

The dual channel air system ensures an optimum mowing and collection performance under all conditions, so that the removed thatch and the grass clippings land safely in the large grass catcher.

The comfort panel with ergonomic handle guide and practical cable guide is clearly arranged and particularly pleasant to operate.



a source of moisture and natural fertiliser. The Mulch Set is part of the special equipment of the Hattrick. It is simply hooked into the collection chute in place of the grass box.


aerating, mowing, collecting tings are finely cut and returned directly to the lawn and serve as



		BRILL Hattrick 36 EH	BRILL Hattrick 40 BHR
Art no	M	62103	61014
EAN Code		40 09093 001426	40 09093 001433
Cutting width	(cm)	36 cm	40 cm
Engine		Electric – 230 V	Briggs & Stratton, 190 cc
Output/power	kW (PS)	1,500 W	3.7 kW (5.0 HP) at 3,600 rpm
Aerator can be switched on	* <u>***</u>	•	•
Mulch-box	iles:	Available as accessory	Available as accessory
Housing	<u> </u>	Robust PP plastic	High impact resistant PA/ABS plastic
Cutting technology	707	Single component blade	2 triangular blades sharpened on both sides
Handle bar adjustment	$\overline{\Box}$	•	•
Wheels		Plain bearing	With double ball bearing mounting
Cutting height adjustment with indicator		Central, infinitely variable from 30 – 70 mm	Central, infinitely variable from 30 – 80 mm
Fabric grass catcher	\$330	38 I	46 I
Safety		Comfort panel, movable cable guide, engine and blade stop under 3 sec.	Engine and blade stop under 3 sec.
Wheel drive	(•	•
Weight	Ė	21 kg	35 kg
Noise level	~b(88 dB(A)	95 dB(A)
Recommended for areas up to	m²	600 sq. m	1,000 sq. m
Packed fully assembled		•	•

 Not standard 	 Standard 	The right to make technical amendments reserved

Accessories:		_
BRILL Hattrick aerator roller	Art no	78350
	EAN Code	40 09093 835007
23 111	Working width	36 cm
Construction of the last of th		
	Art no	78352
and the state of t	EAN Code	40 09093 835205
	Working width	40 cm
BRILL mulch box	Art no	78983
4 -	EAN Code	40 09093 000887
	Mulch-box	36 cm
	Art no	78962
	EAN Code	40 09093 896206
	Mulch-box	40 cm











BRILL RazorCut Premium 33



BRILL RazorCut Premium 38



It could not be simpler:
The battery can be withdrawn for changing
in a single movement.
TV LOCALIMISM






The cutting height adjustment of the RazoCut is infinitely variable from 14 to 45 millimetres or from 20 to 45 millimetres respectively.

Art no	M	78357	78366	78371	65070
EAN Code		40 09093 001822	40 09093 001815	40 09093 001808	40 09093 001792
Engine		0	0	0	24 V
Cutting width	(cm)	30 cm	33 cm	38 cm	38 cm
Cutting technology	NO.	blade cylinder, 5 blades	blade cylinder, 5 blades	blade cylinder, 5 blades	blade cylinder with electric drive, 5 blades
Contact-free cutting technology	${m imes}$	0	•	•	•
Cylinder & bottom blade: Special steel and precision-sharpened	\geq	•	maintenance- • free because of anti-coiling device	maintenance- • free because of anti-coiling device	maintenance- • free because of anti-coiling device
Blade spindle mounted on ball bearings	\circ	•	•	•	•
Cover to protect flowers and shrubs		•	•	•	•
Frame	\bigcap	classic ladder frame design	ergonomically shaped with foam rubber handle	ergonomically shaped with foam rubber handle	ergonomically shaped with foam rubber handle
Cutting height adjustment		6 settings from 17 – 43 mm	infinitely variable from 14 – 45 mm with monitoring scale on	infinitely variable from 14 – 45 mm with monitoring scale on both sides	infinitely variable from 20 – 45 mm with monitoring scale on both sides
Drive	•		both sides		power battery 24 V
Safety	Ţ				safety switch
Recommended for areas	m²	up to 100 sq. m	up to 200 sq. m	up to 250 sq. m	approx. 300 sq. m with fully charged battery
Grass catcher	355-	available as accessory	available as accessory	available as accessory	available as accessory
Noise level	D(6				86 dB(A)
Weight	1	5.4 kg	6.9 kg	7.4 kg	11 kg

O Not standard • Standard The right to make technical amendments reserved



Accessory:		
Cylinder mower grass catcher 38	Art no	65041
	EAN	40 09093 610628
	Material	Woven nylon, reinforced
		with steel frame
	Cutting width	38 cm
	Weight	1.5 kg
Cylinder mower grass catcher 30/33	Art no	65061
Cylinder mower grass catcher 30/33	Art no EAN	65061 40 09093 001969
Cylinder mower grass catcher 30/33		
Cylinder mower grass catcher 30/33	EAN	40 09093 001969
Cylinder mower grass catcher 30/33	EAN	40 09093 001969 Woven nylon, reinforced
Cylinder mower grass catcher 30/33	EAN Material	40 09093 001969 Woven nylon, reinforced with steel frame





Accessories





Your lawn breathes a sigh of relief!

The scarifying of the lawn is an important requirement for the obtaining of beautiful thick green grass.
Only a powerful lawn scarifier effectively removes thatch, moss, cuttings and dead vegetation. Nutrients, air and water are otherwise unable to penetrate deep down to the roots of the grass. You gain the best results with the electric lawn scarifiers from BRIII.

With working widths of 30, 32, 36 and 38 cm and powerful electric motors from 1100 to 1500 watts, the new BRILL electric scarifier is even able to remove thatch and moss from larger areas.

The new BRILL **lawn scarifier** is also available as a powerful model with a petrol engine. With its wide working width of 40 cm, it guarantees efficient scarifying.





And your lawn takes a deep breath...



The BRILL lawn scarifier – clever technology:

- a compact design with functions easy to use
- central transport and parking position which can be operated from above
- infinitely variable height adjustment for the blade roller
- optimised discharge chute
 height-adjustable bars permitting ergonomically effective working
- carrying handles for easy transportation
- space-saving



A beautiful, thick lawn needs air



Ideal care

Scarifying is best carried out in the spring at the start of the period of growth and once again in the late autumn. The lawn aerator on the other hand can be used more often, because the interference is not so severe. Comparable to a vigorous raking, the rotating steel tines of the aerator roller scour through the space between the individual lawn plants. This means that excessive formation of thatch is prevented and the lawn remains healthy and vigorous over the entire year.



Scarifying and aerating: two in one.



Internet



			•				
	BRILL electric moss claw 230 RL	BRILL 28 VE/RL	BRILL 30 VE	BRILL 32 VE	BRILL 36 VE	BRILL 38 VE	BRILL 40 VB
Art no	62112	62066	62063	62064	62060	62061	64014
EAN Code	40 09093 001181	40 09093 001488	40 09093 000733	40 09093 000740	40 09093 000566	40 09093 000573	40 09093 001587
Working width <>	40 cm	28 cm	30 cm	32 cm	36 cm	38 cm	40 cm
Engine 🗒	230 V/180 W	230 V/1,000 W	230 V/1,100 W	230 V/1,200 W	230 V/1,200 W	230 V/1,500 W	Briggs & Stratton 2.6 kW (3.5 HP)
Housing	Robust PP plastic	Robust PP plastic	Robust PP plastic	Robust PP plastic	Robust PP plastic	Robust PP plastic	Robust PP plastic
Height adjustment of the blade bar	2 aerator rollers with special spring steel tines	Central, infinitely variable up to 15 mm	Central, infinitely variable up to 15 mm	Central, infinitely variable up to 15 mm	Central, infinitely variable up to 20 mm	Central, infinitely variable up to 20 mm	Central, infinitely variable up to 20 mm
Number of blades		6	14	14	16	17	17
Centrally operational transport position		•	•	•	•	•	•
Handle bar adjustment		0	0	0	•	•	•
Cable guide		•	•	•	•	•	
Wheels		Plain bearing	Plain bearing	Plain bearing	Plain bearing	Ball bearing	Ball bearing
Grass catcher		45 I (available as accessory)	35 I (available as accessory)	35 I (available as accessory)	50 I (available as accessory)	50 I (available as accessory)	50 l (available as accessory)
Recommended for areas of up to m2	150 sq. m	500 sq. m	600 sq. m	700 sq. m	800 sq. m	900 sq. m	1,000 sq. m
Packaged completely pre-assembled	0	0	•	•	•	•	0
Weight	2,4 kg	11 kg	21 kg	22 kg	26 kg	27 kg	33 kg


O Not standard • Standard The right to make technical amendments reserved

The steel tine roller thoroughly removes moss growing on the surface.













kompakt und Platz sparend

sories:			
grass catcher	for 30 VE and 32 VE	for 30 VE and 32 VE	
	Art no. 62072	Art no. 62072	

Art no 62073 62070 EAN Code 40 09093 001013 40 09093 620702 Volume 35 50			
10 03033 020702	Art no	62073	62070
Volume 35 l 50 l	EAN Code	40 09093 001013	40 09093 620702
	Volume	35 I	50 I
	Volume	35	501

BRILL blade reel	30	32	36	38	40
Art no	62075	62076	62071	62072	62077
EAN Code	40 09093 001129	40 09093 001136	40 09093 000863	40 09093 000870	40 09093 001143





The absolute freedom in the garden **BRILL battery 24 Volts**

Power in the pack: BRILL power battery

With the BRILL battery range, amateur gardeners have the experience of absolute freedom of movement in the garden. The BRILL compact battery even makes them independent of the mains, especially in awkward areas. It is carried direct on the body with a shoulder strap and belt clip. That is comfortable and means that the user hardly feels the weight of the connected tools.

The high performance 24 Volts technology guarantees a long running time. It can be used as a powerful source of energy for up to 5 pieces of battery operated tools. The BRILL power battery is connected by a short spiral cable with a clip in plug. Just push it into the BRILL power battery and off you go.





BRILL Lawn Aerator ...provides the lawn with fresh air!

The unique 400 RLB manual lawn aerator from BRILL with a full power 24 volt battery provides the lawn with fresh air and with its additional sweeping function, it is a combi-tool with a practical double use.

It aerates the lawn by carefully freeing it from thatch and moss. The handy battery-powered tool reaches all corners. After completing the work on the lawn, you simply push the brushes on and sweep your path or terrace clean without any effort. The debris is collected in the container.





Simple to combine

The battery and the batterypowered tools are all available individually. Only the **battery** spindle mower RazorCut Accu 38 is supplied as standard with a 24 Volt power battery. This does, however, also fit all other tools. In this way amateur gardeners can put together their individual equipment.

ечиритене.		BRILL RazorCut 38
Art no with power battery	B	65070
Art no without power battery	M	
EAN Code with power battery		40 09093 001792
EAN Code without power battery		
Output/power	Volt (Ah)	24 V
Charging time	(-)	Approx. 18 – 24 hours
Life span	##	Approx. 1,000 load cycles
Connection system	¬₩-	Spiral cable incl. battery clip
Engine	B	24 V
Capacity with fully charged battery	$\check{\oplus}$	Approx. 300 sq. m with fully charge battery
Working width	<cm></cm>	38 cm
Housing	\sim	Steel sheet/plastic
Technology		Electrically driven blade cylinder, 5 blades
Handle bars	0	Ergonomically shaped with foam rubber handle
Lower handle	2	
Safety	Ţ	Safety switch
Weight approx.		11 kg
Packaging Qty	$\langle \cdot \rangle$	1
Included in box		Only available with battery and battery charger, grass box available as accessory
		Not standard Standard The right to ma







The second second
BRILL battery lawn aerator 400 RLB
62111
62110
40 09093 001112
40 09093 001099
24 V
Approx. 18 – 24 hours
Approx. 1,000 load cycles
Spiral cable incl. battery clip
24 V
Approx. 40 min
40 cm
Plastic
2 aerator rollers with special spring steel tines
Aluminium fix

360° rotatable

4.1 kg

BRILL grass catcher	Art Nr	65041
-	EAN	40 09093 610628
	Material	Woven nylon, reinforced with steel frame
	Weight	1.5 kg
(1108)		

BRILL brush set for 400 RLB	R/H Brush	
. L. C. SA WILDLING BARA		12563
	L/H Brush	
- And the family	Art no	12564
RPILL perstor for 400 PLR	P/H Polier	
BRILL aerator for 400 RLB	R/H Roller	14762
BRILL aerator for 400 RLB	Art no	14762
BRILL aerator for 400 RLB	Art no L/H Roller	14762 14763



		BRILL battery hedge trimmer 420 AHS	BRILL battery shrub trimmer 240 ABT	BRILL battery lawn edge trimmer
Art no with power battery	B	65032	65030	65029
Art no without power battery	Tal.	65003	65002	65004
EAN Code with power battery		40 09093 610420	40 09093 610406	40 09093 610390
EAN Code without power battery		40 09093 650037	40 09093 650020	40 09093 650044
Output/power	Volt (Ah)	24 V	24 V	24 V
Charging time	╚	Approx. 18 – 24 hours	Approx. 18 – 24 hours	Approx. 18 – 24 hours
Life span	₩	Approx. 1,000 load cycles	Approx. 1,000 load cycles	Approx. 1,000 load cycles
Connection system	-W-	Spiral cable incl. battery clip	Spiral cable incl. battery clip	Spiral cable including battery clip
Engine	₽	24 V	24 V	24 V
Capacity with fully charged battery	lacksquare	Approx. 60 min	Approx. 75 min	Approx. 40 min
Working width	<cm></cm>	42 cm bar length	24 cm bar length	
Cutting circle diameter	(Pa)			23 cm
Housing	\sim	Plastic	Plastic	Plastic
Technology	V	Low vibration, hardened safety under- blade running in the opposite direction	Blade – hardened and laser-cut with special ground finish, safety under-blade	1.4 mm diameter cord length 6 m 1-cord techn. with automatic tip
Handle bars	0			Fixed
Lower handle	5			360° rotatable
Safety	Ī	Dual safety switch, fast blade stop under 0.5 sec	Impact protection on blade ends	
Weight approx.	Ė	3.7 kg	2.5 kg	2.8 kg
Packaging Qty	V	1	2	2
Included in box	(Blade protector for storage, available with or without power battery and charger	Blade protector for storage, available with or without power battery and charger	Available with or without power battery and charger

O Not standard • Standard The right to make technical amendments reserved

Power battery 24 volts*	Art no	65006
•	EAN Code	40 09093 650068
	Output	24 V
	power	2 Ah
	Power source	20 Nickel-cadmium cells, each 1.2 V
Carrie Land	Charging time	Approx. 18 – 24 hours
@	Life span	Approx. 1,000 load cycles
	Accessories incl.	Shoulder belt, belt clip and charger
	Weight	1.4 kg
	Packaging Qty	4
1 Combi		240 ART 420 ALIC 4 RC-+ 20

* Can be used with	AND DIR	270 APT	240 ART /	120 AUG	and PazorCut	- 20

	Fast charger for power ba	ttery 24 volts Art no	65038
		EAN Code	40 09093 610482
		Charging time	Approx. 2 hours
		Input voltage	230 V, 50 Hz
	-	Output voltage	24 V, DC (nominal)
		Charging current	1.2 A
		Charge monitoring	delta U, safety timer, controller-monitored charging
		Discharging method	Via push button
	The battery and battery tools	Dimensions	160 x 122 x 95 mm
	(apart from the RazorCut Accu 38) are available individually so that	Safety	Protection against overload, short-circuit and connection to the wrong terminal
38	amateur gardeners can compose their own set of equipment.	Packaging Qty	1









The **BRILL Gardenboy** is the universal garden tool for preparing and looking after your beds. With its specially hardened steel prongs it scarifies the earth without mixing up the layer of humus in the top soil and the natural order of the useful micro-organisms. Thanks to its low weight and back-friendly ergonomic design the BRILL Gardenboy makes sure that the hard work required in looking after a garden becomes a pleasure. The **BRILL Gardenboy** – the innovative electic soil harrower for edge-trimming, scarifying, harrowing, loosening and weeding.

and the second	N 20	
Art no	B	65052
EAN Code		40 09093 001556
Output/power	kW (PS)	350 W
Engine	-	230 V
Working width	(cm)	Approx. 100 mm
Housing	\sim	High impact-resistant PA/ABS plastic
Technology	V	2 x 3 tines made of rolled carbon steel, oscillating rotation of approx. 90°, 550 movements back and forth per minute
Handle bars	Ø	Fixed
Lower handle	5	Infinitely adjustable and rotable
Safety	ļ	Mechanic safety clutch as overload protection
Weight approx.	ř.	2.3 kg

80 mm

Working depth





Always with a beautiful edge



are an all-round tool for edges and corners, their services are required whenever grass grows out of control. For example, around fences and hedges, walls, tree trunks and other places where access is difficult.

The rotating nylon cord with a high speed motor also produces a clean cut along beds and lawn edges. You have a choice of four different models to meet every demand.



Lower handle

Cutter head

Safety

Weight

Art no


FAN Code

Packaging Qty

Noise level

Packaging Qty





93 dB(A) 94 dB(A) 96 dB(A) Replacement cassette for 270 RT and 270 ART Replacement cassette for 1000 EF Replace 400 RT 40 09093 506006 40 09093 506204 40 09093 504507 40 09093 506006 2 / SB-packaging, 2 / SB-packaging, 2 / SB-packaging 2 / SB-packaging, packed in = 10 packed in = 10 packed in = 10 packed in = 5



BRILL lawn edge trimmer 400 RT Duo-tip

400 W max. 12,000 rpm

1.6 mm diameter, cord length

2 x 3 m, 2-cord system

Adjustable up to 10 cm

Automatic tip

Aluminium

360° rotating

Tilt 45°

3.0 kg

40 09093 502909

27 cm

Plastic

BRILL electric lawn edge

1,000 W max. 8,500 rpm

2.0 mm diameter, cord length

6.2 m, 2-cord system

Automatic tip

Aluminium

4.5 kg

immer 1000 EF

40 09093 610130

35 cm

Plastic



40 09093 650044

24 V

each 1.2 V

Aluminium



each 1.2 V	each 1.2 V
Approx. 18 – 24 hours	Approx. 18 – 24 hours
Approx. 1,000 load cycles	Approx. 1,000 load cycles
Spiral cable incl. battery clip	Spiral cable incl. battery clip
Approx. 40 min	Approx. 40 min
23 cm	23 cm
Plastic	Plastic
1.4 mm diameter, cord length 6 m, 1-cord system	1.4 mm diameter, cord length 6 m, 1-cord system
Automatic tip	Automatic tip

Aluminium

Height-adjustable, rotating 360° rotating 360° rotating 360°, with vibration damping Integrated cable release,

2.8 kg

The right to make technical amendments reserved









To provide you with a neat cut:

BRILL Hedge trimmers



		BRILL hedge trimmer 420 HS	BRILL hedge trimmer 540 HS	BRILL hedge trimmer 680 HS	BRILL battery shrub trimmer 240 ABT	BRILL battery shrub trimmer 420 AHS
Art no	M	75030	75031	75032	65002	65003
EAN Code		40 09093 503005	40 09093 503104	40 09093 503203	40 09093 650020	40 09093 650037
Engine	8	230 V	230 V	230 V	24 V	24 V
Max. power / output	kW (PS)	400 W / 2,400 rpm	400 W / 2,400 rpm	400 W / 2,400 rpm		
Length of cut	(cm)	40 cm	54 cm	68 cm	24 cm	42 cm
Safety blades	HHH	opposite directions, hardened		Low vibration, running in opposite directions, hardened	Hardened, laser-cut with special sharpened finish	Low vibration, running in opposite directions, hardened
Gear material	တ	Hardened special steel with safety clutch	Hardened special steel with safety clutch	Hardened special steel with safety clutch	Hardened special steel with safety clutch	Hardened special steel with safety clutch
Dual safety switch		•	•	•	0	
Safety cable clip	İ	•	•	•	Spiral cable incl. battery clip	Spiral cable incl. battery clip
pact protection at blade end	HHHH	•	•	•	•	•
Electr. blade stop under 0.5 sec.	V	•	•	•	•	•
Weight	Ė	3.4 kg	3.6 kg	3.8 kg	0.8 kg	2.5 kg
Noise level	-p(87 dB(A)	87 dB(A)	87 dB(A)	85 dB(A)	89 dB(A)
Packaging Qty	\bigvee	1	1	1	4	1
Included in box	4	Blade protector for storage	Blade protector for storage	Blade protector for storage	Blade protector for storage	Blade protector for storage

O Not standard

Standard

The right to make technical amendments reserved

All BRILL Hedge trimmers are equipped with powerful motors and can cut branches up to 24 mm thick cleanly and precisely with their hardened safety blades.
All the models are balanced so that they feel comfortably in the user's hand and the

three-sided handle is easy to



Length of Safety bla Gear mate Dual safety sw Safety cable mpact protection at bl

Capacity approx. 75 min


with fully charged battery

BRILL power battery 24 volts BRILL power battery 24 volts

required Capacity approx. 60 min

with fully charged battery







The 64 I collector box protects the blade access from below.



The indexing bolt guarantees safety. It prevents the unit starting on its ow when undertaking relatively small pieces of



Power Rotational speed

Capacity

with self feed Safety bolt Access protection from above Access protection from below Collector box

Transport wheels Weight









78055

230 V

2,300 W

Up to 4 cm Ø

64 I collector box

40 09093 805505

High quality, hardened steel

Crush tree cutt	ings
	Art no
	EAN Code
	Engine
	Power

of shredding mechanism Shredding mechanism Cutting-crushing tech.

	2200 MH	2800 MH – 230 V	2800 MH – 400 V	2300 LH
M	74000	74001	74002	73983
	40 09093 000948	40 09093 001662	40 09093 001679	40 09093 739831
₽	230 V	230 V	400 V	230 V
kW (PS)	2,200 W	2,000 W	2,000 W	2,300 W
0	2,800 rpm	2,800 rpm	2,800 rpm	40 rpm
磁	1 flat blade	Crown cutter, triangular cutter	Crown cutter, triangular cutter	High quality, hardened steel
791	Up to 3.5 cm ∅	Up to 5 cm Ø	Up to 5 cm Ø	Up to 4 cm Ø
O \$\$\$	0	0	0	•
1	•	•	•	•
	•	•	•	•
\$88£	0	125 I collector bag	125 I collector bag	0
	•	•	•	•
Ė	21 kg	43 kg	45 kg	24 kg
			,	Not to dead of the color

Not standard	 Standard 	The right to make technical amendments reserved

35.2 kg

BRILL shredders turn hedge trimmings and tree cuttings into valuable shredded material in no time at all.

As a powerful starter model. flat blade technology.

The power models

Innovative cutting techniques to use.

BRILL LH and ESK garden shredders

With the LH and ESK models. the shredder material is broken up by crushing and cutting, enabling it to rot more easily.

The collecting box fulfils an important additional function in the MH model is a real fast-runner the 2000 ESK and 2300 ESK models: and works with the well proven it is not only storage space for the shredded materials but it also forms a safety factor because it protects the discharge opening from access. Therefore, no-one can especially make the LH and ESK accidentally reach into the cutting models quiet and especially easy mechanism from underneath while it is operating. If the box is removed, the unit switches off immediately. The long distance between the filling hopper and the blade mechanism forms an additional safety factor in the 2300 ESK.

BRILL ProfiCut 2800 MH

This powerful universal shredder represents an energetic helper in the garden. Fitted with a 2.0 kW motor and a unique cutting mechanism, it chops up branches with a thickness of up to 5 cm without any problem. Safety is ensured by the large filling hopper with chips/slivers protection system as well as the automatic start-up safeguard. Its two large wheels allow the shredder to be transported easily.



The integrated toolbox for spare cutter and operating instructions is very practical.



Accessory:

with three cutting edges. EAN Code 40 09093 001167







		BRILL Crossover 74/13	BRILL Crossover 74/13 H
Art no	M	65053	65054
EAN Code		40 09093 001686	40 09093 001693
Engine	7	Briggs & Stratton I/C 13 HP OHV AVS	Briggs & Stratton I/C 13 HP OHV AVS
Max. power/output	W (PS)	9.6 kW, 13 HP	9.6 kW, 13 HP
Cutting width	(cm >	74 cm (1 blade)	74 cm (1 blade)
Height adjustment, cutting height		6 settings, 30 – 90 mm	6 settings, 30 – 90 mm
	႒	5 fwd/1 reverse	Manual Hydrostat
Blade coupling	٥	Mechanical belt coupling	Mechanical belt coupling
Wheel size		Front: 13 x 6.0 – 6 Rear: 18 x 6.5 – 8	Front: 13 x 6.0 – 6 Rear: 18 x 6.5 – 8
Capacity	n²	3,500 sq. m/h	3,500 sq. m/h
Grass box	888	220	220
Emptying of grass box from the driver's seat		telescopic lever	telescopic lever
Dimensions (L x W x H)	Ĵ	2,610 x 960 x 1,120 mm	2,610 x 960 x 1,120 mm
Turning circle	1	185 cm	185 cm
Weight	'n	202 kg	203 kg

O Not standard • Standard The right to make technical amendments reserved

Comfortable mowing of large areas

Optimized in respect of function and design, BRILL's lawn tractors now offer even more convenience and performance. The new **Crossover** models have powerful engines and are optional equipped with hydrostatic travel drive, electric emptying of the grass box per rocker switch and an electromagnetic clutch for the cutter which enables the blade to be switched on in a simple manner. With cutting widths of 74, 92 and 102 cm the range permits even large lawns to be mown comfortably and rapidly. The 92 and larger models have an asynchronous cutting mechanism with two suction-reinforced wing blades and ballbearing-mounted V-belts. The 13 to 20 HP Briggs & Stratton or Honda engines ensure a high mowing performance. The extra large tyres on the 102 series mower give more driver comfort especially on difficult terrains.



Smooth running Tractors with hydrostatic travel drive can be manoeuvred without jerks and steplessly per pedal



Well lit The standard fitting out with xenon lamps means that the ambient surroundings are well illuminated.



Convenient to operate The central cutting height adjustment device is positioned directly next to the driver's

The BRILL Mulch System

The lawn needs a great deal of moisture in the summer to prevent it drying out. Mulching proves to be extremely practical and effective, especially on large gardens. For the fine grass cuttings provide the lawn with moisture and fertiliser at the same time, in addition there is no need for any waste disposal.





POWERED by Honda **Engines**

The BRILL Honda lawn tractors are equipped with a very efficient engine. They start easily, run smoothly and quietly and keep a clean cut even when mowing thick lawns.



BRILL Crossover 92/13



BRILL Crossover 92/13 H

40 09093 001716

65056



BRILL Crossover 92/16 H OHV

Honda GCV 520 I/C 16 HP OHV

65057

40 09093 001723

11.8 kW. 16 HP

92 cm (2 blades)

6 settings,

30 – 90 mm Foot-operated Hydrostat







BRILL Crossover 102/16 H OHV

Honda GCV 530 16 HP OHV

65060

40 09093 001754

11.8 kW. 16 HP

6 settings,

102 cm (2 blades)

Electromagnetic

Front: 15 x 6.0 - 6

Rear: 18 x 8.5 - 8

6,000 sq. m/h

300 I

160 cm

223 kg

Foot-operated Hydrostat



BRILL Crossover 102/20 HE

40 09093 001747

Briggs & Stratton

102 cm (2 blades)

Electromagnetic

Front: 15 x 6.0 - 6 Rear: 18 x 8.5 - 8

7,000 sq. m/h

300 I

Foot-operated Hydrostat

14.5 kW, 20 HP

6 settings, 30 – 90 mm

Intek 20 HP OHV V2

65059

BRILL quick release coupling with drive
Art no 78973
EAN Code 40 09093 897302
Accessory for front sweeping machine and snow- clearing panel
BRILL quick release coupling without drive
Art no 78977
EAN Code 40 09093 897708
Accessory for snow-clearing panel
BRILL driving set for mechanic blade coupling
Art no 78985
EAN Code 40 09093 001860
Accessory for front sweeping machine
BRILL driving set for electromagnetic blade coupling
Art no 78986

EAN Code 40 09093 001877 Accessory for front sweeping machine

V	Art no
	EAN Code
艮	Engine
kW (PS)	Max. power/output
<cm></cm>	Cutting width
	Height adjustment, cutting height
တ	Gear changing
	Blade coupling
	Wheel size
m²	Capacity
3885	Grass box
	Emptying of grass box from the driver's seat
مل ا	Dimensions (L x W x H)
	Turning circle
-	Weight

Art no	B
AN Code	
Engine	₽,
r/output	kW (PS)
ng width	<cm></cm>
ustment, g height	
hanging	တ
coupling	0
heel size	
Capacity	m²
irass box	288b
rass box er's seat	
xWxH)	
ng circle	
Weight	ř.

10	M	65055
de		40 09093 001709
ne	₽,	Briggs & Stratton I/C 13 HP OHV AVS
ut	kW (PS)	9.6 kW, 13 HP
th	<m></m>	92 cm (2 blades)
nt, ht		6 settings, 30 – 90 mm
ng	တ	5 fwd/1 reverse
ng	٥	Electromagnetic
ze		Front: 13 x 6.5 – 6 Rear: 18 x 8.5 – 8
ty	m²	4,000 sq. m/h
XC	555b	300 l
ox at		Supported by pneur
H)	Ĵ	2,610 × 1,040 × 1,12
le	7	190 cm
la de	-	200 km

Engine		I/C
output/	kW (PS)	9.6
g width	<cm>></cm>	92
stment, height		6 s 30
anging	တ	5 f
oupling	\bigcirc	Ele
eel size		Fro Re
apacity	m²	4,0
ass box	3835	30
ass box er's seat		Su
W x H)	Ĵ	2,6
ig circle		19
Weight	Ť	20

EliBilic	易	I/C
output	kW (PS)	9.6
g width	<cm></cm>	92
tment, height		6 se
anging	တ	5 fv
oupling	٥	Elec
eel size		Fro
apacity	m²	4,0
ass box	555b	300
r's seat		Sup
W x H)	Ĵ	2,6
g circle	ح	190
Weight	ř	209

ne	₽,	Briggs & Stratton I/C 13 HP OHV AV
ut	kW (PS)	9.6 kW, 13 HP
th	<cm></cm>	92 cm (2 blades)
nt, ht		6 settings, 30 – 90 mm
ng	တ	5 fwd/1 reverse
ng	٥	Electromagnetic
ze		Front: 13 x 6.5 – 6 Rear: 18 x 8.5 – 8
ity	m²	4,000 sq. m/h
OX	588b	300 l
ox at		Supported by pne
H)	Ĵ	2,610 x 1,040 x 1,
cle	ح	190 cm

seat	1111	
/ x H)	Ĵ	2,61
circle	ح	190
eight	Ė	209

Ч		
	Briggs & Stratton I/C 13 HP OHV AVS	Briggs & Stratton I/C 13 HP OHV AVS
)	9.6 kW, 13 HP	9.6 kW, 13 HP
>	92 cm (2 blades)	92 cm (2 blades)
	6 settings, 30 – 90 mm	6 settings, 30 – 90 mm
>	5 fwd/1 reverse	Foot-operated Hydrostat
)	Electromagnetic	Electromagnetic
)	Front: 13 x 6.5 – 6 Rear: 18 x 8.5 – 8	Front: 13 x 6.5 – 6 Rear: 18 x 8.5 – 8
	4,000 sq. m/h	4,000 sq. m/h
•	300	300 l
١	Supported by pneumatic spring	Supported by pneumatic sp
7	2,610 x 1,040 x 1,120 mm	2,610 x 1,040 x 1,120 mm
	190 cm	190 cm

Electromagnetic	
Front: 13 x 6.5 – 6 Rear: 18 x 8.5 – 8 4,000 sq. m/h	
1,000 3q. 117.11	
300 l	

y pneumatic spring	Supported by pneumatic spring
0 x 1,120 mm	2,610 x 1,040 x 1,120 mm

2,610 x 1,040 x 1,120 mm	2,610 x
190 cm	190 cm
2001-	2101

	'	,			'	
Electr	omagneti	С		Electr	omagnet	tic
Rear:	13 x 6.5 - 18 x 8.5 – sq. m/h			Rear:	13 x 6.5 18 x 8.5 - sq. m/h	
300 I				300 I		

00 sq. m/h	4,500 sq. m/h
I	300 l
ported by pneumatic spring	Supported by pneumatic sprin

Supported by pneumatic spring	Supported by pneumatic spring
2,610 x 1,040 x 1,120 mm	2,610 x 1,090 x 1,120 mm
190 cm	160 cm
220 kg	213 kg

2,610 x 1,090 x 1,120 mm
160 cm
213 kg

BRILL Crossover 102/15

40 09093 001730

Briggs & Stratton

10.7 kW, 14,5 HP

102 cm (2 blades)

6 settings, 30 – 90 mm

5 fwd/1 reverse

Electromagnetic

Front: 15 x 6.0 - 6

Rear: 18 x 8.5 - 8

5,500 sq. m/h

300 I

Intek 14.5 HP OHV AVS

65058

Art no	78709
EAN Code	40 09093 001174
Sweeping width	96 cm
Collecting capacity	270 l
Sweeping brush	Diameter 10 - 25 cm
Height adjustment	Central, infinitely variabl



th chield	Art no	78993	

		LAIV COUC	+0 00000 001000
BRILL service and exposit	tion rack	Art no	78988
		EAN Code	40 09093 001891

Supported by pneumatic spring Electric 2,610 x 1,090 x 1,120 mm 2,610 x 1,090 x 1,120 mm

> 233 kg O Not standard • Standard The right to make technical amendments reserved

160 cm

velling
the driver's
ings, under
rubber strip
cm
oling system
as accessories.
01
01
01
01
01
01
01
1

EAN Code 40 09093 100204

EAN Code 40 09093 001907



EAN Code 40 09093 001914

THE REAL PROPERTY.	Collecting capacity	270 l
N. Committee of the com	Sweeping brush	Diameter 10 – 25 cm
	Height adjustment	Central, infinitely variable
	Area of use	Sweeping up leaves and
(3)		cut grass from the lawn
	Trailer coupling required as access	sory
BRILL towed trailer	Art no	65040
	EAN Code	40 09093 610536
	Load-holding area	293
	Pan	Steel
	Loading aperture	Steel, removable,
E V		reinforced guide
	Load weight	max. 292.5 kg
•	Dimensions	108 x 82 x 30 cm
	Trailer coupling required as acces	sory

or/swath shie	ld	Art no	78993	
		EAN Code	40 09093 001938	
			70000	
and exposition	on rack		78988	
and exposition	on rack		40 09093 001891	

1	EAN Code	40 09093 871302
	Aerator stars	15 pieces
	Working width	
	Working depth	Up to 64 mm
	Wheels	Plastic 7"x 1.75"
A 100	Weight	Approx. 27 kg
A CONTRACTOR OF THE PARTY OF TH	Trailer coupling required as acces	sory
BRILL lawn roller	Art no	78712
BRILL lawn roller		78712 40 09093 871203
BRILL lawn roller		40 09093 871203
BRILL lawn roller	EAN Code Working width Weight when empty	40 09093 871203 91 cm
BRILL lawn roller	EAN Code Working width	40 09093 871203 91 cm
BRILL lawn roller	EAN Code Working width Weight when empty	40 09093 871203 91 cm Approx. 18 kg
BRILL lawn roller	EAN Code Working width Weight when empty Maximum weight filled	40 09093 871203 91 cm Approx. 18 kg 180 kg
BRILL lawn roller	EAN Code Working width Weight when empty Maximum weight filled with water	40 09093 871203 91 cm Approx. 18 kg 180 kg

1111	SHOW	CHAIRS
	0000	
	of dillin	
4	1	KA.
	1	
A	(COL)	100
v		
	0	

Anhängerkupplu	ng als Accessori	es erforderlic
for 74 cm mo	dol	
ior 74 cm mo	Art no	78726
	EAN Code	40 09093
for 92/102 cr	n model	





You will find the complete BRILL product range on our website

www.brill.de





Free Manuals Download Website

http://myh66.com

http://usermanuals.us

http://www.somanuals.com

http://www.4manuals.cc

http://www.manual-lib.com

http://www.404manual.com

http://www.luxmanual.com

http://aubethermostatmanual.com

Golf course search by state

http://golfingnear.com

Email search by domain

http://emailbydomain.com

Auto manuals search

http://auto.somanuals.com

TV manuals search

http://tv.somanuals.com