

Lever Safety Blowgun Kit

MP5141

- Compact design to fit in confined spaces
- Hang-up hook for easy storage
- Includes: safety nozzle, extension nozzle, rubber tip, inflation adapter, tapered inflation nozzle, and inflation needle



Pistol Grip Blowgun

- Trigger controls airflow to gun tip
- Narrow 3" extended nozzle easily fits into confined spaces
- Comfortable, lightweight design



Ball Foot Chuck

MP3233

• Thread size: 1/4" Female NPT



Air Line Inflator Gauge

- Dual foot air chuck for use in hard-to-reach areas • 10-120 PSI gauge, calibrated in 2 PSI increments
- Built-in relief valve to reduce pressure in over inflated tires and to zero gauge
- Includes 12" flexible hose



Tire Inflator with Gauge

MP6000

- Inflation gun, chuck, and gauge are all combined in one easy to use unit
- Clip on design enables hands-free chuck use
- Built-in relief valve for reducing pressure in overinflated tires
- Includes flexible hose for easier use
- 10-140 PSI gauge



Male Coupling

- Use to connect a variety of thread sizes and shapes
- Thread size: 1/4" Male NPT
- * More sizes available



Why Accessories?

Campbell Hausfeld offers a complete line of quality accessories to properly install and maintain an air system. In addition, many air tool acessories are offered to get the most out of every tool. The following is a brief overview of CH accessories. For a complete listing, please visit www.chpower.com.

Compressor Shut-Off Kits

PA1170

- Covered guarter-turn handle guickly turns air on or off
- Brass body with steel ball and Teflon® seals for long life
- High capacity airflow design reduces pressure drop to tools for better performance
- Includes adapters to install on air compressors with 3/4" NPTF ports
- Reduces down to 3/8" NPTF
- * More ball valves available



Adapter

PA1111

- Use to adapt a variety of thread sizes and shapes
- Thread size: 1/4" Male NPTx 3/8" Male NPT
- * More sizes available



- 360° swivel action reduces hose kinking
- 1/4" NPT(M) x 1/4" NPT(F)



Tee Fitting

PA1040

- Supplies 2 air tools from 1 source
- Corrosion resistant brass construction
- 1/4" NPT (M) x two 1/4" NPT (F)



3-in-1 Air Manifold

MP3230

- Supplies 3 air tools to 1 source
- Sturdy aluminum construction
- 3/8" NPT (M) x three 1/4" NPT (F)



Barbed and Swivel Hose Ends

MP3209

- Threaded end connects to tools, fittings, couplers, or plugs
- Corrosion resistant brass construction
- Hose barb repairs or assembles damaged or bulk hose
- Secure fittings with properly crimped ferrules or hose clamps
- 1/4" x 1/4" Female
- * More sizes available



Hose Repair Kits

- Repairs damaged air hose
- Includes: (1) hose splicer, (1) hose end, (3) hose clamps for 3/8" hose
- * Also available in 1/4" (MP3214)









PTFE Tape

MP5136

- Use on all male threaded connections to prevent
- Thicker and denser for better sealing and easier use
- 275" x 1/2"



Nylon Recoil Air Hose

MP2874

- 50' Hose easily expands to full length and retracts for storage
- 35° to 250° F working temperature
- 200 PSI maximum working pressure
- 1 Year Limited Warranty
- * Also available in 25'



Hose Reel

PA1194

- Includes 50' x 3/8" air hose
- · Mounting plate attaches to any flat surface
- Beveled flanges makes it easier to wind hose without kinking



PVC Air Hose

PA1178

- · Heavy-duty reinforcement
- 0° to 130° F working temperature
- 300 PSI maximum working pressure
- 1 Year Limited Warranty
- * More sizes available



Standard Air Filters

PA2121

- · Removes unwanted dirt particles and condensed water to extend tool life
- 5 micron element provides maximum filtration
- Metal bowl-guard protects against impacts
- Quick-release bowl and quarter turn drain for easier use
- 57 scfm flow capacity at 90 PSI
- 3/8" NPT(F) ports



Mini Air Filters

MP5138

- Removes unwanted dirt particles and condensed water to extend tool life
- 5 micron element provides maximum filtration
- Screw-on bowl with manual drain
- 21 scfm flow capacity at 90 PSI
- 1/4" NPT(F) ports



Clean Air System

PA2085

Dessicant Dryer

- Removes water vapor at the point of use
- Desiccant changes color when it needs to be changed or recharged
- Outlet screen keeps desiccant particles out of tools
- Oil-removal filter removes 99.9% of all oil aerosols
- Clear bowl with metal guards for easy viewing fluid level and impact protection
- · Quick-release bowl, and quarter turn drain for easy maintenance



Pressure Regulators

PA2123

Standard Series

- Provides regulated output pressure of 0 to 150 PSI for proper tool operation
- · Self-relieving design vents downstream air flow for easier adjustment
- · Locking pressure knob prevents accidental pressure changes
- Includes 0 to 160 PSI pressure gauge
- 120 scfm flow capacity @ 90 PSI
- 3/8" NPT(F) ports

Mini Series

- Provides regulated output pressure of 0 to 125 PSI for proper tool operation
- · Self-relieving design vents downstream air flow for easier adjustment
- · Locking pressure knob prevents accidental pressure changes
- Includes 0 to 160 PSI pressure gauge
- 15 scfm flow capacity @ 90 PSI
- 1/4" NPT(F) ports





Air Lubricators

PA2081

Standard Sprips

- · Provides automatic line lubrication to extend air tool life
- Oil-fog design allows bowl to be filled without depressurizing system for easier convenience
- 3.5 oz. quick-release bowl and quarter turn drain provide easier use
- 28 scfm flow capacity @ 90 PSI
- 3/8" NPT(F) ports



Pneumatic Tool Lubricant

ST1270

- Oil can be used in both air tools and nailers
- * Compressor oil also available



Filter / Regulators

PA2125

Standard Series

- Combines filter and regulator into one unit to save space
- Large capacity metal bowl for use with higher pressure air compressors
- 52 scfm flow capacity @ 90 PSI
- 3/8" NPT(F) ports
- 250 PSI maximum inlet pressure
- Combines standard series filter (PA2121) and standard series regulator (PA2123)



Filter / Regulators / Lubricators

PA2078

Standard Series

- · Combines standard series filter, regulator and lubricator into one unit to save space
- Complete unit comes pre-assembled with modular mounting bracket for extra convenience
- 3.5 oz. guick-release bowl and guarter turn drain allows easy maintenance
- 28 SCFM flow capacity @ 90 PSI
- 3/8" NPT(F) ports



1/4" Series Industrial Style

MP2883

Easy-Connect Coupler

- Easy-connect design simply push plug into coupler to connect
- * More sizes available for couplers & plugs



1/4" Series Aro

MP5190

Easy-Connect Coupler

- Easy-connect design simply push plug into coupler to connect
- * More sizes available for couplers & plugs



1/4" Series Automotive

MP3236

Easy-Connect Coupler

· Easy-connect design - simply push plug into coupler to connect



T 1/43º

* More sizes available for couplers & plugs

1/4" Series Lincoln

BC4084

Easy-Connect Coupler

• Easy-connect design - simply push plug into coupler to connect



* More sizes available for couplers & plugs

3/8" Series Automotive

PA1013

· Easy-connect design - simply push plug into coupler to connect





Universal Design Couplers and Plugs:

- Eliminate coupler confusion
- · Fits most popular plug styles including automotive, industrial and aro
- · Easy-connect design simply push plug into coupler to connect
- Includes accidental disconnect protection which also protects the coupler sleeve.

1/4" Series Universal

MP3335

- •Accepts 1/4" industrial, automotive and aro style plugs
- •Tubular valve design provides higher flow rates over conventional blade style valves
- •Heat treated locking balls provide long life of wear parts
- Easy connect design simply push plug into coupler to connect
- •Brass construction resists corrosion and prevents sparks
- * More coupler sizes available

Automotive Coupler and Plug Set

PA1014

- Set Includes:
 - (1) Coupler 1/4" NPT(F), (2) Plugs 1/4" NPT(M).
 - (1) Coupling 1/4" NPT(M),
 - (1) Coupling 1/4" NPT(F)









ПП

1/2" Series 2-in-1 Style

BC4107

• Accepts 1/2" automotive plugs produced by Campbell Hausfeld and other manufacturers





Industrial Coupler and Plug Set

MP2920

- Set Includes:
 - (1) Coupler 1/4" NPT(F), (4) Plugs 1/4" NPT(M)









25 Piece Air Line Accessory Kit

MP5200

- Set Includes: Blowgun
 - Safety Nozzle

 - (2)Tapered Inflation Nozzle
 - (2) Inflation Needles
 - PTFE Tape
 - Rubber Blow Gun Tip
 - Female Tire Chuck
 - Dual Foot Air Chuck
 - Tire Gauge
 - Coupler
 - (6) Male Plugs
 - (2) Male Couplings
 - (2) Female Couplings
 - (2) Female Plugs



Free Manuals Download Website

http://myh66.com

http://usermanuals.us

http://www.somanuals.com

http://www.4manuals.cc

http://www.manual-lib.com

http://www.404manual.com

http://www.luxmanual.com

http://aubethermostatmanual.com

Golf course search by state

http://golfingnear.com

Email search by domain

http://emailbydomain.com

Auto manuals search

http://auto.somanuals.com

TV manuals search

http://tv.somanuals.com