all Oll Color imageCLASS® MF8380Cdw

Printer Specifications

Printer Type Color Lasei

Print Speed (default print mode: 2-sided) Up to 10 ppm (2-sided, plain paper letter)* Up to 21 ppm (1-sided, plain paper letter)*

First Print Time

Black/Color: Approx. 14.3 seconds (letter)

Printer Language UFR II LT (Host-based)

Print Resolution

Up to 600 x 600 dpi 2400 x 600 dpi quality Maximum Print Size

Up to 8.5" x 14"

Print Modes

Booklet, Poster, Watermark, Toner Saver, Page Composer

Print Memory 256MB (shared) **Direct Print From USB** Yes (JPEG, TIFF)

Copier Specifications

Copy Type Color Laser

Copy Speed Black/Color: Up to 21 cpm (letter)

Duplex Copy/Bind Type Yes (Black/Color: up to 10 cpm

letter)/Book, Calendar Copy Resolution

Up to 600 x 600 dpi Original Type

Text, Text/Photo (default), Text/Photo (quality), Printed Image

Halftones 256 levels Warm-up Time Approx. 23 seconds

First Copy Time Black/Color: Approx. 15.3/16.0 seconds (letter)¹

Recovery Time Approx. 8 seconds Maximum Number of Copies

99 copies

Reduction/Enlargement 25%, 50%, 64%, 78%/

129%, 200%, 400%

Zoom 25-400% in 1% increments

Copy Size Platen: Up to 8.5" x 11" ADF: 5.5" x 5" to 8.5" x 14"

Copy Features Frame Erase, Memory Sort, 2 on 1, 4 on 1,

ID Card Copy Copy Memory 256MB (shared)

Fax Specifications

Modem Speed Up to 33.6 Kbps (Super G3)² Fax Resolution

Up to 406 x 391 dpi (ultra fine)

MFP and Accessories Color imageCLASS® MF8380Cdw

Ordering Information

Transmission Time

JBIG (approx. 3.0 seconds)

Memory Capacity
Up to 512 sheets³ Speed Dials

19 favorite dials; 181 coded dials

Group Dialing
199 destinations

Sequential Broadcasting Yes, up to 210 destinations

Duplex Fax

Receive Modes

Fax only, Manual, Answering, Fax/Tel Auto Switch

Fax Features

Distinctive Ring Pattern Detection, Error Correction Mode, Remote RX, Dual Access, Auto Redial, Fax Activity Reports

Memory Backup Yes, 5 minutes

Activity Reports

Yes, Activity Result & Activity Management

PC Fax Yes (sending only)

Fax Forwarding

Yes (Fax/I-Fax -> Fax, Email, SMB)

Scanner Specifications

Scan Type Color Contact Image Sensor (CIS)

Color Depth 24-bit

Scan Resolution

Up to 600 x 600 dpi (optical) Up to 9600 x 9600 dpi (interpolated)

Scan Size Platen: Up to 8.5" x 11" ADF: 5.5" x 5" to 8.5" x 14"

Duplex Scan

Compatibility TWAIN, WIA

Output File Formats

Hi-Compression PDF, Searchable PDF⁴, PDF, JPEG, TIFF, BMP, PNG⁵ Scan Features
Rotate, Push Scan, Pull Scan

Scan to USB

Yes, USB Host 1.1 (PDF, JPEG, TIFF)

Send Specifications

Scan to Email

Yes (PDF, Hi-Compression PDF)

Scan to SMB

Yes (PDF, JPEG, TIFF, Hi-Compression PDF)

Paper Handling Specifications

Standard Paper Source(s) 250-sheet cassette⁶ plus 50-sheet multipurpose tray6

Optional Paper Source(s) 250-sheet cassette6

Document Feeder 50-sheet Duplex6 Paper Output

125 sheets (face down)

Paper Weight

16 to 43 lb. bond (cassette) 16 to 58 lb. bond (multipurpose tray)

Media Sizes

Letter, Legal, A4, A5, B5, B6, Statement,

Media Types

Plain Paper, Heavy Paper, Recycled Paper, Color Paper, Coated Paper, Transparencies, Labels, Small Documents, Envelopes

Envelope Capacity

10 envelopes (cassette) 5 envelopes (multipurpose tray)

Envelope Types

Com 10, Monarch, DL, C5, B5

Connectivity & Software Specifications

Standard Interface(s)

USB 2.0 Hi-Speed, 10/100 Base-T Ethernet (Network), IEEE 802.11 b/g/n (wireless)⁷

WiFi Access Mode Infrastructure Mode

WiFi Authentication Methods
Open System, Shared Key.

WPA-PSK, WPA2-PSK

WiFi Encryption Modes WEP (64/128-bit), TKIP, AES

WPS Easy Setup Support Methods Push-button mode, PIN code mode

USB Functions Print, PC Fax, Scan **Network Functions** Print, PC Fax, Scan

Embedded Web Server (Remote UI)

Web Browser Support for Remote UI Microsoft Internet Explorer 6.0 or higher,

Safari 3.2.1 or higher **Print Protocols** LPD, RAW, WSD

Supported Network Protocols

TCP/IP v.4, TCP/IP v.6 (print only)
TCP/IP Set of Application Services
DHCP, BOOTP, RARP, ARP+PING, Auto IP, WINS (IP v.4), DHCP v.6 (IP v.6), Bonjour (mDNS), HTTP, HTTPS POP before SMTP (IP v.4, IP v.6)

Network Management Protocols SNMP v.1, SNMP v.3 (print and send - email/SMB)

MIR

RFC1213 (MIB-II), RFC1514 (Host Resources MIB), RFC1759 (Printer MIB), Canon MIB

Operating Systems

Windows® 7, Windows Server® 2008 (RI/R2), Windows Vista®, Windows Server 2003, Windows XP/2000 Mac® OS X 10.4.9 & up, Linux8 (print only)

Cable Included

Power Cord, Phone Cable (USB not included)

5120B001AA

2662B001AA

2661B001AA

2660B001AA

2659B001AA

2662B004AA

5120B040AA

5707B023AA

Bundled Software

Canon Drivers, MF ToolBox, Document Management & OCR Software Drivers available for download from

Environmental Specifications

Product Specifications

Power Consumption

Maximum: Approx. 1200W Standby: Approx. 23W

Energy Saver: Approx. 1.4W wired, Approx. 2.2W by wireless connection

Noise Level

During Operation: 67.0 dB or less (sound power)

50.6 dB or less (sound pressure)
During Standby: 43.0 dB or less

(sound power) Inaudible (sound pressure)

Operating Environment

Temperature: 50°F - 86°F Humidity: 20% - 80% RH (no condensation)

General Specifications

Dimensions

17.0" (W) x 19.2" (D) x 18.9" (H)

Unit Weight (without/with cartridge) Approx. 62.0 lbs./68.4 lbs.

Package Weight Approx. 83.8 lbs.

Warranty

1 year limited exchange/carry-in warranty9 (Extended warranty available)

Cartridge 118

Black: Yields approx. 3,400 pages based on ISO/IEC Standard Cyan: Yields approx. 2,900 pages based on ISO/IEC Standard Magenta: Yields approx. 2,900 pages based on ISO/IEC Standard Yellow: Yields approx. 2,900 pages based on ISO/IEC Standard

Cartridge 118 VP

Black: Yields approx. 6,800 pages based on ISO/IEC Standard

Cartridge Type Single Cartridge System Department Counter

Yes (print, copy, scan) LCD Display 5-row backlit LCD

Duty Cycle

Up to 40,000 pages per month **Department ID Management**

Yes (up to 300 IDs)

Additional Security IP Filtering, MAC Address Filtering, Secure Print, IEEE 802.1X, SNMP v.3, HTTPS

Languages

English, French, Spanish, Portuguese

Features and specifications are subject to change without notice.

* Print speed is based on internal testing. Print speed may vary depending on the number of copies selected, as well as on the settings for size, type and orientation of paper.

1 Letter size, after being restored from Energy Saver mode.
2 The Public Switched Telephone Network currently supports fax modem speeds of 28.8kbps or lower, depending on telephone line conditions. Sending and receiving fax machines need to conform to ITU-T v.34 guidelines.
3 Based on ITU-T #1 Chart (standard mode).
4 Combined with ToolBox feature. Hi-Compression PDF and Searchable PDF are Windows only.
5 PNG supports Mac OS only.
6 Based on 20 lb. bond paper.
7 Wireless performance may vary based on terrain and distance between printer and wireless network clients.
8 Mac@ OS X 10.4.9 and un and Linux@ OS (print)

clients.

8 Mac@ OS X 10.4.9 and up and Linux@ OS (print only) compatibility to be announced; visit usa.canon.com for driver download availability.

9 Warranty program is subject to certain conditions and restrictions. See the warranty card for details.





Color imageCLASS® MF8000s Virtual CarePAK

Color imageCLASS® MF8000s E-CarePAK



Cartridge 118 Black (yields approx. 3,400 pages based on ISO/IEC Standard)

Cartridge 118 Cyan (yields approx. 2,900 pages based on ISO/IEC Standard)

Cartridge 118 Magenta (yields approx. 2,900 pages based on ISO/IEC Standard)

Cartridge 118 VP Black (yields approx. 6,800 pages based on ISO/IEC Standard)

Cartridge 118 Yellow (yields approx. 2,900 pages based on ISO/IEC Standard)



















©2011 Canon U.S.A., Inc. Canon and imageCLASS are registered trademarks of Canon Inc. in the United States and may be registered trademarks or trademarks in other countries. imageANYWARE is a trademark of Canon. The Super G3 logo is a trademark of Canon Inc. Microsoft, Windows, the Windows logo and Windows 7 are either trademarks or registered trademarks of Microsoft Corporation in the United States and/or other countries. Wi-Fi is a registered trademark of the Wi-Fi Alliance. The Wi-Fi Protected Setup Mark is a mark of the Wi-Fi Alliance. All other product and brand names are trademarks of their respective owners. Specifications are subject to change without notice. As an ENERGY STAR partner, Canon U.S.A., Inc. has determined that this product meets the ENERGY STAR guidelines for energy efficiency. The limited warranty given by Canon U.S.A., Inc. is for Canon imageCLASS MF8380Cdw models purchased and used in the United States



Camon

imageCLASS A E

Color Laser **Multifunction Printer**

- **Duplex Versatilty** two-sided printing, scanning, copying and faxing
- Print and copy at the same speed of up to 21 ppm in color and black & white
- Quick First Print provides first print time of approximately 15 seconds
- 33.6 Kbps Super G3 fax
- Scan in color up to **9600 dpi** quality (interpolated) with up to 600 dpi optical resolution
- Scan to and print from USB for files on the go
- Send scanned documents directly to email or file server
- 250-sheet cassette plus 50-sheet multipurpose tray; optional 250-sheet cassette*
- Up to **50-sheet* DADF** (Duplex Automatic Document Feeder)
- Remote device management through embedded web server
- Built-in Ethernet port for network printing, PC faxing and scanning
- USB 2.0 Hi-Speed for optimal performance
- Efficient energy-saving mode; approximately 1.4W (wired), 2.2W (wireless) of energy used
- User-friendly 5-line LCD for easy navigation
- Password-protected **Department ID Management** helps to control device usage
- Single Cartridge System for cost-efficient supplies replenishment

DUPLEX PRINTER DIGITAL COPIER SUPER G3 FAX COLOR SCANNER NETWORK CAPABILITIES



Print, Copy, Fax, Scan with the Color imageCLASS® MF8380Cdw Color Laser Multifunction Printer from Canon.

WiFi Capable:

Access all functions wirelessly, with encryption mode and easy setup support methods.

Duplex Versatility:

Print on two sides – use half the paper! Two-sided output for printing, copying and receiving faxes saves space and reduces paper consumption.

Ouick First Print:

Why waste time waiting for your print to arrive? With Canon's QFP technology, your first print will arrive in approximately 15 seconds.

Desktop Solution:

Specifically designed for home/small office placement and provides convenient access to the office functions you require.

Network Capabilities:

Increase productivity and cost-efficiency with the built-in Ethernet port for networking. Share printing, PC faxing and scanning directly from a PC.























^{*} Based on 20 lb. bond paper.

Color imageCLASS MF8380(dw

Color Laser Multifunction Printer



EASY-TO-USE

Smart Design & Compact

Designed for ease of use in your small office environment, the MF8380Cdw provides access to the control panel, supplies and paper sources right from the front of the unit. Now, there is no need to reach around to locate your prints or change the consumable.

Intuitive Scanning

Enjoy stress-free scanning with simple installation and easy operation. Customize your scanning needs in advance to transmit a scanned image directly into a network folder, a bundled document management and OCR software program, or as an email attachment. You can even scan in Canon's business-friendly high compression PDF mode, which reduces file size without compromising image quality.

User Friendly Control Panel

The MF8380Cdw features One Touch Button support that gives you instant access to key functions and is featured directly on the control panel. The 5-line LCD with graphic display provides outstanding usability while guided user animation within the display simplifies once complex tasks with illustrated on-screen instructions.

Wireless Capabilities

By going wireless, you'll have the freedom to conveniently send print jobs to your device from any location in your home or small office*. The MF8380Cdw has a Wi-Fi Protected Setup (WPS) option for a one-touch connection to simplify the task of connecting your device to a wireless network. Furthermore, you'll reduce wiring clutter and help prevent security breaches with WEP and WPA-PSK.

^{*}Wireless performance may vary based on terrain and distance between printer and wireless network clients.

Color imageCLASS MF8380(dw

Color Laser Multifunction Printer

AMAZING IMAGING PERFORMANCE


Superior Color Imaging



The Superior Color Imaging technologies built into the MF8380Cdw capture fine details with remarkable tone-on-tone clarity, helping images stay true to the original.

Pure Black Technology

Pure Black Technology helps to ensure the richest blacks by utilizing only the black toner when printing, copying, or scanning, in comparison to traditional methods of combining toner colors.



AUTO GRADATION ADJUSTMENT

Auto Gradation Adjustment

The Auto Gradation Adjustment automatically adjusts the gradation, color and density in accordance with the ambient temperature and humidity, for more consistent output quality.

Background Removal

Revitalize old documents with the background removal tool. Automatically erasing the aged or antiqued background during copying and scanning, it leaves you with the



content you want without the look of a discolored document.

ENVIRONMENTALLY CONSCIOUS

Energy Saver Mode



The intelligent Energy Saver Mode reduces your power consumption to approximately 1.4 watts wired and 2.2 watts wireless of energy and meets Energy Star guidelines, helping you save money on energy costs.

Generation Green

The MF8380Cdw is part of Canon's Generation Green program which highlights the company's commitment to sustainability.



ENHANCED FEATURES

All Mode Duplex

The MF8380Cdw features auto duplex functionality which allows you to print, copy, fax or color scan from one-sided originals to produce two-sided output with ease, cutting your paper usage as much as half.

Direct Print/Scan to USB

If you're on-the-go, the MF8380Cdw offers a USB port to facilitate scanning files directly to, or printing files directly from, a USB removable media.

Department ID Management

A key way to control output costs is by setting limits on who can use the machine. Department ID Management allows an administrator to set up to 300 User IDs and Passwords, so that costs may be monitored and controlled. You can even restrict color usage to specific users or departments.



Scan to Email/Scan to Network

Easily scan paper documents and send them to a recipient through E-mail or File Server, bringing your work environment increased efficiency.

Auto Fax Forwarding

You can set the MF8380Cdw to forward your received fax documents to a fax number or fax group. Your gain is enhanced document control; you can ensure your received faxes reach the right hands automatically and efficiently.

For More Information Visit

www.usa.canon.com/consumer

For the name of the nearest dealer, call: 1-800-OK-CANON

Canon U.S.A., Inc. One Canon Plaza Lake Success NY 11042 Free Manuals Download Website

http://myh66.com

http://usermanuals.us

http://www.somanuals.com

http://www.4manuals.cc

http://www.manual-lib.com

http://www.404manual.com

http://www.luxmanual.com

http://aubethermostatmanual.com

Golf course search by state

http://golfingnear.com

Email search by domain

http://emailbydomain.com

Auto manuals search

http://auto.somanuals.com

TV manuals search

http://tv.somanuals.com