

you can
Canon

i-SENSYS
LBP5050

Laser Colour Printer

Compact, professional quality,
colour laser printer for the
personal office

i-SENSYS LBP5050

Impress with professional colour output thanks to this compact colour laser printer. Perfect for personal and small office users, it offers quick, quiet and energy-saving operation combined with space-saving convenience.



8ppm
colour printing

12ppm
monochrome
printing

150-sheet
cassette

Virtually zero
warm-up time

9600x600dpi
print resolution



WHAT'S IN THE BOX

Main unit, cartridge 716 starter C/M/Y/K, power cable, driver on CD, manual on CD, starter guide on CD, warranty card.

KEY FEATURES

- Compact, personal colour laser printer
- 8 ppm in colour, 12 ppm in mono
- High quality professional colour output
- Up to 9600 x 600 dpi print resolution
- No waiting with Quick First-Print technologies
- 150-sheet paper cassette
- Energy efficient - only 5 watts in sleep mode
- Maintenance-free All-in-One colour cartridges
- Quiet operation and silent in standby

DIMENSIONS (W x D x H)

401 x 452 x 262 mm

SUPPORTED OS

Windows 2000/ Server 2003 (32 bit driver only)/ XP (32 bit driver only)/ Vista

Mac OS X version 10.3.9-10.5.x (Web distribution only, English driver only)



PRINT



COPY



FAX



SCAN



- 1** 150-sheet cassette
- 2** Cartridge 716 - Black
(also available in Cyan, Magenta and Yellow)

Specifications

<p>PRINTER ENGINE</p> <p>Print speed</p> <p>Printing method</p> <p>Print quality</p> <p>Print resolution</p> <p>Warm-up time</p> <p>First Page Out Time</p> <p>Duty cycle</p> <p>Print margins</p>	<p>Up to 8 ppm colour (A4)</p> <p>Up to 12 ppm mono (A4)</p> <p>Colour laser beam printing</p> <p>Up to 9600 x 600 dpi with Automatic Image Refinement</p> <p>Up to 600 x 600 dpi</p> <p>0 seconds from Standby</p> <p>Approx. 25 seconds or less from power on</p> <p>Mono: Approx. 22 seconds or less</p> <p>Colour: Approx. 28 seconds or less</p> <p>Max. 25,000 pages per month</p> <p>5 mm-top, bottom, left and right</p>	<p>Dimensions (W x D x H)</p> <p>Weight</p> <p>Operating environment</p> <p>Control panel</p>	<p>Active: 6.32 B or less</p> <p>Standby: Inaudible</p> <p>Sound pressure¹:</p> <p>Active: 48 dB(A) or less (Mono)/ 47 dB(A) or less (Colour)</p> <p>Standby: Inaudible</p> <p>401 mm x 452 mm x 262 mm</p> <p>Approx. 18.4 kg</p> <p>Temperature: 10 to 30°C (50 to 86°F)</p> <p>Humidity 10 to 80% RH (no condensation)</p> <p>9 LED indicators</p> <p>1 operation key</p>
<p>MEDIA HANDLING</p> <p>Paper input (Standard)</p> <p>Paper output</p> <p>Media types</p> <p>Media sizes</p> <p>Media weights</p>	<p>150-sheet cassette</p> <p>1-sheet manual feed slot</p> <p>125-sheet face down</p> <p>Plain paper, Recycled paper, Heavy Paper, Transparency, Coated Paper, Glossy film, Label, Index card, Envelope</p> <p>Cassette:</p> <p>A4, B5, A5, Legal, Letter, Executive, Statement, Foolscap, 16K, Envelope DL, Envelope COM10, Envelope C5, Envelope Monarch, Envelope B5, Index Card, Custom sizes: Width 76.2 to 215.9 mm; Length 127.0 to 355.6mm.</p> <p>Manual feed slot:</p> <p>A4, B5, A5, Legal, Letter, Executive, Statement, Foolscap, 16K, Envelope DL, Envelope COM10, Envelope C5, Envelope Monarch, Envelope B5, Index Card, Custom sizes: Width 76.2 to 215.9 mm; Length 127.0 to 355.6mm.</p> <p>Cassette: 60 to 230 g/m²</p> <p>Manual feed slot: 60 to 230 g/m²</p>	<p>CONTROLLER</p> <p>Memory</p> <p>Printer languages</p> <p>Interface and connectivity</p> <p>Operating systems compatibility</p>	<p>16 MB</p> <p>CAPT (Canon Advanced Printing Technology)</p> <p>USB 2.0 High-Speed</p> <p>Windows 2000/Server 2003²/ XP²/ Vista</p> <p>Mac OS X version 10.3.9 - 10.5.x^{3,4}</p>
<p>GENERAL FEATURES</p> <p>Power requirements</p> <p>Power consumption</p> <p>Noise level</p>	<p>220-240V (±10%) 50/60Hz (±2Hz)</p> <p>Active: Approx. 207 W or less (Colour), Approx. 253 W or less (Mono)</p> <p>Standby: Approx 12 W</p> <p>Sleep mode: Approx 5 W</p> <p>Typical Electricity Consumption (TEC): 1.652 kWh/week</p> <p>Sound power¹:</p>	<p>CONSUMABLES</p> <p>All-in-One cartridges</p>	<p>Cartridge 716 Black (2,300 pages⁵)⁶</p> <p>Cartridge 716 Cyan (1,500 pages based⁵)⁶</p> <p>Cartridge 716 Magenta (1,500 pages based⁵)⁶</p> <p>Cartridge 716 Yellow (1,500 pages based⁵)⁶</p>
<p>All specifications subject to change without notice</p>			
<p>¹ Declared noise emission in accordance with ISO 9296</p> <p>² 32-bit driver only</p> <p>³ Web distribution only</p> <p>⁴ English driver only</p> <p>⁵ Based on ISO/IEC19798</p> <p>⁶ Printer ships with 800 pages starter cartridge</p>			



you can
Canon

Canon Inc.
www.canon.com

Canon Europa N.V.
www.canon-europe.com

English-UK Edition
© Canon Europa N.V., 2008 (0908)

Canon (UK) Ltd
Woodhatch
Reigate
Surrey
RH2 8BF
Telephone No: 01737 220000
Facsimile No: 01737 220022
www.canon.co.uk

Canon Ireland
Arena Road,
Sandyford Industrial Estate
Dublin 18, Ireland
T: 01 2052400
F: 01 2958141
www.canon.ie

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>