



i475D Desktop Photo Printer

Photo Friendly Direct Printing.

- Direct photo printing from compatible digital cameras & memory cards
- Easy previews and fast prints with Canon Photo Viewer
- Maximum 4800 x 1200 color dpi with droplets as small as 2 picoliters
- Edge-to-edge true borderless photos (4 x 6, 5 x 7 and 8.5 x 11 in.)
- Up to 18 ppm black/up to 12 ppm color
- Easy-PhotoPrint and Easy-WebPrint software included

Printing digital photos just got easier. And more direct.

The Canon *i475D* Desktop Photo Printer gives you incredible printing flexibility. You can print directly from a wide variety of media cards* using its built-in slots—no computer required! You can also connect any Bubble Jet Direct** or PictBridge-compatible** digital camera or camcorder directly to the *i475D* printer and print. The *i475D* printer comes with the unique Canon Photo Viewer feature that can be activated when connected to a PC for fast viewing and printing of digital images. You can display images directly on your computer monitor and use your PC's CPU for high-speed printing.

Advanced printing for better colors and sharper text.

The *i475D* Desktop Photo Printer achieves speeds of up to 18 ppm in black*** and up to 12 ppm in color*** along with maximum resolution of 4800 x 1200 color dpi! Canon advanced MicroFine Droplet Technology™ uses a revolutionary nozzle system that ejects consistent prescribed-volume droplets in sizes as small as 2 picoliters, for smoother, more photo-realistic images. Looking for laser quality text? For important documents, letters and e-mails, the *i475D* uses pigment-based black ink for the richest text possible. The *i475D* printer also enables you to print edge-to-edge true borderless photos with the look and feel of traditional photographs. Print 4" x 6" borderless photos fast and enlarge your favorite shots to 5" x 7" or 8.5" x 11"

Easy Photo and Web printing.

The included Easy-PhotoPrint†† software, an Exif Print 2.2 compatible application, makes it simple to print brilliant digital photos. It faithfully reproduces the colors digitally captured, while improving image quality by virtually eliminating "Photo Noise" and boosting color saturation with "Vivid Photo" driver enhancements. The result: more perfect-looking photos that you can't wait to share. Canon developed Easy-WebPrint†† software to help eliminate the hassles of Web printing. Now, Web pages are automatically formatted, so they'll print properly with full color and without trimming off the right-hand margin.

* Compatible memory cards include Compact Flash™ Micro Drive™ SmartMedia™ Memory Stick® (excluding PRO™), SD Card™ and MultimediaCard™ xD-Picture Card™ Memory Stick® Duo™ and mini-SD Card™ can be used with the addition of a special adapter sold separately.

** For a listing of select Canon digital cameras and camcorders featuring Bubble Jet Direct or PictBridge direct printing technology, visit www.usa.canon.com/consumer/directprint. To determine if a non-Canon brand camera or camcorder is PictBridge-compatible, please consult the manufacturer.

*** PPM print speed based on highest speed printer driver setting. Print speed will vary based on system configuration, software, document complexity, print mode and page coverage.

† Resolution may vary based on printer driver setting. Ink droplets can be placed with a minimum pitch of 1/4800 inch.

†† Easy-PhotoPrint is not supported on Mac OS 8.6. Easy-WebPrint is compatible with Windows® XP and Windows 2000/Me/98 only, and requires Microsoft® Internet Explorer version 5.5, version 6.0 recommended.



Technical Information*

Print Speed (up to)**	Black: 18 ppm (approximately 3.3 seconds per page) Color: 12 ppm (approximately 5 seconds per page) 4" x 6" Borderless Photo: approximately 93 seconds
Number of Nozzles	Black: 320 Color: 768 (256 x 3 for C,M,Y) Total: 1,088
Print Resolution (up to)	600 x 600 dpi in black 4800 x 1200 dpi in color***
OS Compatibility****	Windows® XP, Windows® 2000/Me/98, Mac® OS (8.6 to 9.x) and Mac OS X v 10.2.1 to 10.2.x
Standard Interface(s)	USB 2.0, Direct Print Port (cables not included)
Buffer/RAM	56KB
Paper Sizes	Letter, legal, A4, A5, 4" x 6", 5" x 7", U.S. #10 or European envelopes
Paper Handling	Built-in sheet feeder—100 sheets @ paper weight 17 lb. Envelopes—10 Glossy Photo Cards (4" x 6")—20 sheets Glossy Photo Paper (8.5" x 11")—1 sheet High Resolution Paper (8.5" x 11")—80 sheets Matte Photo Paper (8.5" x 11")—10 sheets Photo Paper Plus Glossy For Borderless Printing (4" x 6")—20 sheets Photo Paper Plus Glossy (5" x 7")—10 sheets Photo Paper Plus Glossy (8.5" x 11")—10 sheets Photo Paper Pro (4" x 6")—20 sheets Photo Paper Pro For Borderless Printing (4" x 6")—20 sheets Photo Paper Pro (8.5" x 11")—10 sheets Transparencies (8.5" x 11")—30 sheets
Noise Level (approx.)	45 dB(A) in best quality mode
Power Source	120V AC, 60Hz
Software Included†	CD-ROM including Printer Driver, Setup Software & User's Guide, Quick Start Guide, PictBridge Instruction Sheet, Electronic User's Guide, Photo Application Guide, e-registration, Easy-PhotoPrint (Windows/Mac), PhotoRecord™ (Windows), ZoomBrowser EX (Windows), ImageBrowser (Mac), PhotoStitch (Windows/Mac) and Easy-WebPrint (Windows, requires Microsoft Internet Explorer version 5.5, version 6.0 recommended)
Warranty††	1-year limited warranty with InstantExchange program



Camera purchased separately.

Ordering Information

Printer and Accessories	i475D Desktop Photo Printer	8997A001
Ink Tanks	BCI-24 Black	6881A003
	BCI-24 Color	6882A003
Canon Specialty Papers	Glossy Photo Cards (4" x 6"/20 sheets)	1032A002
	Glossy Photo Paper (8.5" x 11"/20 sheets)	1026A009
	High Resolution Paper (8.5" x 11"/100 sheets)	1033A011
	Matte Photo Paper (8.5" x 11"/50 sheets)	7981A004
	Photo Paper Plus Glossy For Borderless Printing (4" x 6"/20 sheets)	7980A007
	Photo Paper Plus Glossy For Borderless Printing (4" x 6"/50 sheets)	7980A012
	Photo Paper Plus Glossy For Borderless Printing (4" x 6"/120 sheets)	7980A022
	Photo Paper Plus Glossy (5" x 7"/20 sheets)	7980A019
	Photo Paper Plus Glossy (8.5" x 11"/20 sheets)	7980A006
	Photo Paper Pro (8.5" x 11"/15 sheets)	1029A004
	Photo Paper Pro (4" x 6"/20 sheets)	5699A005
	Photo Paper Pro For Borderless Printing (4" x 6"/20 sheets)	1029A014
	Transparencies (8.5" x 11"/50 sheets)	1043A004

For More Information Visit

www.usa.canon.com/consumer

For the name of the nearest dealer, call:
1-800-OK-CANON

Canon U.S.A., Inc.
One Canon Plaza
Lake Success, NY 11042
1-800-OK-CANON

Canon Canada, Inc.
6390 Dixie Road, Mississauga
Ontario L5T 1P7, Canada
1-800-OK-CANON

Canon Latin America, Inc.
703 Waterford Way, Suite 400
Miami, FL 33126
1-305-260-7400

* Specifications are subject to change without notice.

** PPM print speed based on highest speed printer driver setting. 4" x 6" photo print speed based on default printer driver mode using Canon Photo Paper Pro. Print speeds will vary depending on system configuration, software, document complexity, print mode and page coverage.

*** Resolution may vary based on printer driver setting. Ink droplets can be placed with a minimum pitch of 1/4800 inch.

**** Easy-PhotoPrint, ImageBrowser and PhotoStitch are not supported on Mac OS 8.6. Easy-WebPrint, Easy-PhotoPrint and PhotoStitch are compatible with Windows® XP and Windows 2000/Me/98 only. Easy-WebPrint requires Microsoft® Internet Explorer version 5.5, version 6.0 recommended. See www.canontechsupport.com for updated compatibility.

† System requirements vary by application.

†† InstantExchange warranty program is subject to certain conditions and restrictions. See www.canontechsupport.com for details.

Canon TRUE HARMONY
KNOW HOW™ IN A DIGITAL WORLD.



Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>