





"The Most Technically Advanced Compact Control Unit"

The **SB-008 PHANTOM** signifies major advancements in the emergency vehicle light control technology. It boasts intuitive face programmability with DIP switch locking to manage everything from the lightbar to gunracks to auxiliary lights. And at less that 1 ½" high, this sleek, compact control unit is nearly half the size of a regular switch box, but the unit's slim styling only makes it's superior control capabilities and versatility more impressive. With the **PHANTOM**, the decision to go with a light control system that is high-tech and programmable no longer relegates the buyer to an expensive all in one premium light control siren.

The **SB-008 Phantom** sets the bar high as the premium independent light control unit with the following technologically advanced features:

- Face Programmability: Intuitively select each switch's function by pushing the button to scroll through different control options. Programmable settings for each switch include the default on/off, grouped with the Master Switch, momentary, and 10 or 20 second timed momentary for use as a gunlock timer.
- Master Switch for Grouped Outputs: This new feature simulates a progressive lever switch in the 3rd position. Activating the Master Switch also activates any of the switches programmed in the group. Each switch in the group may be individually controlled at any time overriding the Master Switch. Turning off the Master Switch will also de-activate any of the grouped switches that remain on.
- **Multiple Gunlock Timers:** More than one switch may be programmed as a timed momentary for use as a gunlock timer starting on switch 8 and moving backwards.
- Output Diagnostics Indicator: Sensors at the output connectors monitor when the output is operating correctly and pinpoints where the problem is should a malfunction occur.
- **Splash Resistant Rubberized Face:** The switch box incorporates built in, sealed switches and legend windows for improved protection for the internal circuitry from common accidental spills.

With the **SB-008 PHANTOM**, control is at your fingertips.

Specifications Features - 20 Amps capacity per output for 160 Amps total Switch Box - 8 Completely enclosed membrane push button Light Control Voltage 9 - 16 VDC (negative ground) switches for splash resistant protection 160 Amps Max (80 Amps for switches 1-4, 80 Amps for Input Current - Master Switch grouping capabilities switches 5-8) - Multiple switches to operate as gunlock timers Less than 100 ma Standby Current - Face Programmable switches with DIP switch 20 Amps per output, each output independently Output Current program lock for on/off, grouped, momentary, and protected with built-in fuses timed momentary for gunlocks -15F to 140F Operation Temperature - LED backlit for nighttime visibility, backlighting turns Controls 8 Push button switches with LED indicators, red when switch is activated backlighting of replaceable legends changes colors - Externally exposed fuses for easy replacement and when activated, and internal DIP switch option selector to protect each output Siren Connections 2 #10 AWG lead wires for positive power input, 2 - Output status for each switch indicated on the face connectors with 4 outputs each, single connector with for diagnostics #22 AWG lead wires for positive and negative for - Alert indicator when switches are activated enable and backlighting - 88 Replaceable legends - Detachable connectors with screwdown terminals for General all outputs

	SB-008 Phantom	Whelen PCC10	TST Touch Tek VI	Able 2/Sho-Me 05.8000	Able 2/Sho-Me 05.8040/42
Face Programmability	Yes				
LED Backlighting that Changes Color when Activated	Yes		Yes		
Master Switch Control for Groups of Switches	Yes		Yes		
Gunlock Timer Selectable	Yes		Yes		
Splash Resistant Enclosed Membrane Switches	Yes		Yes		
Diagnostic Indicators for Each Output	Yes		Yes		
Detachable Connectors with Screwdown Terminal	Yes				
Switch Box Height	1 ³/8"	2 1/4"	2 5/8"	2 1/4"	2 1/4"
5-Year Warranty	Yes				



WARNING Sound Hazard - Sound level from siren speaker (>120dBA @ 10 feet) may cause hearing damage. Do not operate siren without adequate hearing protection for you and anyone in immediate vicinity. (Ref. OSHA 1910.95 for occupational noise exposure guidelines)

PHANTOM and CARSON SIRENS are trademarks of Carson Manufacturing Company, Inc.

Size

Shipping Weight 2 1/2 Lbs

6 1/8" Wide, 1 3/8" High, 6 1/2" Deep

- Slim case is only 1 3/8" high

- No-hassle 5-year limited warranty

Free Manuals Download Website

http://myh66.com

http://usermanuals.us

http://www.somanuals.com

http://www.4manuals.cc

http://www.manual-lib.com

http://www.404manual.com

http://www.luxmanual.com

http://aubethermostatmanual.com

Golf course search by state

http://golfingnear.com

Email search by domain

http://emailbydomain.com

Auto manuals search

http://auto.somanuals.com

TV manuals search

http://tv.somanuals.com