Compact Hot Benerage Dispensers

For Specialty Drinks & Moderate Volume Locations



- ✓ Provides new opportunities to capitalize on the growing demand for speciality hot beverages.
- ✓ Dispense Cappuccino, SteamersTM, Hot Chocolate... and more.
- ✓ Cecilware incorporates its leading technology into a dispenser for all types of accounts and a variety of products.



(Actual width of dispenser #)







GB3CP-ST

Industry Leading Features Available Only From Cecilware



Dispenses Cappuccino 30% faster, reducing Cappuccino lines and wear and tear on major dispenser components.

- Vacuum Steam Removal System (VSRS) Insures that the powdered mix will remain dry to eliminate clogging, caking and bridging.
- Removable Moisture & Powder Collection Tray Catches excess cappuccino powder before it reaches the vacuum motor keeping the dispenser in top working condition.
- Direct Drive Auger System Insures perfect hopper alignment and "silent running."
- "Power Whip" Carefully whips the Cappuccino into a delicious, creamy drink.
- Uniquely Designed Water Tank Maintains perfect brew temperature readiness at all times.
- Flexible Dispensing Capable of handling 8½" cups.
- Attractive Color Graphics Draws customers attention.


Easy Cleaning and Service

- **Self Cleaning Feature** Rinse system is touch button easy and rinses the entire whipper chamber with hot water at the end of each cycle.
- A Service Breeze All components and adjustments are readily accessible for easy, in-place service. All parts requiring regular cleaning can be removed by hand.

Optional Feature

 Automatic Portion Control - Allows an operator to dispense Cappuccino into a predetermined size cup.

		# of	Hopper				Water	Ship
Model #	Label	Hoppers	Capacity	Width	Depth	Height	Tank	Weight
GB1CP*	Cappuccino	1	6 lbs.	73/4"	20"	24"	2 gal.	30 lbs.
GB2CP*	or	2	3 lbs.	7 / 4	20	24	2 gai.	32 lbs.
GB3-CP*	Steamer	3	4 lbs.	10"	18"	30"	2 gal.	40 lbs
GB1HC-CP*	Hot	1	6 lbs.	73/4"	20"	2.4"	21	30 lbs.
GB2HC-CP*	Chocolate	2	3 lbs.	/ /4	20"	24"	2 gal.	32 lbs.



Electric: 120V, Line Cord, 1.8KW 15A, Nema 5-15R standard on all models

Plumbing: 1/4" water line required Burst Capacity: 38 based on 6 oz. cups









Free Manuals Download Website

http://myh66.com

http://usermanuals.us

http://www.somanuals.com

http://www.4manuals.cc

http://www.manual-lib.com

http://www.404manual.com

http://www.luxmanual.com

http://aubethermostatmanual.com

Golf course search by state

http://golfingnear.com

Email search by domain

http://emailbydomain.com

Auto manuals search

http://auto.somanuals.com

TV manuals search

http://tv.somanuals.com