

Carefree and reliable comfort.



R410a Air Conditioners/ Heat Pumps

High Efficiency





4AC14L 4HP14L

Air Conditioners / High Efficiency





14 SEER or up to 15 SEER and

8.5 HSPF heating efficiency

with specific AHRI matched

R410a chlorine-free refrigerant

meets government standards

for ozone and environmental

• 1.5 – 5 tons nominal capacity

compressor is safeguarded by

internal pressure relief valves

Four-piece louvered coil guard

re-installation during routine

coils use copper tubes with

enhanced louvered fins for maximum heat transfer

 Equipped with energy-efficient demand defrost control (HP

condenser fan motor needs no

offers easier removal and

High-quality condenser

· Permanently lubricated

annual maintenance

service valves

listed

Easy-access corner-mounted

10-year limited warranty on

compressor and parts **

All models UL-, ULc- and AHRI-

Quiet, durable scroll


maintenance

capability

Design Features

systems

safety





Save Energy, Save Money, Go Green[†]

Our energy efficient, chlorine-free R410a 14 SEER air conditioners and heat pumps provide exceptional cooling and heating performance and meet the government standards for ozone and environmental safety. They are designed to exceed ENERGY STAR® guidelines for energy efficiency and savings.

Built To Last

Attractive louvered panels protect coils and are easy to service, while the compressors are designed for reliable and efficient money-saving performance. The corrosion-resistant cabinet is built from strong, heavy-gauge prepainted steel and has drain holes to prevent the collection of standing water. While the heat pump liquid line filter driers are already installed, the air conditioner filters are easily installed outside the cabinet to protect the compressor from contaminants.

Air Conditioner Unit Dimensions

Model Number	Width (Inches)	Depth (Inches)	Height (Inches)
4AC14L18P	24-1/4	24-1/4	28-1/2
4AC14L24P	28-1/4	28-1/4	32-1/2
4AC14L30P	28-1/4	28-1/4	36-1/2
4AC14L36P	28-1/4	28-1/4	36-1/2
4AC14L42P	28-1/4	28-1/4	28-1/2
4AC14L48P	28-1/4	28-1/4	36-1/2
4AC14L60P	32-1/4	32-1/4	32-1/2

Heat Pump Unit Dimensions

Model Number	Width (Inches)	Depth (Inches)	Height (Inches)
4HP14L18P	24-1/4	24-1/4	28-1/2
4HP14L24P	24-1/4	24-1/4	28-1/2
4HP14L30P	24-1/4	24-1/4	32-1/2
4HP14L36P	32-1/4	32-1/4	28-1/2
4HP14L42P	32-1/4	32-1/4	36-1/2
4HP14L48P	32-1/4	32-1/4	36-1/2
4HP14L60P	32-1/4	32-1/4	42-1/2

- † Actual cost savings may vary depending on personal lifestyle, system settings, equipment maintenance, local climate, actual construction, installation of equipment and duct system, hours of operation and local utility rates.
- Warranty provides for a total of 10 years of limited warranty coverage (Standard 5-year limited parts warranty plus an additional 5-year limited extended parts warranty). Warranty must be registered online within 60 days of installation to qualify for 10-year coverage. Unregistered equipment defaults to 5-year coverage. See full warranty at www.alliedair.com for terms, conditions and exclusions.

All specifications and illustrations subject to change without notice and without incurring obligations.





Proper sizing and installation of equipment is critical to achieve optimal performance Ask your contractor for details





Download from 2000 WWW. Some after it is some of the control of th







www.ducanehvac.com 1-800-448-5872

Free Manuals Download Website

http://myh66.com

http://usermanuals.us

http://www.somanuals.com

http://www.4manuals.cc

http://www.manual-lib.com

http://www.404manual.com

http://www.luxmanual.com

http://aubethermostatmanual.com

Golf course search by state

http://golfingnear.com

Email search by domain

http://emailbydomain.com

Auto manuals search

http://auto.somanuals.com

TV manuals search

http://tv.somanuals.com