




## ImagePro 8947 DLP Projector

- 5000 lumen brightness
- XGA resolution
- HDTV Ready
- 1000:1 contrast ratio
- Full connectivity
- Optional Network capability, RJ-45
- Power Zoom and Focus
- Horizontal and Vertical Keystone Correction
- Power Horizontal & vertical lens shift
- Optional bayonet style lenses available
- Dual lamps for reliability



# 8947 DUKANE

# ImagePro 8947

## LCD projector

The ImagePro 8947 is a DLP projector that can be used in a variety of large venue applications. With a brightness of 5000 lumens the 8947 is great for open areas and conference rooms. The 8947 is designed to be reliable and easy to maintain. Plus dual lamps assurance that a presentation or service will not be interrupted

With the many interconnect options this projector can be installed almost anywhere. You can connect virtually any source and be assured an outstanding image.



The projector can be controlled or monitored a number of ways including over a local area network (LAN). It provides you the perfect presentation.

### Key features:

- XGA (1024 x 768) resolution
- 5000 ANSI lumens of brightness
- 1000:1 contrast ratio
- Network Capability, RJ-45
- Power Zoom, and Focus
- Power horizontal and vertical lens shift
- Dual lamps for reliable operation
- Monitor loopthrough & remote mouse control
- Optional bayonet style lenses available
- Vertical Keystone Correction
- HDTV ready
- Three Year Warranty and One Year Peace of Mind Service

8947 Projection Table

Image Size 4:3		Throw Distance	
Diagonal	Width	Min.	Max.
Inches	Inches	Feet	Feet
40	32	4.8	5.9
60	48	7.2	8.8
100	80	12.0	14.7
150	120	18.0	22.0
200	160	24.0	29.3

Throw Ratio (distance to width), 1.8 2.2

# DUKANE

Dukane Corporation  
 Audio Visual Products Division  
 2900 Dukane Drive  
 St. Charles, Illinois 60174  
 Toll-free: 800-676-2485  
 Fax: 630-584-5156  
 avsales@dukcorp.com  
 www.dukcorp.com/av



#11736-C-08 ImagePro is a registered trademark of Dukane Corporation

Specifications subject to change without notice. Download from [www.3ymanuals.com](http://www.3ymanuals.com). All Manuals Search And Download.

### Specifications

Image Element	0.7" 12 degree DDR DLP
Brightness	5000 ANSI lumens 3500 (whisper mode)
Resolution	1024 x 768 pixels (H X V), XGA
Contrast	1000:1
Scanning Frequency	fh 15 - 94 kHz, fv 50-85 Hz
Lens	Power zoom, and Focus (18.6-22.7mm), 1.22x
Lens Throw Ratio	1.8 - 2.2, throw distance to image width
Keystone Correction	Digital vertical & horizontal +/-15 deg.
Aspect Ratio	4:3 native, 16:9 selectable
Computer Compatibility	VGA, SVGA, XGA, SXGA, UXGA and MAC
Video Compatibility	NTSC, NTSC 4.43, PAL B/G/H/I/M/N 60 SECAM, HDTV 1080i/p, 720i/p, 480i/p
Projection Modes	Front/rear/ceiling
Color Reproduction	24 bit (16.7 million)
Lamp	250W x 2
Lamp Life	2000 hours (3000 hours Whisper)
Audio	3W x 2
Throw Distance	40" to 400"
Screen Size, diagonal	30" to 300"
Inputs, Video	(1) Component, RCA x 3 (1) S-video, Min DIN 4-pin, (1) Composite video, RCA x 1 (3) Audio, Stereo RCA x 2 (L&R)
Inputs, Computer	(1) RGB Signal: D-sub, 15 pin (1) DVI-D (1) RGB Signal: BNCx5 (3) Audio, Stereo mini jack x 1
Outputs Monitor	15 pin, D-sub
Outputs Audio	Audio, Stereo mini jack, 3.5 mm
Terminals,Control	9 pin D-sub Connector, RS232 USB Type A, (1) Wired remote, mini stereo Kensington slot
Security	Kensington slot
Network	RJ-45 port
Fan Level	36dB, (34dB in whisper mode)
Operating Temperature	41 to 95 deg. F (5-35 deg C)
Power	AC 110-240V (auto ranging) 50/60 Hz, 500W (<10W Standby)
Size (WxHxD)	18.7" x 16.2" x 7.7"
Weight	34.1 lbs. (15.5 kg)
Carton Size	24" x 22" x 15"
Shipping Weight	48 lbs.
Accessories Included	Remote control, batteries (AA), power cord, computer cable, lens cap, CDROM, User Manual
Safety	FCC-B, UL/CUL, TUV, CB, CE, CCC
Optional Accessories	456-8947 Lamp 1 456-8947 Lamp 2 Ceiling mount, universal; RPA-U/RPM-U, Remote control
Optional Lenses	
GR-1	Short zoom, throw Ratio 0.8 fixed.
G-200	Short zoom, throw ratio 2.25 - 3.0
G-400	Long zoom, throw ratio 3.0 - 4.5
G-500	Long zoom, throw ratio 4.5 - 7.0

Three (3) year limited warranty on parts and labor in North America, lamp excluded (for other locations, local warranties apply). Includes Dukane's FREE 1 year Peace-of-Mind Loaner Program.

# 3YR

## Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>