

ImagePro 8801A



- Versatile Projector
- Reduced Weight, 7 lbs.
- XGA Plus (1024 x 768)
- Great Video and Data Images
- 2200 ANSI Lumens
- 400:1 Contrast Ratio
- HDTV Ready
- Digital Keystone Correction
- Five Year Warranty



FEATURES

We have taken the majority of features found in our best selling XGA projector and put it into a 7 lb. package. So you now have a dynamo projector that is 7 lb. lighter. The new features on the **ImagePro™ 8801A** include Component Video and HDTV compatibility. This projector is perfect on the road or in the ceiling. It also has a much

quieter operation with whisper mode setting, plus a 400-1 contrast, and a Kensington slot for secure installation. A custom start-up screen and digital horizontal & vertical keystone correction complete the features.



The ImagePro 8801A inputs are easily accessible.

SPECIFICATIONS

Specifications: XGA, LCD Data/Video Projector, 0.9" LCD, 2200 lumens, 7 lbs., 400-1 Contrast Ratio, SXGA Compressed, IBM/MAC Compatible, Manual Zoom and Focus, 1:1.3 Lens, 4:3/16:9 Selectable, HDTV (480i, 575i, 480p, 1080i, 720p), Electronic Zoom Pan, and Freeze Function, Mouse Control via USB, 200W UHB Lamp With 2000 Hour Lamp Life, 2 x 1W Stereo Speakers, Video Inputs: Component RCA x 3, Min Din 4-pin S-Video, RCA Composite Video, Audio Stereo Mini x 2, USB port, b type, (2) Computer D-sub RS-232, (2) Audio Stereo Mini-Jack, 15 Pin D-sub RS-232, Monitor D-sub 15 Pin, Audio Stereo Mini-Jack, Kensington Lock, 34db in whisper mode, Accessories Included: Remote Control with Laser Pointer, Batteries, Power Cord, Component Video Cable, RGB Computer Cable, PS/2 cable, operators manual, and carry case. **Industry Leading 5-Year Parts and Labor Warranty, Free 24/7Technical Support and 2 Year Free Peace of Mind Loaner Program** Specifications Subject to Change without notice.

PROJECTING YOU INTO THE FUTURE



·



ImagePro 8801A Data/Video Projector Model 28A8801A

FAST FAX

Specifications (Specifications are subject to change without notice)

LCD Type 0.9" polysilicon active-

matrix TFT x 3

2200 ANSI Lumens
(1,700 whisper mode)

Resolution 1024 x 768 pixels (H X V), XGA

Contrast 400:1

Color Levels
Keystone Correction
Scanning Frequency
Lens
Computer
Compatibility

16.7 million, 24 bit
Digital, selectable, H&V
fh 15-80kHz fv 50-120hz
Manual Zoom 1:1.3 (F1.7-2.1)
VGA, SVGA, XGA/SXGA
(Compressed), Mac,

Projection Configuration
Aspect Ratio

Mac 13" and Mac 16"
Front/rear/ceiling
4:3, 16:9 Selectable

Image Control Freeze function, Electronic Zoom and pan

Start-up Screen
Correction Control
Video Compatibility

User Programmable
Gamma and Color
NTSC, NTSC 4.43, PAL,
M-PAL, N-PAL, PAL60,
SECAM S-Video HDTV

SECAM, S-Video, HDTV, 480i, 575i, 480p, 1080i, 720p

Lamp200W UHBLamp Life2000 hours (typical)AudioSpeakers, 1W x 2 Stereo

Throw Distance 62" - 400"

Screen Size 40" - 200" diagonal Inputs (1) Min DIN 4-pin S-Video

(1) Min DIN 4-pin S-Video
(1) RCA composite video
(1) RCA x 3 Component Video
(2) Computer; D-sub 15 pin
(1) RCA jack, audio, video
(2) mini jack audio, PC

(1) D-sub 15-pin, monitor(1) Audio, Stereo mini jack

(1) Mouse control via USB jack (b-type)

Control RS-232C (1) D-sub, 15 pin Kensington slot

Noise Level 37dB, ultra quiet. 34dB, Whisper Mode Power AC90-132 V / AC220-240V,

50/60 Hz, 310W

Size (WxHxD) 11.7" x 3.0" x 9.0" **Weight** 7 lbs

Shipping Weight 16 lbs.

Outputs

Carton Size 15" x 13" x 10.5"


Accessories Included Remote control with laser pointer, Batteries, Power cord

(U.S., UK, Euro), Video cable, RGB cable, mouse cable (ps/2) operator's manual, handle strip and

carry case.

Safety UL/C-UL, FCC Class B
Optional Accessories Lamps 456-227; Rolling
Briefcase; 185-406

Five (5) year Limited Warranty on Parts and Labor in North America, lamp excluded (for other locations,local warranties apply.) Includes Dukane's FREE 24 month Peace-of-Mind Loaner Program.



Performance and Portability

The **Dukane ImagePro 8801A**TM is the ideal tool for the presenter on the go. At only 7 lbs. The 8801A can be easily transported. It provides an exceptional image that is sufficiently bright to overcome ambient lighting in an office, conference room, or school. It will display images from a PC or MAC, and video from a VCR, DVD or other source. The projector sets up in seconds and features easy operation for the non-technical presenter.

Featuring true **1024 x 768 XGA** resolution plus compressed SXGA and 2200 lumens of brightness, the **ImagePro 8801A** is engineered to reproduce data with razor sharp accuracy and brilliant color imagery. With the capability to show HDTV and digital TV formats, this unit will meet all your future requirements.

In addition, the 8801A has a very quiet fan plus "whisper" mode where the light output is reduced to 1700 lumens and the operating unit can barely be heard. Other features are the component video input, an FCC Class B home environment listing, digital zoom, freeze for video, custom start-up screen, a Kensington slot for security, plus a super easy to use control format. The remote control has the mouse function, plus a laser pointer. Everything is arranged for your convenience and speed in set-up and operation.

This projector is backed by **Dukane's legendary service and a industry leading FIVE YEAR** limited warranty, plus a two year "Peace of Mind" program which is the finest in the industry.

Audio Visual Products





DUKANE

Dukane Corporation Audio Visual Products Division 2900 Dukane Drive St. Charles, IL 60174 Toll Free (800) 676-2485 or 2486 Fax (630) 584-5156 e-mail: avsales@dukane.com

Image Pro® is a registered trademark of **DUKANE** Corporation.

Free Manuals Download Website

http://myh66.com

http://usermanuals.us

http://www.somanuals.com

http://www.4manuals.cc

http://www.manual-lib.com

http://www.404manual.com

http://www.luxmanual.com

http://aubethermostatmanual.com

Golf course search by state

http://golfingnear.com

Email search by domain

http://emailbydomain.com

Auto manuals search

http://auto.somanuals.com

TV manuals search

http://tv.somanuals.com