

MICROBLUE



Our Thanks to You

Thank you for purchasing a CobraMarine® VHF radio. Properly used, this Cobra® product will give you many years of reliable service.

How Your CobraMarine VHF Radio Works

This radio is a battery-powered portable transceiver for use afloat. It gives you two-way vessel-to-vessel and vessel-to-shore station communications, primarily for safety and secondarily for navigation and operational purposes. With it, you can call for help, get information from other boaters, talk to lock or bridge tenders, and make radiotelephone calls to anywhere in the world through a marine operator.

Besides two-way communications, the radio can provide quick access to receive all the NOAA (National Oceanographic and Atmospheric Administration) weather channels and alert you to weather emergencies with a tone on a weather channel you can select for your area.



Customer Assistance

Should you encounter any problems with this product, or not understand its many features, please refer to this owner's manual. If you require further assistance after reading this manual, Cobra Electronics offers the following customer assistance services:

For Assistance in the U.S.A. Automated Help Desk English only.

24 hours a day, 7 days a week 773-889-3087 (phone).

Customer Assistance Operators English and Spanish. 8:00 a.m. to 5:30 p.m. Central Time Mon. through Fri. (except holidays) 773-889-3087 (phone).

Questions English and Spanish. Faxes can be received at 773-622-2269 (fax).

Technical Assistance English only. www.cobra.com (on-line: Frequently Asked Questions). English and Spanish. productinfo@cobra.com (e-mail).

For Assistance Outside the U.S.A. Contact Your Local Dealer


A1 English

English

Download from Www.Somanuals.com. All Manuals Search And Download.

© 2010 Cobra Electronics Corporation

6500 West Cortland Street Chicago, Illinois 60707 USA www.cobra.com




Nothing Comes Close to a Cobra®

VHF MARINE RADIO

MR HH475 FLOAT BT

Backlit LCD Screen and Product Features

Backlit LCD (Liquid Crystal Display) Screen



Product Features

Power Settings

Introduction

Selectable power settings produce 1, 3 or 6 watts of output power for near or distant calling.

USA/International/Canada Channels

Allows operation on any of the three (3) different channel maps established for these areas.

All NOAA Weather Channels

Instant access to all National Weather Channels, 24 hours a day,

Submersible to JIS7 Standards Waterproof to 3.3 ft (1 m) of water for 30 minutes.

Cobra Exclusive Rewind-Sav-Again™

A dedicated button allows user to replay up to the last 20 seconds of audio. Press the dedicated rewind button and this Cobra VHF will replay the last 20 seconds of the audio from your VHF.

Button/Kev Lock Prevents accidental setting changes

when button lock is set.

Channel Scan/Memory Scan

Use to scan through unlimited channels or memory locations to find conversations in progress.

AA Battery Compatible

Can work at full power with six (6) AA alkaline batteries. Good for emergency backup. Use AA battery tray included (P/N CM 110-011).

Instant Channel 16/9


Provides instant access to priority Channel 16 and calling Channel 9.

Tri-Watch

Use to monitor three (3) channels at once — Channel 16 and two (2) programmable channels.

Floating

This radio will float if dropped overboard. It has an orange stripe so it's easy to retrieve. Must use included battery to float.



Product Features (continued)

MicroBlue™

Introduction

Bluetooth[®] Wireless Technology in a unique noise canceling design. Widely compatible for all mobile phones with Bluetooth[®] wireless technology.

120V/12V Charger Included Use to charge battery pack, at home, in a car or in a boat.

Locking Desktop Charger Holds the radio or battery in place while charging. Vertical or horizontal mountina.

Call Tones (Selectable) 10 selectable call tones.

Emergency Weather Alert Receive NOAA alerts when threatening weather is nearby.

Speaker/Mic Jack

Allows connecting optional Cobra Lapel Speaker/Mic and other Cobra accessories.

Unlimited Memory Channels Allows programming of unlimited

VHF memory channels.

Signal Strength Meter Shows the strength of incoming or outgoing signals.

Easy Redial Operation Redial of last phone number dialed.

Voice Dialing Supports standard mobile phone voice dialing when paired to a compatible mobile phone.

Noise Canceling Microphone Reduces effect of environmental noise when speaking.

Illuminated Buttons Allows high visibility of all function buttons.

Roger Beep Tone (Selectable) Confirmation tone indicates the completion of the user's transmission and signals to others it is clear to talk. On or Off selectable.

BURP

The Cobra BURP feature expels water from the speaker grill if the unit is dropped in the water or is subjected to extreme rain and weather.



A4 English Download from Www.Somanuals.com. All Manuals Search And Download.

Notes

Table of Contents



Introduction

Our Thanks to You
Customer Assistance
Radio Controls and Indicators A2
Backlit LCD (Liquid Crystal Display) Screen A3
Product Features
Important Safety Information
General Precautions
Recommendations for Marine Communication
FCC Licensing Information



Installation

Included in this Package	 8
Wrist Strap and Belt Clip	 9
Batteries and Charger	 10



Operating Your Radio

Getting Started1	4
Setup Mode Programming1	9
Bluetooth® Mode Pairing and Programming	3
Standby/Receive and Transmit	7
NOAA Weather Channels and Alert 2	9
Advanced Operation	1
Rewind Operation	8
Mobile Phone Operation with <i>Bluetooth</i> ®	0
Floating Feature	6
Maintenance and Troubleshooting	7



VHF Marine Radio Protocols

/HF Marine Radio Procedures4	8
/oice Calling	0
Radiotelephone Calls	52
mergency Messages and Distress Procedure	53

E	P
-	

Quetemor Comises	
Trademark Acknowledgement .	
Limited 3-Year Warranty	

Warranty and Trademark

Product Service	58
Specifications	59

Appendix

VHF Marine Channel Assignments	60
Weather Channels Assignments	75
Accessories	76

Nothing Comes Close to a Cobra® 1 Download from Www.Somanuals.com. All Manuals Search And Download.

Important Safety Information

Introduction

Important Safety Information

Before installing and using your CobraMarine VHF radio, please read these general precautions and warnings.

Warning and Notice Statements

To make the most of this radio, it must be installed and used properly. Please read the installation and operating instructions carefully before installing and using the radio. Special attention must be paid to the **WARNING** and **NOTICE** statements in this manual.

WARNING

Statements identify conditions that could result in personal injury or loss of life.

NOTICE

Statements identify conditions that could cause damage to the radio or other equipment.

Safety Training Information

This CobraMarine[®] radio is designed for, and classified as, "Occupational Use Only." The radio must only be used in the course of employment by individuals aware of both the hazards and the ways to minimize those hazards. This radio is NOT intended for use in an uncontrolled environment by the "General Population."

This radio has been tested and complies with the FCC RF exposure limits for "Occupational Use Only." This CobraMarine VHF radio also complies with the following guidelines and standards regarding RF energy and electromagnetic energy levels as well as evaluation of those levels for human exposure:

- FCC OET Bulletin 65 Edition 97-01 Supplement C, Evaluating Compliance with FCC Guidelines for Human Exposure to Radio Frequency Electromagnetic Fields.
- American National Standards Institute (C95.1-1992), IEEE Standard for Safety Levels with Respect to Human Exposure to Radio Frequency Electromagnetic Fields, 3 kHz to 300 GHz.
- American National Standards Institute (C95.3-1992), IEEE Recommended Practice for the Measurement of Potentially Hazardous Electromagnetic Fields — RF and Microwave.

Introduction

General Precautions

The following **WARNINGS** and **NOTICE** information will make you aware of RF exposure hazards and how to assure you operate the radio within the FCC RF exposure limits established for the radio.

WARNINGS

Your radio generates electromagnetic RF (radio frequency) energy when it is transmitting. To ensure that you and those around you are not exposed to excessive amounts of that energy, **D0 N0T** touch the antenna when transmitting. **KEEP** the radio at least two (2) inches (5 cm) away from yourself and others when transmitting.

General Precautions

D0 NOT operate with more than a duty cycle of 5% transmit, 5% receive and 90% standby. The radio is transmitting when the **Talk** button is pressed and the transmit information shows on the LCD screen.

ALWAYS use only Cobra authorized accessories.

DO NOT operate the radio in an explosive atmosphere, near blasting sites, or in any area where signs are posted prohibiting radio transmissions.

NEVER place the transceiver or microphone/speaker where they might interfere with operation of your vessel or cause injury.

D0 NOT allow children or anyone unfamiliar with proper procedures to operate the radio without supervision.

Failure to observe any of these warnings may cause you to exceed FCC RF exposure limits or create other dangerous conditions.

General Precautions

NOTICE

Introduction

Your radio is waterproof only when the batteries are properly installed.

AVOID using or storing the radio at temperatures below $-4^{\circ}F$ (-20°C) or above 140°F (60°C).

KEEP your radio at least 3 ft (0,9 m) away from your vessel's magnetic navigation compass.

DO NOT attempt to service any internal parts yourself. Have any necessary service performed by a qualified technician.

This radio is supplied with a lithium-ion (LiON) rechargeable battery pack.

- Use only the Cobra charger to recharge lithium-ion (LiON) batteries in the radio.
- Do not short circuit the battery pack.
- When replacing the batteries, dispose of the old batteries properly. Batteries may explode if disposed of in a fire.

Changes or modifications to your radio MAY VOID its compliance with FCC (Federal Communications Commission) rules and make it illegal to use.



Recommendations for Marine Communication

The frequencies your radio uses are set aside to enhance safety afloat and for vessel navigation and operational messages over a range suitable for nearshore voyages. If the 6 watt maximum output of your radio is not sufficient for the distances you travel from the coast, consider a higher powered handheld or installing a Cobra Marine fixed mount radio with up to 25 watts of output power. (Visit www.cobra.com or your local dealer for model availability.)

If traveling far offshore, you should consider adding even more powerful radio equipment such as HF single side band or satellite radio for your vessel.

The U.S. Coast Guard does not endorse cellular telephones as substitutes for marine radios. They generally cannot communicate with rescue vessels and, if you make a distress call on a cellular telephone, only the party you call will be able to hear you. Additionally, cellular telephones may have limited coverage over water and can be hard to locate. If you do not know where you are, the Coast Guard will have difficulty finding you if you are using a cellular telephone.

However, cellular telephones can have a place on board where cellular coverage is available — to allow social conversations and keep the marine frequencies uncluttered and available for their intended uses.

Introduction

FCC Licensing Information

FCC Licensing Information

CobraMarine VHF radios comply with the FCC (Federal Communications Commission) requirements that regulate the Maritime Radio Service.

The radio operates on all currently allocated marine channels and is switchable for use according to U.S.A., International or Canadian regulations. It features instant access to emergency Channel 16 and calling Channel 9 as well as NOAA (National Oceanic and Atmospheric Administration) All Hazards Radio with Alert that can be accessed by pressing one (1) button.

Station License

An FCC ship station license is no longer required for any vessel traveling in U.S.A. waters which uses a VHF marine radio, RADAR, or EPIRB (Emergency Position Indicating Radio Beacon), and which is not required to carry radio equipment. However, any vessel required to carry a marine radio on an international voyage, carrying an HF single side band radiotelephone, or carrying a marine satellite terminal must obtain a station license.

FCC license forms and applications for ship and land stations can be downloaded through the Internet at www.fcc.gov. Forms can also be obtained by calling the FCC at 888-225-5322.

International Station License

If your vessel will be entering the sovereign waters of a country other than the U.S.A. or Canada, you should contact that country's communications regulatory authority for licensing information.

Radio Call Sign

Currently, the FCC does not require recreational boaters to have a license. The United States Coast Guard recommends that the boat's registration number and state of registry (e.g., IL 1234 AB) be used as a call sign and be clearly visible on the vessel.

Canadian Ship Station License

You need a Radio Operator's Certificate if your vessel is operated in Canadian waters. Radio Operator training and certification is available from the Canadian Power Squadron. Visit their website (http://www.cps-ecp.ca/english/newradiocard.html), contact the nearest field office or write: Industry of Canada, Radio Regulatory Branch, Attn: DOSP, 300 Slater Street, Ottawa, Ontario, Canada K1A 0C8. Introduction

FCC Licensing Information

User Responsibility and Operating Locations

All users are responsible for observing domestic and foreign government regulations and are subject to severe penalties for violations. The VHF frequencies on your radio are reserved for marine use and require a special license to operate from land, including when your boat is on its trailer.



NOTE

This device complies with part 15 of the FCC Rules. Operation is subject to the following two (2) conditions:

- 1. This device may not cause harmful interference, and
- This device must accept any interference received, including interference that may cause undesired operation.

FCC Warnings: Replacement or substitution of transistors, regular diodes or other parts of a unique nature, with parts other than those recommended by Cobra may cause a violation of the technical regulations of part 80 of the FCC Rules, or violation of type acceptance requirements of part 2 of the rules.

Installation

Included in this Package

Wrist Strap and Belt Clip

Included in this Package


You should find all of the following items in the package with your CobraMarine VHF radio:





LiON Battery Pack





For connection to 12-volt and 120-volt power sources.





Wrist Strap and Belt Clip



Belt Clip Secured to Belt

Insert Knob onto Belt Clip

Secure Radio

Installation

Wrist Strap

The radio comes with the wrist strap already attached. It can be easily removed if you choose not to use it.

Belt Clip

Use the spring-loaded belt clip to carry the radio on your person.

- 1. Press open the belt clip, slide it over the belt and release the clip.
- 2. Insert the round guide on the back of the radio into the guide channel on the back of the belt clip. The radio must be upside-down, as shown, to remove it from the belt clip.
- 3. Once the knob is inserted all the way into the belt clip channel, the radio swings free but remains secure.









Batteries and Charger

Batteries and Charger



The radio is shipped with a sealed lithium-ion (LiON) battery pack (P/N CM 110-021) that is rechargeable.

WARNING


The charger provided for this radio is only to be used to charge the battery pack provided. Do not charge any other type of batteries in the charger as fire, explosion or battery damage will occur. Avoiding extreme room temperatures will also help prolong the life of the battery pack for the radio.

When your rechargeable batteries begin to discharge too quickly, it is time to install a new battery pack. Your radio will also operate with six (6) high-quality AA alkaline batteries, using the included alkaline battery tray.



Installing the Battery Pack

- **1.** Position the battery pack to line up the two (2) external alignment tabs to the alignment slots in the radio.
- **2.** Engage the battery pack into the radio until battery pack is fully seated against the radio housing.
- **3.** Pivot the locking tab up until it snaps into place on the back of the battery pack.



nitial Battery Charge

Installation

Initial Charge

The Cobra-provided LiON battery pack may be charged at home, in a car or in a boat using the appropriate 12V or 120V power cord with the charger.

Batteries and Charger

- 1. Insert one (1) of the power cords into the back of the drop-in charger.
- 2. Insert the other end of the power cord into the appropriate 12V or 120V power source.
- **3.** Remove the spacer from the charger and insert the entire radio/battery into the charger. The metal charge contacts on the battery will contact the mating prongs in the charger to transfer the charging current.
- **4.** Observe that the red light on the front of the charger glows to indicate that the battery pack is properly seated and the charger is operating.
- 5. Allow the batteries to charge for five (5) to six (6) hours before use. The light will change back to green when the battery is fully charged.



WARNING

Only the rechargeable LiON battery pack can be recharged. You MUST use one of the charging devices provided with this radio. Do not substitute any other type of charging adapter or charger base for this radio. Battery damage, fire or explosion may result. It is equally important to prevent the lithium-ion (LiON) battery pack from freezing to obtain best performance from the battery pack.



If the drop-in charger is used on a boat, Cobra recommends you attach it to a horizontal shelf or vertical bulkhead (using the screw holes provided) to prevent possible damage due to the boat rolling or pitching. The charging base has been designed to hold the battery pack in place during rough sea conditions.



Batteries and Charger



Battery Pack Charging Only

To Remove Battery Pack from Radio

1. Pivot the locking tab off of the back of the battery pack to unlock.

2. Lift the bottom of the battery pack slightly to remove it from the radio housing.

3. Pull battery pack out of the radio housing.


NOTE

The LiON battery pack can also be charged in the battery charger without being installed in the radio. Insert the spacer into the battery charger to support the battery pack during this charging process. Follow the same procedures in "Initial Charge" to charge the battery pack.

NOTICE

Lithium-ion (LiON) batteries are toxic. Please dispose of properly. Some marine suppliers accept old battery packs for recycling and some municipal waste disposal agencies have special provisions for battery disposal.

Alkaline Battery Tray




Alkaline Batteries

There is an alkaline battery tray (P/N CM 110-011) provided with this radio. The alkaline battery tray is provided as a backup or "Emergency" power source should the battery pack run low on power and needs to be recharged. The radio will transmit at full power when using six (6) new AA Alkaline batteries.


WARNING

Never attempt to recharge alkaline batteries. They are not made to be recharged, and should be disposed of in a proper manner.

Installation



Partially Charged ;))



Maintaining the Battery Charge

Batteries and Charger

As you use your radio, the battery power icon will show the battery power remaining. When the icon begins to flash, it is time to recharge or change the batteries.



Use only the drop-in charger provided by Cobra. Do not use the charger with alkaline batteries; only the LiON battery pack is rechargeable. Spent alkaline batteries must be discarded and replaced.

It is a good idea to keep a set of fresh, high-quality AA alkaline batteries with your radio. Should the rechargeable battery pack become discharged and no electrical power source is available, you can insert the included alkaline battery tray with fresh alkaline batteries and continue to use your radio.



NOTE

Some radios with LiON batteries have AA or AAA battery packs which only allow low-power transmit. The AA battery tray included with the HH475 and a fresh set of alkaline batteries will allow for full-power emergency transmissions.



Getting Started

Getting Started




Refer to the foldout at the front of this manual to identify the various controls and indicators on your radio. Throughout this manual you will be instructed to "Press" or to "Press and Hold" various buttons (except "Push to Talk") on the radio. "Press" means a momentary press of approximately one (1) second. "Press and Hold" means to hold the button down for approximately two (2) seconds.

Whenever you press any button except the **Talk** button on your radio, a brief tone (beep) will sound to confirm the button press. With all button presses, the appropriate icon will appear on the LCD and the backlight will turn On. The backlight will stay On for 10 seconds after the button is released.

At times, you will hear two (2) other sounds. Two (2) beeps will sound to confirm your setting changes and three (3) beeps will sound to notify you of an error.

Common Radio Functions

The following procedures define common operating functions of the radio when in either **Marine Standby** or **Weather (WX) Standby** modes.



Power/Volume Control

Power On/Off Control

The **On/Off/Volume** control is located at the upper right side of the radio. Turning the **On/Off/Volume** control past the detent position will turn the radio On or Off.

Volume Control

Volume is controlled by turning the **On/Off/Volume** control.

- To <u>increase</u> the volume, turn the **On/Off/Volume** control clockwise.
- To <u>decrease</u> the volume, turn the **On/Off/Volume** control counterclockwise.



Talk Button

Operating Your Radio

Radio Speaker and Microphone

Getting Started

The internal **Radio Speaker** and **Microphone** are located on the bottom front face of the radio below the lower control buttons. An <u>optional **Speaker/Microphone**</u> port is located at the top of the radio between the antenna and the **Power/Volume** control. Unthread the **Speaker/Microphone** port cover to access and install an optional speaker or microphone into this port.

Talk Button

Press and hold the **Talk** button to transmit messages. Release the **Talk** button to stop transmitting.



Operating Your Radio

Backlight/Key Lock Button LOCK



Key Lock Icon



Backlight/Key Lock Button

Getting Started

The LCD will be illuminated by the backlight as long as any button is pressed and will remain On for 10 seconds after the button is released.

To Display the Backlight Momentarily:

Press the **Backlight/Key Lock** button. The backlight will remain On for 10 seconds. If the backlight is already On, another press of the **Backlight/Key Lock** button will turn it Off.

Kev Lock

To prevent accidental changes to your settings, you can lock all of the following buttons:

- Channel Up Button
- Channel Down Button
- SCAN Button
- MEM/ESC Button
- WX/H-M-L Button
- 16/9 Button
- TRI-WATCH Button
- Call/Enter/Setup Button

To Lock or Unlock the Buttons:


Press and hold the **Backlight/Key Lock** button for two (2) seconds. The **Key Lock** icon will appear or disappear in the LCD. When Key Lock is On, pressing any of the listed buttons on the front of the radio will result in a three (3) beep error message.

Both the Backlight/Key Lock button and the Talk button are active — you can Receive (Rx) or Transmit (Tx) a message with **Key Lock** On, but you cannot change the channel.









Getting Started

Channel Up/Down Buttons

Your radio will Receive (Rx) and Transmit (Tx) VHF signals on the channel indicated on the LCD display. You can change the channel at any time using the Channel Up/Down buttons.

To Change Channels:

Press the Channel Up/Down button.

If you are on Channel 88, pressing the **Channel Up** button will advance to Channel 01. If you are on Channel 01, pressing the Channel Down button will advance to Channel 88.

You can press and hold the **Channel Up/Down** button for fast advance. The beep sound will occur only at the first press of the button and not during fast advance.

If the new channel selected is restricted to low power, the radio will automatically switch to Low Power mode and the **Low Power** icon will appear on the LCD.

If the radio is in the **Key Lock** mode, the channel will not change and the three (3) beep error signal will sound.

SCAN Button

Press and release the **SCAN** button to scan all channels. The SCAN icon will display on the LCD display. Scanning begins at lower channels, and scans to higher channels. Press the Channel Up/Down button to change the scan direction.

When a signal is received in SCAN mode, the radio will pause 10 seconds before resuming **SCAN** operation. The scan will stop when the **Talk** button is pressed.

In Memory mode, press and release the SCAN button to scan all memory channels. Because the unit is already in the Memory Channel mode, only the channels in the memory bank will be displayed.



NOTE

Memory channels need to be saved to effectively enter the Memory Channel mode and scan all memory channels.

Getting Started



Operating Your Radio

High/Medium/Low (H-M-L) Power Button

Your radio can transmit selectively at 1, 3 or 6 watts of power. Cobra suggests you maintain the low power setting for short-range communications. You will conserve battery life and avoid overpowering nearby stations with a low power setting signal. Use the high power setting for long-range communications or when you do not receive a response to a signal sent at 1 watt.

To Toggle Between H-M-L Power Modes:

Press the **H-M-L Power** button. The LCD will show which mode is in effect. Some channels are restricted for a maximum use of 1 watt. Your radio will automatically set the power to **Low Power** mode when you select those channels.

NOTE

Some channels, frequency bands and countries of use might not be able to operate in **High Power** mode.

Call /Enter/Setup Button

The **Call/Enter/Setup** button has multiple functions. It is generally used in the following ways:

- Press and release to transmit your unique Call Tone signal to another radio.
- Press and hold to enter any **Setup** menu.
- Functions as an Enter button when making a selection in any Setup menu.

Operating Your Radio

Setup Mode Programming

The following series of procedures is designed to allow you to set the programmable features of your radio. Correctly following these steps results in a minimal amount of radio setup programming time.

Setup Mode Programming



When in the **Setup** mode, if you stop programming for longer than 15 seconds, your entry will be saved and the radio will go back to the **Marine Standby** mode. When you return to **Setup** mode and continue programming you will see the last "value" displayed. While in the **Setup** mode, you will not receive any signal reception.

Marine (VHF) Mode Programming

Programming these features will allow you to customize certain features of this radio to enhance your "On-Water" audio needs.

Start from **Marine Standby** mode to begin **Marine (VHF) Setup** programming. Press and hold the **Call/Enter/Setup** button for two (2) seconds to enter the programming mode.

The mode programming follows this sequence:

- Squelch Level Set
- UIC Channel Map
- Tone Alert On/Off
- Call Tone Select
- Roger Beep On/Off
- Key Tone On/Off





Setup Mode Programming



ali

SEE

ICA VOX

SCAN 🎝 ROG 🕽 🔳 🔳

Sauelch Control

Sauelch Control

Squeich Control filters weak signals and radio frequency (RF) noise so that you will clearly hear the signals you want. The Squeich Control on this radio is set through the following keypad operation.


To Set Squelch Control:

- 1. With the power On, press and hold Call/Enter/Setup button to access the Setup menu.
- **2.** Squelch control will be the first menu item to appear. Press the Channel Up and Channel Down buttons to set level. The signal level bar graph shows squelch level while you are in **Setup** mode on the squelch adjust function.
- 3. To tune your squelch, press the **Channel Down** button until you hear a hissing sound, then press and release the **Channel Up** button until the hissing stops. This will establish a "Baseline" squelch.
- 4. By pressing the **Channel Up** button further, you will filter weak and medium strength signals. By pressing Channel Down button, you will receive weaker signals.
- 5. Press the Call/Enter/Setup button to save this entry and move to the next Setup mode programming.

NOTE

If the **Squeich** is set so that you can hear a continuous hissing sound, the Memory Scan and Tri-Watch functions will be blocked.






Setup Mode Programming

USA/International/Canada Channel Maps

Three (3) sets of VHF Channel Maps have been established for marine use in the USA, Canada, and the rest of the world (International). Most of the channels are the same for all three (3) maps, but there are definite differences (see table in the Apendix on page 64). Your radio has all three (3) maps built into it and will operate correctly in whichever area you choose.



To Set Channel Map Operating Area:

- 1. The Channel Map mode is the second mode on the Marine (VHF) Setup programming.
- 2. U. I and C will display, with the current setting (the **U** icon is the default) flashing.
- 3. Press Channel Up/Down button to select the U. I or C icon.
- 4. Press Call/Enter/Setup button to save this entry and move to the next **Setup** mode programming.



NOTE

One or two of the channel maps might have been disabled for sales of this radio in some countries.



Call Tone Alert

If Call Tone Alert is set to On, the radio will alert you to a call from a compatible Cobra radio with a Call Alert.

To Set Call Tone On or Off:

- 1. Display will show Call Tone icon and ON or OFF flashing.
- 2. Press Channel UP/Down button to select ON or OFF.
- 3. Press the Call/Enter/Setup button to save this entry and move to the next **Setup** mode programming. The Call Tone icon will show in the Standby mode when set to ON.

Key Tone Mode

VHF

Setup Mode Programming

Call Tone Select

This setting will also allow you to transmit a unique **Call Tone** alert to identify your radio when you transmit messages. You can select from one of 10 different **Call Tone** signals.

To Set Call Tone:

- 1. From the previous press of the **Call/Enter/Setup** button, the LCD will display the letter "**C**" and the current **Call Tone** number (01 through 10).
- 2. Press the **Channel Up/Down** button to select a different **Call Tone**. An example of each call tone will sound for 1.5 seconds.
- 3. Press **Call/Enter/Setup** button to save this entry and move to the next **Setup** mode programming.

Call Tones are not usually used for **Marine VHF** communications. We allow you to turn it On for your unique communication needs.

Roger Beep Mode

In **Roger Beep** mode, your listener will hear an audible tone when you release the **Talk** button. This alerts your listener that you are finished talking and it is OK for them to speak.

To Set Roger Beep On or Off:

- 1. Display will show ${\rm ROG}$ icon and ${\rm ON}$ or ${\rm OFF}$ flashing.
- 2. Press Channel Up/Down button to select ON or OFF. ROG will be displayed when On.
- **3.** Press **Call/Enter/Setup** button to save this entry and move to the next **Setup** mode programming.

Key Tone Mode

In **Key Tone** mode, an audible tone will sound each time a button is pressed or you change a setting.

To Set Key Tone On or Off:

- 1. Display will show Key Tone icon and ON or OFF flashing.
- 2. Press Channel Up/Down button to select ON or OFF.
- 3. Press Call/Enter/Setup button to save entry.

You have now ended **Marine (VHF) Setup** mode programming and will enter **Marine Standby** mode.



Bluetooth® Mode Pairing and Programming

Bluetooth[®] wireless technology is a standard which has been developed for use in mobile (cell) phones and other devices. This radio can be wirelessly linked to your mobile phone if your mobile phone also has *Bluetooth*. This process of linking your mobile phone and this radio is called "Pairing." Once paired, this radio can act as the speaker and microphone of your mobile phone while your phone is stowed in a safe and dry location.

Bluetooth[®] Mode Pairing

This programming section shows you how to complete the pairing process. It also shows you how to change some settings related to the *Bluetooth* functionality of your radio.



Bluetooth Standby Mode, Paired State


Pairing Your Mobile Phone:

- Press and release the *Bluetooth* button to enter *Bluetooth* Standby. The LCD will change from VHF Standby mode display to *Bluetooth* Standby mode display. The word "bLUE" will be shown on the display and the blue keypad backlight will come On.
- 2. Press and hold the *Bluetooth* button on the HH475BT for four (4) seconds [until the radio beeps four (4) times] from the *Bluetooth* Standby mode. The blue backlight will flash for some time. Your radio is now in a "Pairing Mode" and can be "found" by your phone.


While in pairing mode, the LCD will display the sequence as shown in the illustration below.

 Follow the cell phone's instructions to search for available pairing with another *Bluetooth* device. This can often be found in the Tools or Settings menu of your mobile phone.

Enter the "P.I.N." (Personal Identification Number 0000), on your mobile phone when prompted. Wait for the pairing process to complete.



Roger Beep Mode



CALATIS SCAN J ROG

Call Tone Select

Operating Your Radio



Bluetooth[®] Mode Pairing and Programming



Bluetooth Standby Mode

4. You will then see a confirmation of successful pairing or a notice to try again if pairing did not occur. The LCD will briefly display the word "PairEd."

This process only needs to be completed for first time operation. From then on, as long as your mobile phone is within 30 feet (10 meters) of the radio, the two units will "Pair" automatically. A "P" will now be displayed if you press the **Bluetooth** button and enter the **Bluetooth Standby** mode.

Bluetooth Mode Programming

Ρ

The default settings for how your radio answers and conducts *Bluetooth* mobile phone calls can be adjusted.



ROG)

VOX On or Off

The **VOX** function converts the radio microphone's pickup of your voice from being controlled by the **PTT** button to being activated by your voice. When **VOX** is On, the **PTT** button does not need to be pressed to transmit your voice, and you can just speak into the microphone.

When **VOX** is Off, you need to press the **PTT** button while speaking.

To Change Between VOX On and Off:

- From the *Bluetooth* Standby mode, press and hold Call/Enter/Setup button to access the Setup menu. VOX On/Off will be the first menu item to appear.
- 2. Press the **Channel Up** and **Channel Down** buttons. The display will show the selection of either ON or OFF.
- Press the Call/Enter/Setup button to confirm your selection and move to the next Setup mode programming.



Call Tone Select

Operating Your Radi

Bluetooth® Mode Pairing and Programming

Call Tone Alert

If **Call Tone Alert** is set to On, the radio will "ring" with one of your Cobra selected tones when you receive a call on your mobile phone. If **Call Tone Alert** is set to Off, the radio will ring with the default ring tone.

To Set Call Tone On or Off:

- 1. Display will show **Call Tone** icon and ON or OFF flashing. **VOX** On/Off will be the first menu item to appear.
- 2. Press Channel UP/Down button to select ON or OFF.
- Press the Call/Enter/Setup button to save this entry and move to the next Setup mode programming. The Call Tone icon will show in the Standby mode when set to ON.

Call Tone Select (Ring Tones)

This setting controls what ring tones is used to alert for incoming calls on your mobile phone. Ten different ring tones are available from which to choose.

To Set Call Tone:

- 1. From the previous press of the **Call/Enter/Setup** button, the LCD will display the letter "C" and the current Call Tone number (01 through 10).
- 2. Press the **Channel Up/Down** button to select a different Call Tone. An example of each call tone will sound for 1.5 seconds.
- 3. Press Call/Enter/Setup button to save this entry and move to the next Setup mode programming.



Bluetooth[®] Mode Pairing and Programming



Bluetooth Radio On/Off

This setting allows you to turn On and Off the small *Bluetooth* radio inside this VHF radio. The default setting is ON. Turning it Off can save some power. It can easily be switched On at any time.

To Set Bluetooth On and Off:

1. Display will show the word blue and ON or OFF flashing.

2. Press Channel UP/Down button to select ON or OFF.

3. Press the Call/Enter/Setup button to save this entry.

You have now ended **Bluetooth Setup** mode programming and will enter **Standby/Receive and Transmit** programming.

Operating Your Radio

Weather (WX) Mode Programming

Programming these features will allow your radio to listen to all NOAA Hazard Alert radio channels.

Standby/Receive

Start from **WX Alert Standby** mode to begin **WX Alert Setup** programming. Press and hold the **Call/Enter/Setup** button for two (2) seconds to enter the programming mode.



WX Auto Search (SCAN)

To Set WX Alert On or Off:

- 1. WX Alert mode is the first mode that begins WX Alert Setup programming.
- 2. Display will show WX Alert icon and ON or OFF flashing.
- 3. Press Channel Up/Down button to select ON or OFF.
- 4. Press **Call/Enter/Setup** button to save this entry and move to the next setup programming mode.

To Set WX Auto Search (SCAN) On or Off:

- 1. Display will show Weather icon and SCAN icons, ON or OFF is flashing.
- 2. Press Channel Up/Down button to select ON or OFF.
- 3. Press the Call/Enter/Setup button to save entry.
- You have now ended the **WX Setup** programming mode and will enter the **WX Alert Standby** mode.



) NOTE

When **WX Auto Search (SCAN)** is set to On, weather channel scanning will start automatically and scan all available weather channels until the strongest channel is found. This will happen under the following conditions:

- WX Alert is engaged.
- Radio is in VHF Standby.
- WX received signal level falls below a preset level.



Standby/Receive

Operating Your Radio

Standby/Receive and Transmit

Marine Standby and Receive (Rx) Mode

Marine Standby mode is the default mode for the radio whenever it is turned on. From this mode, you can change current settings by becoming familiar with the different key functions in Marine Standby mode. While in Marine Standby mode, the user will be able to transmit by pressing the Push to Talk (Talk) button. Signals in **Receive (Rx)** mode will be received on the selected channel(s), and alerts broadcast by NOAA will activate the corresponding NOAA weather alert channels in your radio.



NOTE

Coast Guard alerts are broadcast on Channel 16. You must have the WX Alert turned On to receive NOAA weather alerts. While in Marine Standby mode, you will receive any messages sent on the channel to which you are tuned.




Transmit (Tx) Mode

Transmit (Tx) mode gives you the ability to interact with safety services, other vessels and shore stations. When you use this capability, be sure to follow the procedures and to observe the courtesies that govern its use so everyone benefits. See Appendix to help you select the proper channels.

To Transmit a Message:


1. Check to see that your radio is set to a proper channel for the type of message you plan to send.

- 2. Toggle to the Low Power setting.
- 3. With the microphone about 2 in. [51 mm] from your mouth, press and hold the Talk button and speak into the microphone. The **Transmit** icon will appear on the LCD.



Standby/Receive

Operating Your Radio



NOTE

If the Talk button is held down for five (5) minutes. the radio will automatically sound a series of beeps and cease transmitting to prevent unwanted signal generation and battery drain. As soon as the Talk button is released, it can be pressed again to resume transmission.



Monitoring the weather will probably be a frequent use of your radio. NOAA provides continuous, around-the-clock broadcasts of the latest weather information. Taped weather messages run every four (4) to six (6) minutes and are revised every two (2) or three (3) hours, or as needed. The Coast Guard also announces weather and other safety warnings on Channel 16. Smart boaters keep an eve on safety and an ear to the radio — and never let the weather catch them unaware.

NOAA Emergency Weather Alert

In the event of a major storm or other weather condition requiring vessels at sea or on other bodies of water to be notified. NOAA broadcasts a 1050 Hz tone that receivers such as your CobraMarine VHF radio can detect and warn you of a weather alert condition. When the Weather Alert mode on your radio is On, this signal will produce a loud tone from the speaker in the radio and will automatically switch to the alerting weather channel so the alert broadcast can be heard.

NOAA Test Alert System

To test this system, NOAA broadcasts the 1050 Hz signal every Wednesday sometime between 11 a.m. and 1 p.m. in each local time zone. Any receiver that can detect the weather alert tone may use this service to verify that this system is functioning properly.



Operating Your Radio

Standby/Receive

Receiving a Weather Alert

displayed on the LCD display:

WX/H-M-L button.


Weather (WX) Standby Mode

To enter the WX Standby mode, press and hold the



Advanced Operation

Advanced Operation



Channel 16 or Channel 9

Channel 16/9 Mode

Channel 16/9 mode gives you quick access to calling on Channel 16 and Channel 9 from any operational mode.

To Switch to Channel 16 or Channel 9:

- 1. Press the Channel 16/9 button to change to Channel 16.
- 2. Press the Channel 16/9 button again to change to Channel 9.
- 3. Press the Channel 16/9 button a third time and return to the last used Standby channel.

- The WX icon (cloud/sun) icon will be displayed.
- The last used weather channel will be displayed.

is in WX Alert Standby mode, the following items will be

NOAA broadcasts weather information as described in the

NOAA weather channels section on page 75 of this manual.

When NOAA broadcasts a weather alert signal and your radio

- The bar graph will display received signal strength level.
- The WX Alert icon (safety triangle) will be displayed.



NOTE


Only one (1) or two (2) of the weather channels will be operating in any given location [only in **Receive** (Rx) mode]. You will need to select the channel with the strongest signal in your location.

NOTE

When in the WX Alert mode, and NOAA sends the 1050 Hz alert tone, the radio will sound a series of loud beeps regardless of the volume control setting.




Advanced Operation



Tri-Watch Mode

Tri-Watch mode gives you one (1) button access to scan a total of three (3) channels of most importance to you. Channel 16 is preprogrammed and will always be one (1) of the scanned locations. Two (2) other channels of your choice can be stored in the radio. These channels can be edited and/or recalled during future engagements of Tri-Watch mode.



Channel Up/Down Button



()NOTE

The radio must be squelched for Tri-Watch mode to function. See page 20 for **Squeich** procedure.

Tri-Watch Setup

To Program or Edit the Tri-Watch Channels:


1. Press and hold the **TRI-WATCH** button for two (2) seconds to activate Tri-Watch Setup mode. The **TRI** and **MEM** icons on the display will turn On.

NOTE

The main channel number will flash to indicate channel position. If there is no input activity for 15 seconds, the radio will sound two (2) beeps and return to Marine Standby mode.

- 2. Press Channel Up/Down button to select the desired Tri-Watch channel.
- 3. Press and release TRI-WATCH button or Call/Enter/Setup button to confirm entry.
- 4. Repeat steps 2 and 3 to program the remaining additional Tri-Watch memory channel.
- 5. After programming both Tri-Watch memory channels the radio will immediately engage Tri-Watch mode.





Advanced Operation

Using Tri-Watch Tri-Watch Scan Mode:

- 1. From Marine Standby mode, press the TRI-WATCH button. The **TRI** icon will appear on the LCD display and the radio will scan through the three (3) Tri-Watch memory channels.
- **2.** A signal on any one (1) of the three (3) channels will stop the scan for 10 seconds to allow you to listen to the traffic on that location.



NOTE

After the **Tri-Watch** scan stops to monitor a channel, as long as you do not press any buttons within 10 seconds, your radio will automatically resume scanning the Tri-Watch channels.

- 3. Press the Channel Up/Down button to resume scanning the **Tri-Watch** channels or to change the scan direction.
- 4. To EXIT the Tri-Watch scan, press the TRI-WATCH button again. The TRI icon will disappear from the LCD and the radio will return to Marine Standby mode.



Advanced Operation



emory Location Number

Channel Up/Down Buttons



Memory Location Mode

Your radio has unlimited memory locations for storing your most frequently used channels. These memory locations can be selected individually or can be scanned. (See page 37 under Memory Location Scan.)

To enter **Memory** mode, press **MEM/ESC** button. The display will show the **MEM** icon and the **Memory Channel** bank will be activated and displayed.

To Program Memory Locations:

- 1. Press and hold the **MEM/ESC** button for two (2) seconds. The memory location number will start flashing and the **MEM** icon will be turned On.
- 2. Use the **Channel Up/Down** button to advance to the memory location (00-99) you want to program.
- 3. Press the MEM/ESC button to select the memory location. The memory channel number will stop flashing and the channel number will start flashing.
- 4. Use the Channel Up/Down button to change to the channel you want to store into the selected memory location.
- 5. Press the MEM/ESC button to program that channel. The memory location number will flash again.

Repeat steps 2 through 5 to program as many additional memories as you want.

- 6. Press and hold the **MEM/ESC** button for two (2) seconds. This will return the radio to **Memory** mode.
- 7. Press and release the MEM/ESC button again to return to Marine Standby mode.



Advanced Operation

To Recall a Stored Memory Location:

- 1. Press the MEM/ESC button. The MEM icon will be turned On.
- 2. Press the Channel Up/Down button to select the memory location. If a memory location has been programmed, its associated channel will display on the LCD. Your radio is now in Marine Standby mode on the selected memory location.

To Exit Memory Location Mode:


Press the **MEM/ESC** button to return the radio to Marine Standby mode. The last channel used in Marine Standby mode will now be displayed on the LCD and the **MEM** icon will disappear.

To Erase Stored Memory Locations:

- 1. Press and hold the **MEM/ESC** button for two (2) seconds. The memory location number will start flashing and the **MEM** icon will be turned On.
- 2. Use the Channel Up/Down button to advance to the memory location you want to erase.
- 3. Press the **MEM/ESC** button to select the memory location. The memory channel number will stop flashing and the channel number will start flashing.
- 4. Use the Channel Up/Down button to change to the channel to read "00" at the selected memory location.
- 5. Press the **MEM/ESC** button to erase that channel. Repeat steps 2 through 5 to erase as many additional memories as you want.
- 6. Press and hold the MEM/ESC button for two (2) seconds. This will return the radio to Memory mode.
- 7. Press and release the **MEM/ESC** button again to return to Marine Standby mode.



Advanced Operation



SCAN Button

Channel Scan Mode


During Channel Scan mode, the radio will rapidly switch from channel to channel through all the channels.

(1)NOTE

The radio must be squelched for **Channel Scan** mode to function. See page 20 for Squelch procedure.

To Enter Channel Scan:

- 1. From Marine Standby mode, press the SCAN button. The radio will immediately begin to scan the entire channel map selected in the active channel map. The SCAN icon will show on the LCD.
- **2.** A signal on any channel will stop the scan for 10 seconds to allow you to listen to the traffic on that location.
- 3. Press the Channel Up/Down button to resume scanning the Channel Scan channels or to change the scan direction.
- 4. To EXIT Channel Scan mode, press the SCAN button again. The SCAN icon will disappear from the LCD and the radio will return to Marine Standby mode.



EM/ESC Buttor

SCAN Button

Advanced Operation

Memory Location Scan Mode

During Memory Location Scan mode, the radio will rapidly scan through all pre-assigned memory channels.



The radio must be squelched for Memory Location Scan mode to function. See page 20 for Squelch procedure.



NOTE

If there are fewer than two (2) memory locations programmed in the radio, the Memory Location Scan option will not be available. To program at least two (2) memory locations, see page 34.

To Enter Memory Location Scan:

- 1. From Marine Standby mode, press the MEM/ESC button.
- 2. Press the SCAN button. The radio will immediately begin to scan all pre-assigned memory channels. The SCAN and MEM icons will show on the LCD.
- **3.** A signal on any channel will stop the scan for 10 seconds to allow you to listen to the traffic on that location.
- 4. Press the **Channel Up/Down** button to resume scanning the Memory Location Scan channels or to change the scan direction.
- 5. To EXIT Memory Location Scan mode, press the SCAN button again. The SCAN and MEM icons will disappear from the LCD and the radio will return to Marine Standby mode.

hannel Up/Down Button

Operating Your Radio







Rewind Operation

Rewind-Say-Again[™] Feature







Use the Cobra exclusive **Rewind-Say-Again™** feature to replay or record the last 20 seconds of an incoming audio transmission.

Example 1:

When engine noise, music or conversation creates too much noise to hear an inbound message clearly, press the **REW** button to hear the message a second time.

Example 2:

When listening to an urgent distress message of an excited caller with confusing background noise, press the **REW** button to hear the message a second time and get life saving information. Use this feature to record call details including position coordinates, call signs, registration numbers and store details that will help authorities locate the distressed vessel.

NOTE

Hold the **Rewind** button to turn the recording mode Off and save the currently recorded transmission.

Using Rewind-Say-Again™:

- During audio transmission, press REW button to listen to 20 seconds of the last recorded audio transmission. The REW icon will flash during the playing back of the message and a 20-second countdown begins.
- 2. Press the TALK, REW or MEM/ESC button during playback to stop the playback transmission. The radio returns to Marine mode.



Operating Your Radio



Rewind Operation

Using Rewind-Say-Again™ to Record Audio Transmission:

- 1. Press and hold **SCAN** button for two (2) seconds to enter **Record** mode.
- 2. Press and hold **TALK** button to begin recording from radio microphone. If **TALK** button is released, recording stops. While recording, a 20-second countdown begins on display. When 20-second countdown time has ended, recording stops and two (2) beep tones will be heard.
- 3. Press and hold SCAN button again for two (2) seconds or press MEM/ESC button to cancel recording and return to last operation.



NOTE

When using radio in **Record** mode, the **REW** feature is turned Off to prevent "recording over" previous message. Operating Your Radio

Mobile Phone Operation with Bluetooth®

Please refer to the *Bluetooth* Mode Pairing and Programming section on page 23 for instructions on how to pair your mobile phone with this device, change ring tones, etc. The following section covers how to complete a phone call and other basic operations.



CALL

Bluetooth Button

H.W.

Answer Incoming Phone Calls

This handheld radio, once properly paired to your *Bluetooth*[®] compatible mobile phone, can answer incoming calls received on your mobile phone. It can act as the speaker and microphone, while your mobile phone stays safe and dry. It will also improve audio quality on both ends of the conversation.

To Answer and End an Incoming Call:

- **1.** The speaker on the HH475 will ring. The display will change and show the word "AnSEr" as shown.
- Press and release the *Bluetooth* button on the MR HH475BT front panel. After the call is answered, the LCD will switch to "Connct" as illustrated.
- **3.** Begin conversation with the caller by a pressing the **PTT** (Push to Talk) key and speaking into the small microphone above the LCD. This is very similar to a standard radio operation and it completely eliminates all background noise when you are not speaking.

To enable hands free conversation or **"VOX**" mode (pressing in the **PTT** key not required), use the **Channel Up** and **Channel Down** keys anytime when in **Bluetooth** mode. The **"VOX**" icon will turn on when **VOX** mode is enabled.

The *Bluetooth* "VOX" setting does NOT reset to Off after a power cycle unlike the normal VOX associated with VHF mode.

 To end a call, press and release the *Bluetooth* button. The HH475 will then return to previous **Standby** mode and resume normal operation.







Initiate a Phone Call

There are several ways to initiate a call. These include; initiating (as normal) from the mobile phone, using voice dialing and last number redial.

To Initiate from the Mobile Phone

Mobile Phone Operation With Bluetooth®

- Simply dial a number on your mobile phone. (See manufacturer's instructions for making a call.) When the phone's **Send** key is pressed, the HH475 will respond by changing over to *Bluetooth* mode and displaying "diaLng" as illustrated.
- 2. You will see "Connct" when the receiving party, or their voice mail, answers.
- To end a call, press and release the *Bluetooth* button. The HH475 will then return to previous **Standby** mode and resume normal operation.

SCAN STROG

Nothing Comes Close to a Cobra® 41



Mobile Phone Operation With *Bluetooth*®

Operating Your Radio

Using Voice Dial

This feature allows you to use your voice to dial a contact from the contact list on your mobile phone.



Voice dialing is an advanced function and may not be supported by all phones. Cobra suggests you set it up and become familiar with it on your mobile phone before you attempt using it in conjunction with the HH475 or another *Bluetooth* device.

This is an advanced function and not all mobile phone combinations will be successful. Some allow you to set pre-recorded contacts. Some advanced phones have active voice recognition and match your mobile phone's contact list.

To Initiate a Voice Dial Call:

- 1. Press and release the *Bluetooth* button to get into the *Bluetooth* Standby mode.
- Press and release the *Bluetooth* button twice (2x) from *Bluetooth* Standby mode. This will initiate the voice dial feature on the paired mobile phone.
- **3.** You will hear a beep or audio command from the phone. Press and hold the **PTT** (Push to Talk) button and speak the name into the HH475.
- **4.** The mobile phone will begin to dial the contact it "recognizes." The call will be complete through the speaker and microphone of the HH475. You will see the "diaLng" and "Connct" screens as the call is completed.
- 5. Hang up by pressing the *Bluetooth* button when you complete your call.



Bluetooth Standby Mode

Bluetooth Standby Mode, Paired State

🖬 SCAN 🎝 ROG 🕽 🔳 🔳

Mobile Phone Operation With *Bluetooth*®

Last Number Redial

This feature allows you to redial the last number stored in the mobile phone's internal Call Log. This feature is supported by most mobile phones.

To Initiate a Last Number Redial:

- 1. Press and release the *Bluetooth* button to get into the *Bluetooth* Standby mode.
- 2. From *Bluetooth* Standby, press and hold the *Bluetooth* button for two (2) seconds [until the radio beeps two (2) times].
- **3.** The paired mobile phone will redial the last number. The call will be complete through the speaker and microphone of the HH475.
- **4.** Hang up by pressing the *Bluetooth* button when you complete your call.

To End Pairing (At the End of the Day)

You might not want to take your calls through this VHF radio once you are back at the dock or in a dry location. See the instructions in the *Bluetooth* Mode Programming section on page 23 for instructions on how to Turn OFF the *Bluetooth* function of the HH475. The "p" will disappear from the *Bluetooth* Standby screen.



NOTE

If switched to OFF setting, then the HH475 will not reconnect with mobile phone on power up. It must be turned back ON again from the *Bluetooth* **Programming** mode.



itiating a Voice Dial Call



Mobile Phone Operation With Bluetooth®

Operating Your Radio

General Bluetooth Operation and Frequently Asked Questions

■ What is the Industry Standard Range for *Bluetooth*® Wireless Technology?

The industry standard range for *Bluetooth* wireless technology is 30 feet (10 meters). The HH475 will loose its pairing with the mobile phone if the mobile phone and the HH475 are separated further than this. The HH475 will automatically re-connect with cell phone when user comes back into range.

How many phones can the HH475 pair with?

The HH475 can only pair with one mobile phone at a time. This is the standard operation for any *Bluetooth* headset or in-car *Bluetooth* system.

Do I need to have my mobile phone with me?

Yes, the phone call is actually completed through your mobile phone and your mobile phone operator/carrier. The mobile phone must be with the 30 feet (10 meters) range of the HH475. The HH475 does not increase the offshore range of your mobile phone.

Can I use a standard Bluetooth[®] headset with this radio?

No, the HH475 is using the headset profile of the *Bluetooth* specification to pair with your mobile phone. It can not pair to another *Bluetooth* headset.

Can I use this unit as a speakerphone or hands-free device?

Turning on VOX allows you to use the radio without pressing the PTT (Push to Talk) button. The radio will still need to be operated in a face held position with the microphone close to the mouth. This radio uses a noise cancelling microphone, and it will not operate well from the belt clip or another hands-free position.

Operating Your Radio

Please make sure to note your VOX setting.

If VOX is set to On, then the receiving caller might hear conversation and noise in your background. This setting is retained in memory. If switched On, then it will be On the next time the radio is switched On and paired.

Mobile Phone Operation With Bluetooth®

Can I use my mobile phone for emergency use?

No, Cobra does not endorse cellular telephones as a substitute for marine radios. They generally cannot communicate with rescue vessels and, if you make a distress call on your cellular telephone, only the party you call will be able to hear you.

Additionally, cellular telephones may have limited coverage over water. If you do not know where you are, the Coast Guard will have difficulty finding you if you are using your cellular telephone. However, cellular telephones can have a place onboard where cellular coverage is available – to allow social conversations and keep the marine frequencies uncluttered and available for their intended use.



Floating Feature



BURP Feature

BURP Feature

Cobra's **BURP** feature allows the operator to expel water from inside the speaker grill. This is especially useful if the radio is dropped overboard or during extreme foul weather conditions. In these conditions, water can become trapped in the speaker grill and muffle the audio.

To Activate BURP:

- 1. Press and release the **16** and **SCAN** keys at the same time.
- **2.** The **BURP** tone(s) at maximum level will sound from the internal speaker for eight seconds.
- **3.** During this time, the LCD will display the following "burp" as shown to the left.
- **4.** Hold the radio with the speaker grill down to help the water drain out.
- 5. Press the ESC key at any time to cancel the BURP feature.

Floating Radio

This radio is designed to float if dropped overboard. The orange center makes it visible and easy to retrieve. This rugged radio is also designed to meet JIS7 (IPX7) specifications. This means it's designed to operate properly after being submerged in one meter deep water for 30 minutes.

NOTE

Do not leave the radio floating in water permanently. This could cause premature corrosion of the battery contacts and other damage.

The radio is only designed to float with its included Lithium-ion battery. Using other approved batteries might cause the radio to sink. This also applies to the AA battery tray included, depending on the weight of the AA batteries used.

Operating Your Radio

Maintenance

Very little maintenance is required to keep your CobraMarine VHF radio in good operating condition:


Keep the radio and charger clean by wiping with a soft cloth and mild detergent. Do not use solvents or harsh or abrasive cleaners, which could damage the case or scratch the LCD screen.

Maintenance and

- If the radio is exposed to salt water, wipe with a soft, moist cloth at least once a day to prevent buildup of salt deposits, which could interfere with button operation.
- If the radio will be stored for a long period, such as over the winter, remove the batteries from the battery tray and store them in a separate package. This is especially important if you are using alkaline batteries.

Troubleshooting

Problem	Possible Cause(s)	Solution(s)
No display on LCD	Batteries are exhausted	Recharge or replace batteries
when radio is turned On	Batteries not installed properly	Remove batteries and reinstall according to polarity markings
Batteries run down quickly	Batteries are at the end of their life	Replace with new batteries
Will transmit at one	Batteries are low	Recharge or replace batteries
(1) or three (3) watts, but not at six (6) watts	Selected channel is limited to one (1) watt	Switch to another channel
Bluetooth capable	There might be a compatibility issue	Try with another brand or model mobile phone to
phone will not pair with the radio or operation	companying issue	confirm the problem
isn't as expected		Contact Cobra with the details
Will not transmit	Selected channel is limited	Switch to
	to receive only	another channel
No sound from speaker	Volume level is too low or squelch level is too deep	Re-adjust volume and squelch
No response to button press	Button lock is On	Press Backlight/ Key Lock button
No answer to calls	Out of range of other station	Switch to three (3) or six (6) watts or move closer
	Signal is blocked by terrain	Move until you have a "line-of- sight" to the other station





VHF Marine Radio Procedures

Maintain Your Watch

Whenever your boat is underway, the radio must be turned On and be tuned to Channel 16 except when being used for messages.

Power

Try 1 watt first, if the station being called is within a few miles. If there is no answer, switch to 3 watts and call again. You have the ability to go up to 6 watts of output power to increase your calling distance. Remember, the lower wattage outputs will conserve your battery and minimize interference to other users.

Calling Coast Stations

Call a coast station on its assigned channel. You may use Channel 16 when you do not know the assigned channel.

Calling Other Vessels

Call other vessels on Channel 16 or on Channel 9. (Channel 9 is preferred for recreational vessel use.) You may also call on ship-to-ship channels when you know that the vessel is listening on a ship-to-ship channel.

Initial Calling on Channel 16 or 9

The use of Channel 16 is permitted for making initial contact (hailing) another vessel. The limits on calling must be followed. Be reminded, Channel 16's most important function is for Emergency Messages. If for some reason, Channel 16 is congested, the use of Channel 9, especially in U.S. waters, may be used as the initial contact (hailing) channel for non-emergency communication.

Limits on Calling

You must not call the same station for more than 30 seconds at a time. If you do not get a reply, wait at least two (2) minutes before calling again. After three (3) calling periods, wait at least 15 minutes before calling again.

Change Channels

After contacting another station on a calling channel, change immediately to a channel which is available for the type of message you want to send.

Station Identification

Identify, in English, your station by your FCC call sign, vessel name and the state registration number, at both the beginning and at the end of the message.

VHF Marine Radio Protocols

Prohibited Communications

You MUST NOT transmit:

- False distress or emergency messages.
- Messages containing obscene, indecent or profane language.

Drocedures

 General calls, signals or messages (messages not addressed to a particular station) on Channel 16, except in an emergency or if you are testing your radio.

VHF Marine Radio

When you are on land.



Voice Calling

You are required to listen to Channel 16 while standing by. Channel 16 is the distress and safety channel used for establishing initial contact with another station and for emergency communication. The Coast Guard also monitors Channel 16 for safety purposes for everyone on the water.

NOTE

Channel 9 may be used by recreational vessels for general-purpose calling. This frequency should be used whenever possible to help relieve congestion on Channel 16. The Coast Guard generally does not make urgent marine information broadcasts or weather warnings on Channel 9. Boaters are still asked to "keep watch" on Channel 16 whenever the radio is turned on and not in use with another station.

To call another vessel or shore installation (e.g., lock or bridge tender):

- Make sure the radio is On.
- Make sure you are in standby listening mode on Channel 16. Make sure Channel 16 is not in use.
- When the channel is open (quiet), press the **Talk** button and call a vessel. Hold the radio or microphone several inches from your face and speak clearly and distinctly in a normal voice tone. Say "name or station being called," "THIS IS [your vessel name or call sign]."
- Once contact is made, you must leave Channel 16 and go to another working channel. See channel listing on pages 60-74.

For Example

The vessel Corsair is calling the vessel Vagabond:

Corsair: "Vagabond, this is Corsair, Over."

Vagabond: "Please switch and answer on Channel 68 (or any proper working channel). Over."

Corsair: "Switching to Channel 68. Over."

VHF Marine Radio Protocol

■ If the other does not respond, wait two (2) minutes and repeat. You are permitted to attempt contact three (3) times, two (2) minutes apart. If you still have not made contact, wait 15 minutes before trying again.

Voice Calling

After communications are completed, each vessel must sign off with its call sign or vessel name and the word "out" and return to Channel 16.



NOTE

For best sound quality at the station you are calling, hold the microphone on the front of the radio at least 2 in. (51 mm) from your mouth and slightly off to one (1) side. Speak in a normal tone of voice.



NOTE

"Over and Out"

The most commonly misused procedure words are "over and out" within the same transmission. "Over" means you expect a reply. "Out" means you are finished and do not expect a reply.

Emergency Messages and Distress Procedure

Badiotelephone Calls

Radiotelephone Calls

VHF Marine Radio Protocols

Boaters may make and receive radiotelephone calls to and from any number on the telephone network by using the services of public coast stations. Calls can be made for a fee — between your radio and telephones on land, sea and in the air. See the Appendix for the public correspondence (marine operator) channels.

If you plan to use these services, consider registering with the operator of the public coast station that you plan to work through. These services can provide you with detailed information and procedures to follow.

NOTICE

You may disclose privileged information during a radiotelephone call. Keep in mind that your transmission is **NOT** private, as it is on a regular telephone. Both sides of the conversation are being broadcast and can be heard by anyone who has a radio and tunes to the channel you are using.

VHF Marine Radio Protocols

Emergency Messages and Distress Procedure

The ability to summon assistance in an emergency is the primary reason to have a VHF marine radio. The marine environment can be unforgiving, and what may initially be a minor problem can rapidly develop into a situation beyond your control.

The Coast Guard monitors Channel 16, responds to all distress calls, and coordinates all search and rescue efforts. Depending on the availability of other capable vessels or commercial assistance operators in your vicinity, Coast Guard or Coast Guard Auxiliary craft may be dispatched.

In any event, communicate with the Coast Guard as soon as you experience difficulties and before your situation becomes an emergency. Use the emergency message procedures only after your situation has become grave or you are faced with a sudden danger threatening life or property and requiring immediate help. Use Channel 16 to communicate your emergency message. Make sure you transmit on high power. If you are merely out of gas, do not send an emergency message. Drop your anchor and call a friend or marina to bring the fuel you need or to give vou a tow.

Emergency Messages and Distress Procedure

VHF Marine Radio Protocols

Marine Emergency Signals

The three (3) spoken international emergency signals are:

MAYDAY

The distress signal **MAYDAY** is used to indicate that a station is threatened by grave and imminent danger and requests immediate assistance.

PAN

The urgency signal **PAN** is used when the safety of the vessel or person is in jeopardy. (This signal is properly pronounced pahn.)

SECURITE

The safety signal **SECURITE** is used for messages about the safety of navigation or important weather warnings. (This signal is properly pronounced see-cure-ee-tay.)

When using an international emergency signal, the appropriate signal is to be spoken three (3) times prior to the message.

If You Hear a Distress Call

You must give any message beginning with one (1) of these signals priority over any other messages. ALL stations MUST remain silent on Channel 16 for the duration of the emergency unless the message relates directly to the emergency.

If you hear a distress message from a vessel, stand by your radio. If it is not answered, YOU should answer. If the distressed vessel is not nearby, wait a short time for others who may be closer to acknowledge. Even if you cannot render direct assistance, you may be in a position to relay the message.

VHF Marine Radio Protocols

Marine Distress Procedure

Speak slowly — clearly — calmly.

- 1. Make sure your radio is On.
- 2. Select Channel 16.
- 3. Press Talk button and say:
 - "MAYDAY MAYDAY MAYDAY." (Or "PAN — PAN — PAN," or "SECURITE — SECURITE — SECURITE.")
- Say: "THIS IS [your vessel name or call sign]," repeated three (3) times.

Emergency Messages and Distress Procedure

5. Say:

"MAYDAY (or "PAN" or "SECURITE") [your vessel name or call sign].

6. Tell where you are:

(what navigational aids or landmarks are nearby).

- 7. State the nature of your distress.
- 8. State the kind of assistance needed.
- 9. Give number of persons aboard and conditions of any injured.
- **10.** Estimate present seaworthiness of your vessel.
- **11.** Briefly describe your vessel (length, type, color, hull).
- 12. Say:

"I WILL BE LISTENING ON CHANNEL 16."

13. End message by saying:

"THIS IS [your vessel name or call sign]. OVER."

14. Release **Talk** button and listen. Someone should answer. If not, repeat the call, beginning at step 3 above.

Keep the radio nearby. Even after your message has been received, the Coast Guard can find you more quickly if you can transmit a signal for a rescue boat to hone in on.



Emergency Messages and Distress Procedure

For Example

"Mayday — Mayday — Mayday"

"This is Corsair — Corsair — Corsair" [or "IL 1234 AB," repeated three (3) times]

"Mayday Corsair (or IL 1234 AB)"

"Navy Pier bears 220 degrees magnetic — distance 5 miles"

"Struck submerged object and flooding - need pump and tow"

"Four (4) adults, three (3) children aboard — no one injured"

"Estimate we will remain afloat one-half hour"

"Corsair (or IL 1234 AB) is 26 ft sloop with blue hull and tan deck house"

"I will be listening on Channel 16"

"This is Corsair (or IL 1234 AB)"

"Over"

It is a good idea to write out a script of the message form and post it where you and others on your vessel can see it when an emergency message needs to be sent.



Limited 3-Year Warranty

Warranty

For Products Purchased In The U.S.A.

Cobra Electronics Corporation warrants that its CobraMarine VHF radio, and the component parts thereof, will be free of defects in workmanship and materials for a period of three (3) years from the date of first consumer purchase. This warranty may be enforced by the first consumer purchaser, provided that the product is utilized within the U.S.A.

Cobra will, without charge, repair or replace, at its option, defective radios, products or component parts upon delivery to the Cobra Factory Service department, accompanied by proof of the date of first consumer purchase, such as a duplicated copy of a sales receipt.

You must pay any initial shipping charges required to ship the product for warranty service, but the return charges will be at Cobra's expense, if the product is repaired or replaced under warranty. This warranty gives you specific legal rights, and you may also have other rights which may vary from state to state.

Exclusions: This limited warranty does not apply:

- **1.** To any product damaged by accident.
- **2.** In the event of misuse or abuse of the product, or as a result of unauthorized alterations or repairs.
- 3. If the serial number has been altered, defaced, or removed.
- 4. If the owner of the product resides outside the U.S.A.

All implied warranties, including warranties of merchantability and fitness for a particular purpose are limited in duration to the length of this warranty. Cobra shall not be liable for any incidental, consequential or other damages; including, without limitation, damages resulting from loss of use or cost of installation.

Some states do not allow limitations on how long an implied warranty lasts and/or do not allow the exclusion or limitation of incidental or consequential damages, so the above limitations may not apply to you.

For Products Purchased Outside The U.S.A.

Please contact your local dealer for warranty information.

Trademark Acknowledgement

Cobra®, CobraMarine®, Nothing Comes Close to a Cobra®, and the snake design are registered trademarks of Cobra Electronics Corporation, USA.

Cobra Electronics Corporation[™], MicroBlue[™] and Rewind-Say-Again[™] are trademarks of Cobra Electronics Corporation, USA.

The Bluetooth® word mark and logo are registered trademarks owned by Bluetooth SIG, Inc.

Product Service

Product Service

Customer Service

If you have any questions about operation or installing your new CobraMarine VHF product or if you are missing parts...

Please call Cobra first! DO NOT RETURN THIS PRODUCT TO THE STORE! See customer assistance on page A1.

If your product should require factory service, please call Cobra first before sending your radio. This will ensure the fastest turn-around time on your repair. You may be asked to send your radio to the Cobra factory. It will be necessary to furnish the following to have the product serviced and returned:

- 1. For warranty repair, include some form of proof-of-purchase, such as a photocopy of a sales receipt. If you send the original receipt, it cannot be returned.
- 2. Send the entire product.
- **3.** Enclose a description of what is happening with the radio. Include a typed or clearly printed name and address of where the radio is to be returned.
- **4.** Pack radio securely to prevent damage in transit. If possible, use the original packing material.
- Ship prepaid and insured by way of a traceable carrier such as United Parcel Service (UPS) or Priority Mail to avoid loss in transit to: Cobra Factory Service, Cobra Electronics Corporation, 6500 West Cortland Street, Chicago, Illinois 60707 U.S.A.
- 6. If the radio is in warranty, upon receipt of your radio, it will either be repaired or exchanged depending on the model. Please allow approximately three (3) to four (4) weeks before contacting Cobra for status. If the radio is out of warranty, a letter will automatically be sent informing you of the repair charge or replacement charge.
- **7.** If your radio is returned for factory repair, it will be returned to you with default settings restored.

If you have any questions, please call 773-889-3087 for assistance.



Specifications

General	
Number of Channels	All U.S., Canadian, International and NOAA Weather Channels
Channel Spacing	25 kHz
Modulation	5 kHz Max.
Input Voltage	7.4 VDC
Battery Life:	LiON: 8 hours @ 6 watts, 16 hours @ 1 watt
5% TX, 5% RX, 90% Standby	Alkaline: 18 hours @ 6 watts, 35 hours @ 1 wa
Current Drain: Standby Receive (Rx) Transmit (Tx)	40 mA 200 mA 1.8 A @ High Power, 700 mA @ Low Power
Temperature Range	-20°C to 50°C
Radio Dimensions	4.8" x 2.4" x 1.4" (123 mm x 62 mm x 36 mm) not including antenna
Radio Weight	0 lbs 8 oz. (228 g) without batteries
Receiver	
Frequency Range	156.050 to 163.275 MHz
Receiver Type	Double Conversion Super-Heterodyne
Sensitivity: 20 dB Quieting 12 dB Sinad	0.35 uV 0.30 uV
Adjacent Channel Selectivity	-60 dB
Intermodulation and Rejection	-60 dB
Spurious and Image Rejection	-60 dB
AF Output	250 mW @ 8 0hms
Transmitter	
Frequency Range (Tx):	156.025 to 157.425 MHz
RF Output Power	1, 3 or 6 watts
Spurious Emissions	-60 dB @ High Power, -55 dB @ Low Power
Microphone Type	Condenser
Frequency Stability	+/-10 ppm
FM Hum and Noise	40 dB
Bluetooth®	
Clasification	Class 2
Version	2.0
Range	10 Meters

Three (3) sets of VHF channels have been established for marine use in the U.S.A., Canada and the rest of the world (International). Most of the channels are the same for all three (3) maps, but there are definite differences (see table on the following pages). Your radio has all three (3) maps built into it and will operate correctly in whichever area you choose.

The following is a brief outline of the channel assignments in the U.S.A. Channel Map.

Channel Assignments (English)

Distress, Safety, and Calling

Channel 16

Appendix

Getting the attention of another station (calling) or in emergencies (distress and safety).

Calling

Channel 9

General-purpose (non-emergency) calling by non-commercial vessels. Recreational boaters are urged to use this channel to reduce congestion on Channel 16.

Intership Safety

Channel 6

Ship-to-ship safety messages and for search and rescue messages to Coast Guard ships and aircraft.

Coast Guard Liaison

Channel 22A

To talk to the Coast Guard, Canadian Coast Guard (non-emergency) after making contact on Channel 16.

Non-Commercial

Channels 68; 69, 71, 72, 78A, 79A; 80A*

Working channels for small vessels. Messages must be about needs of the vessel, such as fishing reports, berthing and rendezvous. Use Channel 72 only for ship-to-ship messages.

Commercial

Channels 1A, 7A, 8, 9, 10, 11, 18A, 19A, 63A, 67, 72, 79A, 80A, 88A*

Working channels for working ships only. Messages must be about business or needs of the ship. Use Channels 8, 67, 72 and 88A only for ship-to-ship messages.

Appendix

VHF Marine Channel Assignments

Asignación de canales de VHF para radiocomunicación marítima

Existen tres (3) juegos de canales VHF para uso marítimo en los EE.UU., Canadá y el resto del mundo (internacional). La mayoría de los canales coinciden en los tres (3) mapas, pero sin duda existen diferencias (consulte las tablas en las páginas siguientes). El radio incorpora los tres (3) mapas y funcionará correctamente en cualquiera de las tres áreas.

A continuación presentamos en forma resumida las asignaciones de canales del Mapa de canales para EE.UU.

Asignaciones de canales (Español)

Auxilio, seguridad y llamadas

Canal 16

Para ser oídos por otra estación (llamadas) o en casos de emergencia (auxilio y seguridad).

Llamadas

Canal 9

Llamadas de carácter general (excepto casos de emergencia) para embarcaciones no comerciales. Se le pide encarecidamente a la tripulación de las embarcaciones recreativas usar este canal para reducir la congestión del canal 16.

Seguridad entre embarcaciones

Canal 6

Para mensajes de seguridad entre embarcaciones y para mensajes de búsqueda y rescate enviados a barcos y aviones de la guardia costera.

Enlace con la guardia costera

Canal 22A

Para hablar con las guardias costeras estadounidenses y canadienses (excepto casos de emergencia) tras haber establecido contacto por el canal 16.

No comerciales

Canales 68; 69, 71, 72, 78A, 79A; 80A*

Canales activos para pequeñas embarcaciones. Los mensajes deberán estar relacionados con necesidades de las embarcaciones, como por ejemplo, informes de pesca, atraques y agrupamientos. Use el canal 72 solamente para mensajes entre embarcaciones.

Comerciales

Canales 1A, 7A, 8, 9, 10, 11, 18A, 19A, 63A, 67, 72, 79A, 80A, 88A*

Canales activos para embarcaciones activas solamente. Los mensajes deberán estar relacionados con la actividad comercial o las necesidades de la embarcación. Use los canales 8, 67, 72 y 88A solamente para mensajes entre embarcaciones.



Channel Assignments (English)

Public Correspondence (Marine Operator)

Channels 24, 25, 26, 27, 28, 60, 61, 84, 84A, 85, 85A, 86, 86A, 87, 87A, 88*

For calls to marine operators at public coast stations. You can make and receive telephone calls through these stations.

Port Operations

Appendix

Channels 1A*, 5A*, 12*, 14*, 18, 19, 20A, 21, 22, 63A*, 65A, 66A, 73, 74, 75, 76, 77*, 79, 80, 81, 82

Used for directing the movement of ships in or near ports, locks or waterways. Messages must be about operational handling, movement and safety of ships.

Navigational

Channels 13, 67

Channels are available to all vessels. Messages must be about navigation, including passing or meeting other vessels. These are also the main working channels for most locks and drawbridges. You must keep your messages short and power output at no more than 1 watt.

Maritime Control

Channel 17

For talking to vessels and coast stations operated by state or local governments. Messages must be about regulation and control, boating activities, or assistance.

Digital Selective Calling

Channel 70

This channel is set aside for distress, safety and general calling using only digital selective calling techniques. Voice communication is prohibited; your radio cannot transmit voice messages on this channel.

Weather

Channels Wx 1 Thru 10

Receive-only channels for NOAA and Canadian weather broadcasts. You cannot transmit on these channels.



* These channels are restricted to the listed uses in certain parts of the country or for certain types of users only. Consult FCC rules or a knowledgeable radio operator before using them.



Asignaciones de canales (Español)

Correspondencia pública (operador marítimo)

Canales 24, 25, 26, 27, 28, 60, 61, 84, 84A, 85, 85A, 86, 86A, 87, 87A, 88*

Para llamadas a operadores marítimos en estaciones costeras públicas. Usted puede realizar y recibir llamadas telefónicas a través de estas estaciones.

Operaciones portuarias

Canales 1A*, 5A*, 12*, 14*, 18, 19, 20A, 21, 22, 63A*, 65A, 66A, 73, 74, 75, 76, 77*, 79, 80, 81, 82 Usados para dirigir el movimiento de las embarcaciones dentro de áreas portuarias, esclusas o canales. Los mensajes deberán estar relacionados con maniobras operacionales, movimientos y seguridad de las embarcaciones.

Navegación

Canales 13, 67

Appendix

Estos canales están disponibles para todas las embarcaciones. Los mensajes deberán estar relacionados con la navegación, incluidas las maniobras para pasar o alcanzar otras embarcaciones. Éstos también son los principales canales activos para la mayoría de las esclusas y puentes levadizos. Usted deberá transmitir mensajes cortos y mantener la potencia de salida en un vatio como máximo.

Control marítimo

Canal 17

Para comunicarse con embarcaciones y estaciones costeras operadas por entidades gubernamentales locales o estatales. Los mensajes deberán estar relacionados con regulación y control, asistencia o actividades de navegación.

Llamadas selectivas digitales

Canal 70

Este canal está reservado para solicitudes de auxilio, seguridad y llamadas de carácter general que usen solamente técnicas de llamadas selectivas digitales. Las comunicaciones verbales están prohibidas; el radio no puede transmitir mensajes de voz por este canal.

Meteorología

Canales Wx 1 a 10

Canales de recepción únicamente para difusión de información meteorológica NOAA y canadiense. Usted no puede transmitir por estos canales.



^t El uso de estos canales está dedicado a las aplicaciones que aparecen en la lista, en ciertas partes del país o para ciertos tipos de usuario solamente. Consulte las normas de la FCC o a un operador de radio con experiencia antes de usarlos.

63



Appendix

Vimero de canal USA ELUU. Int'I Internac Canada Canadá Transmit Transm. Receive Recepción 01 • • 156.050 160.650 01A • • 156.050 156.050 02 • • 156.100 160.700 03 • • 156.150 160.750 03A • • 156.150 160.800 04 • 156.200 160.800 04 • 156.200 160.800 05 • 156.200 160.850 05A • 156.250 160.850 05A • 156.250 156.200 05A • 156.250 156.300 07A • 156.350 156.300 07A • 156.500 156.450 10 • 156.500 156.500 11 • • 156.650 156.600 12 • • 156.650	Channel Number		nannel N apa de cana		Frequ Frecuer		Power Limits Límites de potencia
01A • 1 156.050 156.050 02 • • 156.150 160.700 03 • • 156.150 160.750 03A • 156.150 156.150 04 • 156.200 160.800 04A • 156.200 160.800 05A • 156.250 160.850 05A • 156.250 160.850 05A • 156.250 156.250 06 • • 156.300 156.300 07A • 156.450 156.450 156.400 09 • • 156.450 156.400 10 • • 156.500 156.500 11 • • 156.650 156.500 12 • • 156.650 156.650 13 • • 156.650 156.650							
02 • • 156.100 160.700 03 • • 156.150 160.750 03A • 156.150 156.150 04 • 156.200 160.800 04A • 156.200 160.800 05A • 156.200 160.800 05A • • 156.200 160.850 05A • • 156.250 160.850 05A • • 156.250 160.850 06 • • 156.350 156.300 07A • • 156.350 160.950 07A • • 156.450 156.400 09 • • 156.450 156.400 10 • • 156.500 156.500 11 • • 156.500 156.500 12 • • 156.650 156.600 13 • • 156.650 156.650	01		•	•	156.050	160.650	
03 • • 156.150 160.750 03A • 156.150 156.150 04 • 156.200 160.800 04A • 156.200 160.800 05 • 156.200 156.200 05 • 156.250 160.850 05A • • 156.250 160.850 05A • • 156.250 156.250 06 • • 156.300 156.300 07A • • 156.350 160.950 07A • • 156.400 156.400 09 • • 156.500 156.400 10 • • 156.500 156.500 11 • • 156.600 156.600 12 • • 156.600 156.600 13 • • 156.650 156.650 1 watt USA and CAN	01A	•			156.050	156.050	
03A • 156.150 156.150 04 • 156.200 160.800 04A • 156.200 156.200 05 • 156.250 160.850 05A • • 156.250 160.850 05A • • 156.250 160.850 06 • • 156.300 156.300 07A • • 156.350 160.950 07A • • 156.400 156.400 09 • • 156.500 156.500 11 • • 156.500 156.500 12 • • 156.600 156.600 13 • • 156.650 156.650	02		•	•	156.100	160.700	
04 • 156.200 160.800 04A • 156.200 156.200 05 • 156.200 160.850 05A • • 156.250 160.850 06 • • 156.300 156.300 06 • • 156.350 160.950 07A • • 156.400 156.350 08 • • 156.400 156.400 09 • • 156.500 156.500 11 • • 156.500 156.500 12 • • 156.600 156.600 13 • • 156.650 156.650	03		•	•	156.150	160.750	
O4A · 156.200 156.200 O5 · 156.250 160.850 O5A · · 156.250 160.850 O6 · · 156.300 156.250 O6 · · 156.300 156.300 O7A · · 156.350 160.950 O7A · · 156.450 156.400 O9 · · · 156.500 156.500 10 · · · 156.500 156.500 11 · · · · · · · 13 · · · ·<	03A	•			156.150	156.150	
05 • 156.250 160.850 05A • • 156.250 156.250 06 • • 156.300 156.300 07 • 156.350 160.950 07A • • 156.350 156.400 08 • • 156.400 156.450 10 • • 156.550 156.550 11 • • 156.600 156.600 12 • • 156.650 156.650 13 • • 156.650 156.650 1 watt USA and CAN	04		•		156.200	160.800	
O5A · · 156.250 156.250 O6 · · 156.300 156.300 O7 · · 156.350 160.950 O7A · · 156.350 156.350 O8 · · 156.400 156.400 O9 · · · 156.500 156.500 10 · · · 156.500 156.500 11 · · · 156.600 156.600 12 · · 156.650 156.650 1 watt USA and CAN	04A			•	156.200	156.200	
O6 • • 156.300 156.300 O7 • 156.350 160.950 O7A • • 156.350 160.950 O7A • • 156.350 156.350 O8 • • 156.400 156.400 O9 • • 156.500 156.500 10 • • 156.500 156.500 11 • • 156.600 156.600 12 • • 156.650 156.650 13 • • 156.650 156.650 1 watt USA and CAN	05		•		156.250	160.850	
07 • 156.350 160.950 07A • • 156.350 156.350 08 • • 156.400 156.400 09 • • 156.500 156.450 10 • • 156.500 156.500 11 • • 156.600 156.500 12 • • 156.650 156.650 13 • • 156.650 156.650	05A	•		•	156.250	156.250	
O7A • • 156.350 156.350 O8 • • 156.400 156.400 O9 • • 156.450 156.450 10 • • 156.500 156.500 11 • • 156.550 156.550 12 • • 156.650 156.650 13 • • • 156.650 156.650	06	•	•	•	156.300	156.300	
08 • • 156.400 156.400 09 • • 156.450 156.450 10 • • 156.500 156.500 11 • • 156.600 156.550 12 • • 156.600 156.600 13 • • 156.650 156.650	07		•		156.350	160.950	
O9 • • 156.450 156.450 10 • • 156.500 156.500 11 • • 156.650 156.550 12 • • 156.650 156.600 13 • • 156.650 156.650	07A	•		•	156.350	156.350	
10 • • 156.500 156.500 11 • • 156.550 156.550 12 • • 156.600 156.600 13 • • 156.650 156.650	08	•	•	•	156.400	156.400	
11 • • 156.550 156.550 12 • • 156.600 156.600 13 • • 156.650 156.650	09	•	•	•	156.450	156.450	
12 • • 156.600 156.600 13 • • 156.650 1 watt USA and CAN	10	•	•	•	156.500	156.500	
13 • • 156.650 1 state 1 watt USA and CAN	11	•	•	•	156.550	156.550	
		•	•	•	156.600	156.600	
	13	•	•	•	156.650	156.650	1 watt USA and CAN 1 vatio EE.UU. y Canadá

Appendix

VHF Marine Channel Assignments

Uso de canales (Español)		
Correspondencia pública (operador marítimo)		
Operaciones portuarias y comerciales; VTS en áreas selectas		
Correspondencia pública (operador marítimo)		
Correspondencia pública (operador marítimo)		
Entidades gubernamentales solamente		
Correspondencia pública (operador marítimo) operaciones portuarias,movimiento de embarcaciones		
Costa occidental (guardia costera solamente); Costa oriental (pesca comercial)		
Correspondencia pública (operador marítimo) operaciones portuarias,movimiento de embarcaciones		
Operaciones portuarias; VTS en áreas selectas		
Seguridad entre embarcaciones		
Correspondencia pública (operador marítimo) operaciones portuarias,movimiento de embarcaciones		
Comerciales		
Comercial (entre embarcaciones solamente)		
Canal de llamada de la tripulación, no comercial (recreativo)		
Comerciales		
Comercial; VTS en áreas selectas		
Operaciones portuarias; VTS en áreas selectas		
Seguridad marítima entre embarcaciones (de puente de mando a puente de mando). En aguas estadounidenses, las grandes embarcaciones se mantienen vigilantes con sus radios sintonizados en este canal		



Channel Number	Channel Map Mapa de canales		Frequency Frecuencia			
Número de canal	USA EE.UU.	Int'I nternac	Canada Canadá	Transmit Transm.	Receive Recepción	
14	•	•	•	156.700	156.700	
15	•			Rx Only	156.750	
15		•	•	156.750	156.750	1 watt CAN and INT 1 vatio Canadá y Internac
16	•	•	•	156.800	156.800	
17	•	•	•	156.850	156.850	1 watt USA and CAN 1 vatio EE.UU. y Canadá
18		•		156.900	161.500	
18A	•		•	156.900	156.900	
19		•		156.950	161.550	
19A	•		•	156.950	156.950	
20	•	•	•	157.000	161.600	1 watt CAN 1 vatio Canadá
20A	•			157.000	157.000	
21		•	•	157.050	161.650	
21A	•		•	157.050	157.050	
21B			•	RX only	161.650	
22		•		157.100	161.700	
22A	•		•	157.100	157.100	
23		•	•	157.150	161.750	
23A	•			157.150	157.150	

Appendix

Channel Use (English)	Uso de canales (Español)			
Port Operations, VTS in selected areas	Operaciones portuarias; VTS en áreas selectas			
Environmental (Receive Only).	Medioambiental (recepción solamente). Usado por radiobalizas de localización de siniestros (EPIRB) clase C			
Canada (EPIRB Buoys Only); International (On-Board Communication)	Canadá (boyas de EPIRB solamente); Internacional (comunicación de a bordo)			
International Distress, Safety and Calling	Llamadas, seguridad y solicitud de auxilio internacional			
State Controlled (U.S.A. Only)	Controlado a nivel estatal (EE.UU. solamente)			
Port Operations, Ship Movement	Operaciones portuarias, movimiento de embarcaciones			
Commercial	Comerciales			
Port Operations, Ship Movement	Operaciones portuarias, movimiento de embarcaciones			
Commercial	Comerciales			
Canada (Coast Guard Only); International (Port Operations, Ship Movement)	Canadá (guardia costera solamente); Internacional (operaciones portuarias, movimiento de embarcaciones)			
Port Operations	Operaciones portuarias			
Port Operations, Ship Movement	Operaciones portuarias, movimiento de embarcaciones			
U.S. (Government Only); Canada (Coast Guard Only)	EE.UU. (entidades gubernamentales solamente) Canadá (guardia costera solamente)			
Coast Guard Only – Weather Broadcasts	Solamente Guardacostas – Transmisiones Meteorológicas			
Port Operations, Ship Movement	Operaciones portuarias, movimiento de embarcaciones			
U.S. and Canadian Coast Guard Liaison and Maritime Safety Information Broadcasts that are announced on Channel 16	Enlace entre las guardias costeras estadounidenses y canadienses, y difusión de información sobre seguridad marítima anunciada por el canal 16			
Public Correspondence (Marine Operator)	Correspondencia pública (operador marítimo)			
Government Only	Entidades gubernamentales solamente			

VHF Marine Channel Assignments

66 English



Channel Number	Channel Map Mapa de canales		Frequency Frecuencia		Power Limits Límites de potencia	
Número de canal	USA EE.UU.	Int'I nternac	Canada Canadá	Transmit Transm.	Receive Recepción	
24	•	•	•	157.200	161.800	
25	•	•	•	157.250	161.850	
25B			•	RX only	161.850	
26	•	•	•	157.300	161.900	
27	•	•	•	157.350	161.950	
28	•	•	•	157.400	162.000	
28B			•	RX only	162.000	
60		•	•	156.025	160.625	
61		•		156.075	160.675	
61 A	•		•	156.075	156.075	
62		•		156.125	160.725	
62A			•	156.125	156.125	
63		•		156.175	160.775	
63A	•			156.175	156.175	
64		•	•	156.225	160.825	
64A	•		•	156.225	156.225	
65		•		156.275	160.875	
65A	•	•	•	156.275	156.275	
66		•		156.325	160.925	

Appendix

Channel Use (English) Uso de canales (Español) Public Correspondence (Marine Operator) Correspondencia pública (operador marítimo) Public Correspondence (Marine Operator) Correspondencia pública (operador marítimo) Safety: Continuous Marine Broadcast (CMB) Seguridad: Transmisión Marítima Continua (CMB) service by MCTS Canada servicio por MCTS Canadá Public Correspondence (Marine Operator) Correspondencia pública (operador marítimo) Public Correspondence (Marine Operator) Correspondencia pública (operador marítimo) Public Correspondence (Marine Operator) Correspondencia pública (operador marítimo) Safety: Continuous Marine Broadcast (CMB) Seguridad: Transmisión Marítima Continua (CMB) service by MCTS Canada servicio por MCTS Canadá Public Correspondence (Marine Operator) Correspondencia pública (operador marítimo) Public Correspondence (Marine Operator) Correspondencia pública (operador marítimo), Port Operation, Ship Movement operaciones portuarias, movimiento de embarcaciones U.S. (Government Only); Canada (Coast EE.UU. (entidades gubernamentales solamente): Canadá (quardia costera Guard Only); West Coast (Coast Guard solamente); Costa occidental (guardia costera **Only);** East Coast (Commercial Fishing) solamente): Costa oriental (pesca comercial) Public Correspondence (Marine Operator), Correspondencia pública (operador marítimo), Port Operations, Ship Movement operaciones portuarias, movimiento de embarcaciones West Coast (Coast Guard Only): Costa occidental (quardia costera solamente): East Coast (Commercial Fishing) Costa oriental (pesca comercial) Public Correspondence (Marine Operator), Correspondencia pública (operador marítimo), Port Operations. Ship Movement operaciones portuarias, movimiento de embarcaciones Port Operations and Commercial. Operaciones portuarias y comerciales; VTS in selected areas VTS en áreas selectas Public Correspondence (Marine Operator). Correspondencia pública (operador marítimo), Port Operations, Ship Movement operaciones portuarias, movimiento de embarcaciones U.S. (Government Only); EE.UU. (entidades gubernamentales Canada (Commercial Fishing) solamente); Canadá (pesca comercial) Public Correspondence (Marine Operator). Correspondencia pública (operador marítimo), Port Operations, Ship Movement operaciones portuarias, movimiento de embarcaciones Port Operations Operaciones portuarias Public Correspondence (Marine Operator). Correspondencia pública (operador marítimo), Port Operations, Ship Movement operaciones portuarias, movimiento de embarcaciones

VHF Marine

Channel Assignments

Nothing Comes Close to a Cobra®/Nada se compara a Cobra® 69



Channel Number Número de canal			Frequency Frecuencia Transmit Receive		Power Limits Límites de potencia	
66A	€E.00. ●	nternac •	•	Transm. 156.325	Recepción 156.325	1 watt CAN 1 vatio Canadá
67	•	•	•	156.375	156.375	1 watt USA 1 vatio EE.UU.
68	•	•	•	156.425	156.425	
69	•	•	•	156.475	156.475	
70	•	•	•	RX only	156.525	
71	•	•	•	156.575	156.575	
72	•	•	•	156.625	156.625	
73	•	•	•	156.675	156.675	
74	•	•	•	156.725	156.725	
75		•		156.775	156.775	1 watt Only Int. Sólo 1 vatio Int.
76		•		156.825	156.825	1 watt Only Int. Sólo 1 vatio Int.
77	•	•	•	156.875	156.875	1 watt USA and CAN 1 vatio EE.UU. y Canadá

Appendix

Channel Use (English) Uso de canales (Español) Port Operations Operaciones portuarias U.S. (Commercial). Used for bridge-to-bridge EE.UU. (comercial). Usado para comunicaciones de puente de mando a puente de mando en la communications in lower Mississippi River parte baja del Río Misisipí (entre embarcaciones (Intership Only); Canada (Commercial Fishing), S&R solamente); Canadá (pesca comercial) (transmisión y recepción) Non-Commercial (Recreational) No comercial (recreativo) EE.UU. (no comercial, recreativo); Canadá U.S. (Non-Commercial, Recreational): Canada (pesca comercial solamente); Internacional (Commercial Fishing Only); International (Intership, Port Operations, Ship Movement) (comunicaciones entre embarcaciones. operaciones portuarias, movimiento de embarcaciones) **Digital Selective Calling** Llamadas selectivas digitales (Voice communications not allowed) (las comunicaciones verbales están prohibidas) U.S. and Canada (Non-Commercial, Recreational); EE.UU. y Canadá (no comercial, recreativo); International (Port Operations, Ship Movement) Internacional (operaciones portuarias, movimiento de embarcaciones) Non-Commercial (Intership Only) No comercial (entre embarcaciones solamente) U.S. (Port Operations): Canada (Commercial EE.UU. (operaciones portuarias): Canadá (pesca Fishing Only); International (Intership, comercial solamente); Internacional (comunicaciones Port Operations. Ship Movement) entre embarcaciones, operaciones portuarias, movimiento de embarcaciones) U.S. (Port Operations); Canada (Commercial EE.UU. (operaciones portuarias); Canadá (pesca Fishing Only); International (Intership, comercial solamente); Internacional (comunicaciones Port Operations, Ship Movement) entre embarcaciones, operaciones portuarias, movimiento de embarcaciones) Port Operations (Intership Only) Operaciones portuarias (entre embarcaciones solamente) Port Operations (Intership Only) Operaciones portuarias (entre embarcaciones solamente) Port Operations (Intership only). Restricted to Operaciones portuarias (entre embarcaciones communications with pilots for movement and solamente). Restringido a comunicaciones con pilotos para el movimiento y atraque de docking of ships. embarcaciones.

VHF Marine

Channel Assignments



Appendix

Channel Number	Channel Map Mapa de canales		Frequency Frecuencia		Power Limits Límites de potencia	
Número de canal	USA EE.UU.	Int'I nternac	Canada Canadá	Transmit Transm.	Receive Recepción	
78		•		156.925	161.525	
78A	•		•	156.925	156.925	
79		•		156.975	161.575	
79A	•		•	156.975	156.975	
80		•		157.025	161.625	
80A	•		•	157.025	157.025	
81		•		157.075	161.675	
81A	•		•	157.075	157.075	
82		•		157.125	161.725	
82A	•		•	157.125	157.125	
83		•	•	157.175	161.775	
83A	•		•	157.175	157.175	
83B			•	RX only	161.775	
84	•	•	•	157.225	161.825	
84A	•			157.225	157.225	
85	•	•	•	157.275	161.875	
85A	•			157.275	157.275	
86	•	•	•	157.325	161.925	
86A	•			157.325	157.325	
87	•	•	•	157.375	161.975	
87A	•			157.375	157.375	
88	•	•	•	157.425	162.025	
88A	•			157.425	157.425	

Appendix

Channel Use (English) Uso de canales (Español) Public Correspondence (Marine Operator) Correspondencia pública (operador marítimo) Non-Commercial (Recreational) No comercial (recreativo) Port Operations, Ship Movement Operaciones portuarias, movimiento de embarcaciones Commercial (Also Non-Comercial Comercial (en los Grandes only in Great Lakes) Lagos también no comercial) Port Operations, Ship Movement Operaciones portuarias, movimiento de embarcaciones Commercial (Also Non-Commercial Comercial (en los Grandes only in Great Lakes) Lagos también no comercial) Port Operations, Ship Movement Operaciones portuarias, movimiento de embarcaciones U.S. (Government Only: Environmental EE.UU. (entidades gubernamentales solamente: **Protection Operations)** operaciones de protección medioambiental) Public Correspondence (Marine Operator). Correspondencia pública (operador marítimo). Port Operation, Ship Movement operaciones portuarias, movimiento de embarcaciones U.S. (Government Only); Canada EE.UU. (entidades gubernamentales solamente); Canadá (guardia costera solamente) (Coast Guard Only) Canada (Coast Guard Only) Canadá (guardia costera solamente)) U.S. (Government Only); Canada EE.UU. (entidades gubernamentales solamente): (Coast Guard Only) Canadá (guardia costera solamente) Coast Guard Only - Weather Broadcasts Solamente Guardacostas -Transmisiones Meteorológicas Public Correspondence (Marine Operator) Correspondencia pública (operador marítimo) Public Correspondence (Ship to Coast). Correspondencia pública (entre embarcación y costa). In U.S. only within 75 miles of Canadian Border. En los EE.UU.. solamente dentro de los casi 121 kilómetros (75 millas) de la frontera canadiense Commercial Intership only Comercial entre embarcaciones solamente

VHF Marine

Channel Assignments

Appendix

VHF Marine Channel Assignments (English)

Many of the plain-numbered channels, such as 01, 02 and 03, transmit and receive on different frequencies. This is termed duplex operation. The rest of the plain-numbered channels and all of the A channels, such as 01A, 03A and 04A, transmit and receive on a single frequency, which is termed simplex operation. Your radio automatically adjusts to these conditions. When in simplex operation, the A icon will appear on the LCD (see illustration on page A3).

NOTE

All channels are preprogrammed at the factory according to international regulations and those of the FCC (U.S.A.) and Industry Canada (Canada). They cannot be altered by the user nor can modes of operation be changed between simplex and duplex.

Asignación de canales de VHF para radiocomunicación marítima (Español)

) NOTA

Muchos de los canales de números simples, como 01, 02 y 03, transmiten y reciben en diferentes frecuencias. A esto se le llama operación dúplex. El resto de los canales de números simples y todos los canales A, como 01A, 03A y 04A, transmiten y reciben en una sola frecuencia, a la que se le llama operación simple (simplex). Su radio se ajusta automáticamente a estas condiciones. Cuando esté en operación simple, el icono A aparecerá en la pantalla de cristal líquido (vea la ilustración de la página A3).

Todos los canales vienen programados previamente de fábrica conforme a los reglamentos internacionales y a los de la FCC (EE. UU) e Industry Canada (Canadá). No pueden ser alterados por el usuario, así como tampoco pueden cambiarse los modos de operación entre simple y dúplex. Appendix

Weather Channel Assignments

Asignaciones de canales meteorológicos


Channel Number Número de canal	RX Frequency MHz Frecuencia de recepción (MHz)	Weather Channel Weather Channel		
1	162.550	NOAA		
2	162.400	NOAA		
3	162.475	NOAA		
4	162.425	NOAA		
5	162.450	NOAA		
6	162.500	NOAA		
7	162.525	NOAA		
8	161.650	Canada		
9	161.775	Canada		
10	163.275	NOAA		

Weather Channel Assignments



Accessories

Your Cobra radio has several optional accessories available to enhance the use of the radio. Some are listed below:



Lapel Speaker/Microphone

A speaker/microphone, that attaches to your lapel, by ordering P/N CM 330-001.

This unique accessory allows you to wear the radio on your belt while still being able to communicate with other vessels. A small **Push to Talk (PTT)** button on the lapel speaker/microphone allows you to answer any incoming call.



Long Life Battery

A long life replacement battery. P/N CM 110-010.

1900 mAh LiON replacement battery. Can be used with the charger included with this radio. The radio will NOT float with this battery attached.

This page intentionally left blank

Free Manuals Download Website <u>http://myh66.com</u> <u>http://usermanuals.us</u> <u>http://www.somanuals.com</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.com</u> <u>http://www.404manual.com</u> <u>http://www.luxmanual.com</u> <u>http://aubethermostatmanual.com</u> Golf course search by state

http://golfingnear.com Email search by domain

http://emailbydomain.com Auto manuals search

http://auto.somanuals.com TV manuals search

http://tv.somanuals.com