

# SURE-LITES®

---

## PHOTOLUMINESCENT EXIT SIGNS



### FEATURES:

---

- Heavy Duty, All-Aluminum Construction
- No Electrical Power Consumption
  - utilizes photoluminescent “glow-in-the-dark” technology
- Environmentally Friendly Design
  - non-toxic, non-flammable, non-radioactive
- Fast Installation
  - non-electrical, no wiring required
- 25+ Year Life Expectancy

## SPECIFICATION FEATURES

### Electrical

Non-Electrical, ideal for areas where electrical wiring is either difficult or unavailable.

Energizes from fluorescent lighting

90 minutes of illumination with a legible viewing distance of at least 50 feet

Minimum 5 foot-candle external unfiltered illumination must be present on the sign at all times of building occupancy

### Housing Construction

Heavy duty aluminum housing is impact resistant, corrosion proof and flame-retardant

High-brightness strontium oxide aluminate photoluminescent pigment is applied directly onto housing

Non-Radioactive and Non-Toxic

Ceiling, Wall or End Mounting

Universal, field selectable chevrons

### Code Compliance


UL 924 Listed, meets Life Safety NFPA 101, ULC Listed, Most State and Local Codes

### Warranty

Exit: 5 years

Rated Life: 25+ years

## DIMENSIONS



## ORDERING INFORMATION

SAMPLE NUMBER: PHL1RBA

<b>PHL</b>				
<b>Family</b> PHL=Photoluminescent Exit	<b>Face Option</b> 1=Single 2=Double	<b>Letter Colors (Outline)</b> R=Red G=Green	<b>Housing Color</b> Blank=Same as Letter Color BA=Brushed Aluminum	<b>Accessories</b> PHLS=Clear Acrylic Shield PHLJ=Large Canopy (J-Box)



## Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>