WARNING:

TO PREVENT FIRE OR SHOCK HAZARD, DO NOT EXPOSE THIS APPLIANCE TO RAIN OR MOISTURE. DO NOT REMOVE COVER. PILOT LAMPS SOLDERED IN PLACE. NO USER SERVICEABLE PARTS INSIDE. REFER SERVICING TO QUALIFIED SERVICE





CAUTION:

TO REDUCE THE RISK OF ELECTRIC SHOCK, DO NOT REMOVE COVER (OR BACK). NO USER - SERVICEABLE PARTS INSIDE. REFER SERVICING TO QUALIFIED SERVICE PERSONNEL.



The lighting flash with arrowhead symbol, within an equilateral triangle, is intended to alert user to the presence of uninsulated "dangerous voltage" within the product's enclosure that may be of sufficient magnitude to constitute risk of electric shock to persons.



The exclamation point within an equilateral triangle is intended to alert user to the presence of important operating and maintenance (servicing) instruction in the literature accompanying the appliance.

SPECIFICATION

: AC adapter - (DC 12V 0.5A) (Included)

: 15W Power Consumption

: 33 /45 /78 RPM Speed : 3 x 5" Dynamic Type x 2 Speaker

DESIGN AND SPECIFICATION SUBJECT TO CHANGE WITHOUT NOTICE.



1220 East Oak Street * Louisville, Kentucky 40204

IMPORTANT SAFETY INSTRUCTION

PLEASE READ CAREFULLY ALL THE FOLLOWING IMPORTANT SAFEGUARDS
THAT ARE APPLICABLE TO YOUR EQUIPMENT

- Read Instructions All the safety and operating instructions should be read before the product is operated.
- 2 Retain instructions - The safety and operating instructions should be retained for future reference

- 6
- for future reference. Heed Warnings All warnings on the product and in the operating Instructions should be adhered to. Follow Instructions All operating and use instructions should be followed. Cleaning Unplug this product from the wall outlet before cleaning. Do not use liquid cleaners or aerosol cleaners. Use a damp cloth for cleaning. Attachments Do not use attachments not recommended by the product manufacturer as they may cause hazards. Water and Moisture Do not use this product near water for example, near a bath tub, wash bowl, kitchen sink, or laundry tub; in a wet basement, or near a swimping nool; and the like
- swimming pool; and the like. A product and cart combination should be moved with care. Quick stops, excessive
- 8. A product and cart combination should be moved with care. Quick stops, excess force, and uneven surfaces may cause the product and cart combination to overtum.

 9. Ventilation Slots and openings in the cabinet are provided for ventilation and to ensure reliable operation of the product and to protect if from overheating, and these openings must not be blocked or covered. The openings should never be blocked by placing the product on a bed, sofa, rug, or other similar surface. This product should not be placed in a built in installation such as a bookcase or rack unless proper ventilation is provided or the manufacturer's instructions have been adhered to.

 10. Power Sources This product should be operated only from the type of power source indicated on the marking label, if you are not sure of the type of power supply to your home. Consult your product dealer or local power company. For products intended to operate from battery power, or other sources, refer to the operating instructions.
- products intended to operate from battery power, or other sources, refer to the operating instructions.

 Grounding or Polarization This product may be equipped with a polarized alternating-current line plug (a plug having one blade wider than the other). This plug will fit into the power outlet only one way. This is a safety feature. If you are unable to insert the plug fully into the outlet try reversing the plug, if the plug should still fail to fit, contact your electrician to replace your obsolete outlet. Do not defeat the safety purpose of the polarized plug.

 Power Cord Protection Power supply cords should be routed so that they are not likely to be walked on or pinched by items placed upon or against them, paying particular attention to cords at plugs, convenience receptacles, and the point where they exit from the product.
- Polarized Plug
- exit from the product.

 Lightning For added protection for this product during a lightning storm, or when it is left unattended and unused for long periods of time, unplug it from the wall outlet and disconnect the antenna or cable system. This will prevent damage to the product due to lightning and power line surges.

CROSLEY RADIO

3 Speed Turntable



- Power Lines An outside antenna system should not be located in the vicinity of overhead power lines or other electric light or power circuits, or where it can fall into such power lines or circuits. When installing an outside antenna system, extreme care should be taken to keep from touching such power lines or circuits as contact with them might be fatal.
 Overloading Do not overload wall outlets, extension cords, or integral convenience receptacles as this can result in a risk of fire or electric shock.
 Object and Liquid Entry Never push objects of any kind into this product through openings as they may touch dangerous voltage points or short out parts that could result in a fire or electric shock. Never spill liquid of any kind on the product.
 Servicing Do not attempt to service this product yourself as opening or removing covers may expose you to dangerous voltage or other hazards. Refer all servicing to qualified service personnel.
 Damage Requiring Service Unplug this product from the wall outlet and refer servicing to qualified service personnel under the following conditions;

 When the power-supply cord or plug is damaged.
 If liquid has been spilled, or objects have fallen into the product.
 If the product has been exposed to rain or water.
 If the product does not operate normally by following the operating instructions. Adjust only those controls that are covered by the operating instructions as an improper adjustment of other controls may result in damage and will often require extensive work by a qualified technician to restore the product to its normal operation.
 If the product has been dropped or damaged in any way.
 When the product exhibits a distinct change in performance this indicates a need for service.

 Replacement Parts When replacement parts are re

- f. When the product exhibits a distinct change in performance this indicates a need for service. Replacement Parts When replacement parts are required, be sure the service technician has used replacement parts specified by the manufacturer or have the same characteristics as the original part. Unauthorized substitutions may result in fire, electric shock, or other hazards.

 Safety Check Upon completion of any service or repairs to this product, ask the service technician to perform safety checks to determine that the product is in proper operating condition.

 Wall or ceiling Mounting The product should be mounted to a wall or ceiling only as recommended by the manufacturer.

 Heat The product should be situated away from heat sources such as radiators. Heat registers, stoves, or other products (including amplifiers) that produce heat.

WARNING: Changes or modifications to this unit not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed Class B digital device, pursuant to Part 1s of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful intereference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures

- Reorient or relocate the receiving antenna. Increase the separation between the equipment and receiver. Connect the equipment into an circuit different from that to which the receiver is connected.
- is connected.

 Consult the dealer or an experienced radio TV technician for help.

POWER SOURCE

Connect the AC adapter between the unit and the power outlet.

- Remove packing materials from unit.
- 3
- Note: Save all packing materials.

 Remove plastic bag covering radio.

 Remove plastic safety cover from A/C plug.

 Remove tie from A/C cord and untie antenna wire on back of radio.
- Open lid and remove styrofoam shipping material from turntable. Remove black tie-wrap from under the tone arm.
- Remove white protective needle cover by gently pulling towards the front of the unit.



Untile the FM antenna and allow it to hang down in a straight line for optimum FM reception. If you have trouble tuning in an FM station, move the external FM antenna for best reception. Do no connect FM antenna to outside antenna.

TURNTABLE OPERATION

Turn the unit on by pressing the ON/OFF VOLUME KNOB (7) located on the front panel

- to the ON position.

 Set the SPEED CONTROL SWITCH (4) to desire speed (33 1/3,45 or 78 rpm).
- Set the SPEED CONTROL SWITCH (4) to desire speed (33 1/3,45 or 78 rpm). Place the record on the turntable. Pull the TONE ARM (2) slightly to the right side until hear the "click" sound to activate the TURNTABLE (9). Move the TONE ARM (2) by hand to the record and slowly lower it to the desired starting point. Turn the ON/OFF VOLUME KNOB (7) to adjust the volume to the desired level.
- at the end of the record, the TONE ARM (2) will stop automatically. You must return the TONE ARM (2) to TONE ARM REST (8) by hand.

ACCESSORY: ADAPTER FOR 45 RPM
To play the 45rpm record, place the ADAPTER (1) on the spindle



ROUBLESHOOTING GUIDE

The unit does not operate.

The AC adapter is not well connected.

The unit is not turn on rotate the VOLUME knob from the OFF position past the "click" to turn on the unit.

- No sound

 * The white protective needle cover was not removed.
- The volume has not been turned up.
 Pull the Tone Arm slightly to the right side to start up the turntable.

Needles are available for additional charges, please call us at 1-800-926-7801 www.crosleyradio.com

WARRANTY

Crosley Radio Products are warranted against defects in material and workmanship for a period of 90 days beginning from the date of sale to the original purchaser.

Should the unit fail under normal usage during the 90 day warranty period, a request for RETURN AUTHORIZATION (R.A.) must be made by the original customer before returning the unit. Call Crosley Radio customer service for Return Authorization at (502) 583-4246 from 9 AM to 5 PM (EST) Monday to

Upon receiving the RETURN AUTHORIZATION number from the Customer Service Department, properly pack your unit in its original packaging. Include any adapters, parts, & accessories which were originally provided with the product, along with a check or money order for \$19.95 made out to Crosley Radio to cover the handling and return postage. Display the R.A. # on the outside of the carton and ship PREPAID via standard UPS or its equivalent.

CROSLEY RADIO

ATTN: RETURNS DEP'T 2001 PRODUCTION DRIVE BAY 2 & 3 LOUISVILLE, KY 40299

CROSLEY RADIO assumes no responsibility for units sent without prior Return Authorization.

The purchaser's bill of sale is the only proof of warranty entitlement and must accompany the unit.


The warranty does not cover damage due to acts of nature, accident, misuse, abuse, negligence, commercial use or modification of, or to any part of the product. This warranty does not cover damage due to improper operation or maintenance, connection to improper voltage supply, or attempted repair by anyone other than a facility authorized by Crosley Radio to service the product. This warranty does not cover products sold AS IS or consumables (such as fuses or batteries). This warranty is valid only in the United States.

This warranty gives the purchaser specified legal rights in addition to any rights which may vary from state

In accordance with the "Moss-Magnuson Warranty Act" of July 10, 1975, this is termed a "limited warranty" which in no way compromises Crosley Radio, high standards of Quality and Workmanship.

LOCATION OF PARTS


- 1. Adapter for 45 RMP record
- 2 Tone Arm
- 3. Power light indicator
- 4. Speed control switch
- 5. Security Hook
- Tone control
- ON/OFF Volume Knob 8. Arm Rest



(1)

- 10. Speaker
- 11. Adapter Jack
- 12 AC Adapter

(placed in a white cardboard box, location at on side of ploy-foam)



Free Manuals Download Website

http://myh66.com

http://usermanuals.us

http://www.somanuals.com

http://www.4manuals.cc

http://www.manual-lib.com

http://www.404manual.com

http://www.luxmanual.com

http://aubethermostatmanual.com

Golf course search by state

http://golfingnear.com

Email search by domain

http://emailbydomain.com

Auto manuals search

http://auto.somanuals.com

TV manuals search

http://tv.somanuals.com