



VoIP Multicast Microphone

The CyberData Multicast Microphone is a Power-over-Ethernet (PoE) and Voice-over-IP (VoIP) microphone. The Multicast Microphone is one of the central components of a paging alert notification system. No IP PBX is required.

The microphone is compatible with CyberData's IP speakers and other endpoints that can receive multicast audio. The microphone is powered via a standard PoE-compliant Ethernet cable - no external power supply is needed.



Features


- Multicast and Unicast support
- Dual-Speed 10/100 Mbps
- Web based configuration
- Web based firmware upgradeable
- PoE 802.3af Enabled (Powered-over-Ethernet)
- Electret condenser microphone
- Single button push-to-talk function
- RoHS compliant
- IGMP 2

VoIP Multicast Microphone Specifications

Sensitivity	-74dB
Frequency Response	100 - 1000 Hz
Dimensions	1.9" x 4.25" x 5.33" (H x W x D)
Power Requirement	PoE 802.3af
Warranty	2 years limited
Data type	RTP
	30 ms packet time
Payload type	G711 A-law and μ -law
Part Number	011007



VoIP Multicast Microphone



* Configured for multicast mode

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>