

CyberPower®

Model #: CPS425SL

UPC: 649532004256

MSRP: \$44.99



The CPS425SL Standby UPS system is perfect power protection for individuals running a stand-alone PC in their home or office.

It includes PowerPanel™ Power Management software that monitors the vitals of the CyberPower battery backup system and will safely shut down your system in case of a power outage. Composite integrated circuitry (IC) offers advanced lightning protection and also guards against surges, spikes, sags, brownouts and other power abnormalities.

This rugged unit is equipped with a RJ11 port that protects against surges from phone or network disruptions. The unit is also perfect for protecting other electronics, such as: monitors, printers, scanners, speakers, fax machines, CD/DVD players, and iPods.

- EMI/RFI - Provides shielding against electromagnetic interference & radio frequency signals. Most commonly, this is used to prevent line noise or “humming” that occurs over telephone lines or stereo electronics.
- Transformer-spaced Outlets - Widely spaced outlets allow you to conveniently add large transformer-based plugs without compromising the utility of other outlets.
- PowerPanel™ Power Management Software – In the event of a power outage, PowerPanel will safely save and close your open files and shut your computer down in an orderly, intelligent manner. It also features adjustable battery run times, popup warning messages, event logging, and scheduled shutdowns.
- LED Indicators - LED status lights indicate Power-On and wiring faults.
- Audible Alarms - Audible tones identify when the unit is running off of battery power, unit overloads and low battery.
- Resettable Circuit Breaker - Convenient unit reset switch in case of an overload.
- 3-year Warranty - CyberPower will replace damaged units if within 3 years of purchase date. We stand behind our products and guarantee quality. CyberPower also offers a #1 rated technical support team that will assist you with product, installation, or warranty concerns --- Free of Charge!
- ISO & Safety Certifications - All CyberPower’s manufacturing facilities are ISO-9001 Quality Tested. Our products are also certified by the FCC, cUL, and UL.

Technical Specifications

General	
Model #	CPS425SL
UPS Topology	Standby
Input	
Voltage	100 - 140V
Frequency	57 - 63Hz
Plug Type	NEMA 5-15P
Cord Length	6 ft
Output	
VA	425
Watts	230
Automatic Voltage Regulation	No
On Battery Waveform	Simulated Sine Wave
Outlets - Total	6
Outlets - Battery & Surge	3 x NEMA 5-15R
Outlets - Surge-Only	3 x NEMA 5-15R
Transfer Time	4 ms
Battery	
Runtime at Full-Load	2 Minutes
Runtime at Half-Load	9 Minutes
Battery Specification	1 x 12V/4.5Ah
Surge Protection and Filtering	
Surge Suppression	585 Joules
Phone / Ethernet RJ11 / RJ45	1 x RJ11 (One-in/Two-out)
Coax Protection RG6	None
Management & Communications	
Indicators	LED Indicators
USB Port	Serial-to-USB cable optional
Serial Port	1 x DB9
Software	PowerPanel Power Management
SNMP / HTTP Remote Monitoring	Not Available
Physical	
Dimensions (WxHxD)	9.75" x 6.25" x 3.25"
Weight	8.6 lbs.
Warranty	
Product Warranty	3-year warranty. Free Tech Support.
Connected Equipment Guarantee	Lifetime
CEG Amount	\$75,000

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>