





# **Wireless 108AG USB Adapter**

# **FEATURES**

# **Dualband Wireless Connectivity:**

- Up to 108Mbps Using 802.11a/g1
- 802.11b Backward Compatible

# **Convenient USB Connectivity:**

- USB 2.0 Ports for Desktops or Notebook PCs
- Backward Compatible to USB 1.1 Ports<sup>2</sup>

# **Industry Standard Wireless Network Encryption:**

- WPA-Personal
- WPA-Enterprise
- WEP (Wired Equivalent Privacy)

# **Business-class User** Authentication:

- 802.1x RADIUS
- EAP-TLS (Extensible Authentication Protocol)
- EAP-TTLS (Extensible Authentication Protocol)

# **Certifications:**

- Wi-Fi 802.11a
- Wi-Fi 802.11b
- Wi-Fi 802.11g

D-Link's AirPremier® AG line of 802.11a/g networking products offer a variety dualband wireless connectivity options. Dualband wireless connectivity enables more versatility in network deployment, which can maximize your network investment. D-Link proudly introduces the newest member of the AirPremier AG family, the DWL-AG132 Wireless USB Adapter.

The DWL-AG132 is a Wireless USB 2.0 Adapter that adds high-performance 802.11a/g wireless connectivity to your desktop or notebook PC via the convenience of USB. Avoid the hassle of stringing Ethernet cables to your computer or dismantling your desktop PC case to insert a wireless adapter. Simply plug in the DWL-AG132 into an available USB 2.0<sup>2</sup> port and enjoy the freedom of wireless networking.

Powered by D-Link 108AG Technology, this Wireless 108AG USB Adapter is capable of delivering maximum wireless signal rates of up to 108Mbps<sup>1</sup> when used with other AirPremier AG devices. Dualband capability ensures that the DWL-AG132 is compatible with virtually all 802.11a/b/g networks and devices.

The DWL-AG132 is designed to connect out of the box with other AirPremier AG products making this USB adapter a plug and play solution. An installation wizard make simplifies device discovery and driver configuration. Thereafter, the site survey configuration utility discovers available nearby wireless networks to get you connected quickly. This utility can create detailed connectivity profiles to save and manage your most frequently accessed networks.

For accessing secure networks, this Wireless USB Adapter supports both WPA-Personal and WPA-Enterprise. Now you can utilize EAP-TLS and EAP-TTLS for secure user authentication through an 802.1x RADIUS server. Data over the air is encrypted using either TKIP. Future upgrades to the DWL-AG132 firmware will ensure support for the IEEE 802.11i security specification.

The DWL-AG132 can be used in peer-to-peer mode (ad-hoc) to directly connect to other 802.11a or 802.11b/g devices for direct file sharing, or in client mode (infrastructure) to connect with wireless access points or routers.

The DWL-AG132 features Wi-Fi certification in all three wireless bands, 802.11a, 11b, and 11g, which ensures wireless compatibility and robust data encryption for sensitive data requirements.

Compact in size, this Wireless 108AG USB Adapter is great for travel and is a convenient solution for providing high-performance dualband wireless connectivity to your desktop or notebook PC.

# **Product Data Sheet**



# Wireless 108AG USB Adapter

# **Specifications**

#### Standards:

- 802.11a
- 802.11b
- 802.11g
- USB 2.0
- USB 1.1

### **Device Management**

. D-Link Wireless Utility

#### Data Rate<sup>1</sup>

- 802.11a 108, 54, 48, 36, 24, 18, 12, 9 and 6Mbps
- 802.11g 108, 54, 48, 36, 24, 18, 12, 9 and 6Mbps
- 802.11b 11, 5.5, 2 and 1Mbps

### Security

- 64/128-bit WEP
- WPA-Personal
- WPA-Enterprise (includes 802.1x)

# **Wireless Frequency Range**

- 5.15GHz 5.85GHz
- 2.4GHz 2.497GHz

### Wireless Operating Range<sup>3</sup>

- Indoors: Up to 328 feet (100 meters)
- Outdoors: Up to 1,312 feet (400 meters)

### **Modulation Technology**

- Orthogonal Frequency Multiplexing (OFDM)
- Complementary Code
- Direct Sequence Spread Spectrum (DSSS)

### **Receiver Sensitivity**

- 802.11a: -66dBm for 108Mbps @ 10% PER
- 802.11g: -88dBm at 6Mbps @ 10% PER
- 802.11g: -86dBm at 9Mbps @ 10% PER
- 802.11g: -84dBm at 12Mbps @ 10% PER
- 802.11g: -82dBm at 18Mbps @ 10% PER
- 802.11g: -78dBm at 24Mbps @ 10% PER
- 802.11g: -74dBm at 36Mbps @ 10% PER
  802.11g: -69dBm at 48Mbps @ 10% PER
- 802.11g: -66dBm at 54Mbps @ 10% PER
- 000.11g. -00ubili at 54ivibps @ 10/01 Eft
- 802.11g: -70dBm at 108Mbps @ 10% PER
- 802.11b: -82dBm for 11Mbps @ 8% PER
- 802.11b: -87dBm for 2Mbps @ 8% PER
- <sup>1</sup> Maximum wireless signal rate derived from IEEE Standard 802.11a, 802.11b and 802.11g specifications. Actual data throughput viill vary. Network conditions and environmental factors, including volume of network traffic, building materials and construction, and network overhead lower actual data throughput train.
- and construction, and network overhead lower actual data throughput rate.

  <sup>2</sup> Using a USB 1.1 Port will affect device performance.
- <sup>3</sup> Environmental conditions may adversely affect wireless signal range.

#### Wireless Transmit Power

- 11a +15dBm @ 54 and 48Mbps
- 11g +16dBm @ 36Mbps
- 11g +17dBm @ 24, 18, 12, 9 and 6Mbps
- 11b 16dBm @ 11, 5.5, 2 and 1Mbps

### **External Antenna Type**

Integrated Antenna

#### **LEDs**

- Activity
- Link

#### **Power Consumption**

- 472 mA in continuous transmit mode
- 290 mA in continuous receive mode

# Temperature

- Operating: 0° C to +40° C
- Non-Operating: -20° C to +75° C

#### **Humidity**

- Operating: 20% 80% (non-condensing)
- Non-operating: 5% to 95% (non-condensing)

#### Certifications

- FCC
- UL

#### **Dimensions**

- L 3.23in (82mm)
- W 1.10in (28mm)
- H 0.47in (12mm)

#### Weight

• 0.81lbs

# Warranty

• 1 Year



Free Manuals Download Website

http://myh66.com

http://usermanuals.us

http://www.somanuals.com

http://www.4manuals.cc

http://www.manual-lib.com

http://www.404manual.com

http://www.luxmanual.com

http://aubethermostatmanual.com

Golf course search by state

http://golfingnear.com

Email search by domain

http://emailbydomain.com

Auto manuals search

http://auto.somanuals.com

TV manuals search

http://tv.somanuals.com