INTRODUCTION

Congratulations on your purchase of a DB Drive state-of-the-art subwoofer component. Your selection of a DB Drive car audio product indicates a true appreciation of fine musical reproduction. Whether adding to an existing system or including a DB Drive subwoofer in a new system, you are certain to notice immediate performance benefits.

KEEP YOUR SALES RECEIPT

Take this time to attach your sales receipt to the manual and put in a safe place. In case of any unforeseen reason this product may need warranty service, your receipt will be necessary to establish purchase date. For detailed warranty information please refer to enclosed warranty card.

RECOMMENDATION

A speaker's performance is only as good as it's enclosure. Proper installation, enclosure size and crossover frequency will maximize the overall performance of the subwoofer. To properly design and build an enclosure, knowledge of wood-working as well as the proper tools are required. We highly recommend that you have your enclosure built by an authorized DB Drive retailer. However, if you decide to install it yourself, we have included the parameters of each driver and recommended enclosure sizes. If after reviewing the enclosed information you have any addition questions, please feel free to contact our technical dept.

WARNING!

Exposure to high pressure levels can cause hearing loss or damage. Listening to your system at loud levels while driving, will impair your ability to hear traffic sounds and emergency vehicles. Use common sense when listening to your system.

While installing your subwoofer enclosure in the vehicle. Securely fasten it to the frame or floorpan. If the enclosure is not secured properly, there is danger of it becoming a projectile in a collision.

Due to continuing product improvement, specifications and design are subject to change without notice.

PRODUCT SPECIFICATIONS

(FS)	K7 10D4 30.57Hz	K7 12D4 27.80Hz	K7 15D4 25.74Hz
(Qts.)	0.36	0.37	0.45
(Qms)	3.47	3.45	4.06
(VAS)	19.63L	42.77L	104.34L
(Xmax)	0.78in	0.78inV	0.78in
(Re)	6.43Ω	6.44Ω	6.43Ω
(Pe)	900/1800	900/1800	900/1800
(QES)	0.40	0.42	0.51
(Sens)	83.30dB	85.30dB	87.33dB

CALCULATING ENCLOSURES

It is difficult to give exact box dimensions that are universal for all cars and trucks. It is for this reason that you must be able to calculate the space in which you have available in order to achieve the proper air volume required.

It is recommended to build your enclosure from 3/ 4" thick MDF (medium density fiberboard). Make sure the enclosure is sealed airtight.

Calculating External Volume


- 1.) To calculate box volume, measure the outside Width x Height x Depth of the enclosure. *Example 12" x 14" x 9"=1512 ÷ 1728" Cubic feet*
- 2.) Next you must convert cubic inches into cubic feet. To do this, you must divide the cubic inches total by 1728". *Example 1512 ÷ 1828=.875 Cubic feet*


Calculating Internal Volume

- 1.) To calculate the internal (net) volume of the above box you must first multiply the thickness of the wood you are using by Two(2). *Example 3/4" x 2= 1.5"*
- 2.) Next subtract 1.5 from each of the <u>outside measurements</u> of the box. Width Height Depth 12 - 1.5 = 10.5 14 - 1.5 = 12.5 9 - 1.5 = 7.5
- 3.) Multiple the new totals (H x W x D) *Example:* $10.5 \times 12.5 \times 7.5 = .5696$
- 4.) Next you must convert cubic inches into cubic feet. To do this, you must divide the cubic inch total by 1728". *Example 984.375* ÷ 1728=.5696 *cubic feet.*



Recommended Enclosures





OKUR

234mm/9.21ii

59mm/10.2ii

OKUR

284mm/11.18ir

312mm/12.28ir

K7 10D4

Sealed Enclosure Box Volume 1.19cu ft.

Ported Enclosure Box Volume 1.73cu ft. Box Tuning 39Hz Port Diameter 2 x 3in Port Length 14in

K7 12D4

Sealed Enclosure Box Volume 1.55cu ft.

Ported Enclosure Box Volume 1.96cu ft. Box Tuning 39Hz Port Diameter 2 x 3in


K7 15D4

Port Length 12in

Sealed Enclosure Box Volume 2.26cu ft.

Ported Enclosure

Box Volume 2.68cu ft. Box Tuning 37Hz Port Diameter 6in Port Length 24in





OKUT Installation Instructions / Owner's Manual

MODEL K3 10D4 / K3 12D4 / K3 15D4

> DB Research L.L.P. 302 Hanmore Industrial Parkway // Harlingen, TX 78550 ph: 877.787.0101 // fx: 956.421.4513 // www.dbdrive.net

Please Note: Our suggested box volumes are given as internal air requirements www.Somanuals.com. All Manuals Search And Download.

Free Manuals Download Website <u>http://myh66.com</u> <u>http://usermanuals.us</u> <u>http://www.somanuals.com</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.com</u> <u>http://www.404manual.com</u> <u>http://www.luxmanual.com</u> <u>http://aubethermostatmanual.com</u> Golf course search by state

http://golfingnear.com Email search by domain

http://emailbydomain.com Auto manuals search

http://auto.somanuals.com TV manuals search

http://tv.somanuals.com