

### Replacement Parts List

**NOTE:** If requested color is not available, similar color will be substituted.

<u>Part</u>	<u>Cost</u>	<u>Quantity</u>	<u>Total Cost</u>
Seat Pad . . . . .	\$24.99	X _____ =	\$ _____
Cup Holder Inserts . . . . .	\$3.99	X _____ =	\$ _____
Instructions . . . . .	\$0.00	X _____ =	\$ _____

**Merchandise Total** \$ \_\_\_\_\_

**Shipping and handling:** \$ \_\_\_\_\_

Up to \$25.00 . . . . .	\$5.95	\$100.01 to \$150.00 . . . . .	\$10.95
\$25.01 to \$50.00 . . . . .	\$6.95	\$150.01 to \$200.00 . . . . .	\$11.95
\$50.01 to \$75.00 . . . . .	\$8.95	\$200.01 and up . . . . .	\$13.95
\$75.01 to \$100.00 . . . . .	\$9.95	Outside Continental USA	\$10.00

**Sales Tax** \$ \_\_\_\_\_  
 (Indiana, California, Arkansas, and Massachusetts residents add applicable sales tax.)

**Grand Total** \$ \_\_\_\_\_

No shipping and handling on instruction manuals on quantities 6 or less. Add \$.50 for each instruction manual over 6, then add applicable shipping and handling.

**Fill Out For Credit Card**

Visa  Mastercard

Card Exp. Date: \_\_\_\_\_

Cardholder's Name: \_\_\_\_\_

Card Number: \_\_\_\_\_

Signature \_\_\_\_\_

CUT ON DOTTED LINE

Eng. 4358-4294


# enRoute, Auto Booster Belt-Positioning Booster Instruction Manual

www.djgusa.com

This child restraint is designed for use by children whose:

**Weight:**  
30-100 pounds  
(13.6-45.4 kg)

**Height:**  
34-57 inches (85.1-144.8 cm)



Read all instructions BEFORE USING this child restraint.

KEEP INSTRUCTIONS FOR FUTURE USE.

**▲ IMPORTANT!**

Failure to follow the warnings on the labels and in the instruction manual can result in the death or serious injury of your child.

Para recibir las instrucciones en español, llame al 1-800-544-1108 o solicítase por escrito al dirección por arriba.

## Before You Begin...

Thank you for choosing this car seat, referred to throughout this manual as a child restraint. The DJG family is committed to creating a child restraint with the most comfort and convenience available today.

Remember, parents are a child's first teachers and examples. If you always buckle your seat belt, your child will think it is the natural thing to do. Make it a firm rule that the vehicle does not go until everyone is buckled up. Make no exceptions.

No one can predict if use of a child restraint will prevent injury or death in a particular crash. However, combined with careful driving, proper use of a child restraint can lower a child's risk of injury or death in most crashes.

Your child's safety is worth the time it will take to read and follow these instructions. After reading, if you still have questions or have any problems with this child restraint, please contact our Consumer Relations Department at:

### Dorel Juvenile Group, Inc.


Website: [www.djgusa.com](http://www.djgusa.com)  
 Fax: 1-800-207-8182  
 Mailing Address: Dorel Juvenile Group, Inc.  
 P.O. Box 2609  
 Columbus, IN 47202-2609  
 Telephone: 1-800-544-1108  
 7 A.M. to 6 P.M. EST M-TH  
 7 A.M. to 4:30 P.M. EST FRI









On the bottom of the shell there is an expiration date for use of this child restraint. Do not use this seat after the expiration date.

## Table of Contents

Warnings.....	2-3
General and Warm Weather Use.....	4
Registration and Recall .....	4
Aircraft Installation .....	4
Choosing Restraint and Position .....	5
Understanding Your Vehicle .....	6-7
Child Restraint Parts .....	8-9
Preparing Child Restraint .....	10
Headrest Adjustment .....	11
Adjusting Backrest .....	12
Cupholder .....	13
Knowing Your Vehicle Belts .....	14
Belt-Positioning Booster Use .....	15
Belt-Positioning Booster Installation	
Seat Back Installation .....	16-17
Without Seat Back Installation.....	18-19
Removing Seat Pad for Cleaning .....	20-22
Troubleshooting .....	23
Warranty .....	24
Replacement Parts Order Form .....	25-26











## WARNING

Failure to follow these warnings could result in the serious injury or death of your child. To help you recognize those instructions which are most critical for your child's safety, we use this symbol :

-  According to accident statistics, children are safer when properly restrained in the rear seating positions than in the front seating positions.
-  Never place a child less than one-year old forward-facing.
-  Do not use this child restraint if the midpoint of your child's head is above the top of the vehicle seat back or vehicle headrest.
-  Check vehicle instructions for more information about air bag/child restraint use.
-  The vehicle belt must stay tight at the belt path. If you don't, your child could be seriously injured or killed.
-  Never take your child out of the child restraint or try to tend to your child's needs while the vehicle is moving. Never leave child unattended.
-  Do not use a child restraint with damaged or missing parts.
-  Do not substitute parts or try to modify the child restraint in any way.

2

## WARNING

-  Do not use a child restraint that has been in a crash. You must get a new child restraint.
-  Use the child restraint only on vehicle seats that face forward. Do not use on seats that face the sides or rear of the vehicle.
-  Check the vehicle belt before each use. Use only if the belt can be tightened properly and securely.
-  This child restraint should be securely belted in the vehicle even when not in use. In a crash or sudden stop, an unsecured child restraint could injure other occupants.
-  Dorel Juvenile Group does not recommend the use of any child restraint accessories except those provided by DJG.
-  Never allow any child to play with this child restraint; it is not a toy.
-  Do not remove any of the warning labels or other labels on the child restraint.
-  Placing your child in a hot child restraint may result in burns.
-  Do not use this child restraint without the seat pad.
-  Read instructions for other warnings.

3

## General and Warm Weather Use

To help protect your vehicle seat's upholstery from damage, use a towel underneath and behind child restraint.

**To avoid your child being seriously burned, take the following precautions:**

1. Park in the shade or where sun does not directly hit the child restraint.
2. Cover the child restraint with a sheet or blanket when not in use.
3. Check for hot seat and buckles before placing child in child restraint.

## Registration and Recall Information

Child restraints could be recalled for safety reasons. You must register this restraint to be reached in a recall. Fill out the registration card attached to the child restraint or send your name, address and the restraint's model number and manufacturing date to:

Dorel Juvenile Group, Inc.  
P.O. Box 2609, Columbus, IN 47202-2609  
Attn: Consumer Relations or call 1-800-544-1108

You can now register your child restraint online at [www.djgusa.com](http://www.djgusa.com). Please do not send in your registration card if you registered your child restraint online.


For recall information, call the U.S. Government's Vehicle Safety Hotline at 1-888-327-4236 (TTY: 1-800-424-9153), or go to <http://www.NHTSA.gov>.

## Aircraft Installation

This child restraint is not certified for aircraft use. Aircraft seats are not equipped with lap/shoulder belts, which are required for use with this child restraint.

## Choosing Restraint and Position

Your child's height, weight and age determine how your child restraint should be placed in the vehicle and which restraint should be used.




### Booster with Backrest

30-100 lbs (13.6-45.4 kg)  
34-57 in. (85.1-144.8 cm)  
and Over 1 Year Old

### Vehicle lap/shoulder belt combination

Child and child restraint face the front of the vehicle and are placed in the back seat.



### Booster without Backrest


40-100 lbs (18.1-45.4 kg)  
43-57 in. (110.1-144.8 cm)  
and Over 1 Year Old

### Vehicle lap/shoulder belt combination

Child and child restraint face the front of the vehicle and are placed in the back seat.

## Understanding Your Vehicle


Your vehicle's features may be considerably different than those pictured here. Consult your vehicle owner's manual to help identify your vehicle's specific features.




6

7


## Child Restraint Parts





## Preparing Child Restraint



1 Hold the rectangular shaped flap on the rear of the seat base down to expose the backrest connection hole.




2 Insert the hook on the backrest into the large opening on back of seat base. Make sure backrest is laying flat (horizontal) when connecting. Make sure seat pad does not get caught between the moving parts.




3 Rotate backrest up until it clicks twice. Tuck backrest hole flap under the backrest pad.

10

## Headrest Adjustment



1 This child restraint has 8 headrest positions. The backrest/headrest are removable.



**To Raise or Lower Headrest:**

Grasp top of headrest with one hand and hold the headrest adjuster lock with the other hand.


Pull headrest up and pull the headrest adjuster lock out.

Raise and lower headrest into selected position. Release the headrest adjuster lock into one of the 8 headrest heights.


Make sure headrest is locked by sliding headrest up and down. Headrest will move slightly when it is locked.

11

## Adjusting Backrest




Backrest has 2 positions, upright and semi-reclined. The semi-recline position is to be used only to install the child restraint flush against the back of the vehicle seat back, if needed.




Recline the backrest by pressing down firmly on backrest release tab and rotate top of seat back about an inch. The restraint is now in semi-recline position.

12


## Cupholder



Cup holders are located in the base of the child restraint.



Pull out cup holder to use. Push cup holders in when not needed.



**Cup Holder Insert (on select models):** Cup holder may have a removable liner for cleaning. To remove, pull up on corner of rubber insert and remove. Clean with a mild soap and warm water. When dry, replace insert.


13



## Knowing Your Vehicle Belts


This auto booster must only be used in vehicles with appropriate vehicle belts that can be tightened securely. **If the vehicle belt cannot be tightened securely, it must be replaced. This booster MUST only be used with a lap/shoulder belt.** Belt systems which will not work with this child auto booster (or sometimes any child restraint) include, but are not limited to, the following:

- **Do not use with any automatic/passive vehicle seat belt.** An automatic (passive) 2-point belt has no lap belt. You must install a lap belt to secure a child restraint. You may also need to install an extra lap belt for an automatic (passive) 3-point belt. Refer to the vehicle owner's manual.
- **If your vehicle belt is too short,** contact your vehicle dealer for a seat belt extender. Do not route the seat belt any way except as shown in the instructions.
- **You must move the auto booster to another seating location if the belts come out of the center of the door or side panel (A); or if the buckle is in the middle of the vehicle seat cushion (so that they are forward of the bight) (B).**



14


## Belt-Positioning Booster Use



### Booster with Backrest:

30-100 lbs (13.6-45.4 kg)  
34-57 in. (85.1-144.8 cm)  
and Over 1 Year Old.


Vehicle lap/shoulder belt combination.  
Child and child restraint face the front of the vehicle and are placed in the back seat.



### Booster without Backrest:

40-100 lbs (18.1-45.4 kg)  
43-57 in. (110.1-144.8 cm)  
and Over 1 Year Old.

Vehicle lap/shoulder belt combination.  
Child and child restraint face the front of the vehicle and are placed in the back seat.




Some vehicle belts will not work with a child restraint. See previous page for specific instructions.

15

## Belt-Positioning Booster: Seat Back Installation




**1** Place child restraint against the back of the vehicle seat. Place the child's bottom and back flat against the child restraint.



**2** Place lap belt across child's thighs. Lock buckle.

**NOTE:** Make sure the lap and shoulder belt are placed under armrest as shown.

### **⚠ WARNING**



Do not use this child restraint if the midpoint of your child's head is above the top of the vehicle seat back or vehicle headrest.

Use only the vehicle's lap and shoulder belt system when restraining the child in this booster seat. Failure to do this can result in serious injury or death.



**3** Secure the shoulder belt through the shoulder belt positioning guide in the headrest. The belt should cross the base of the child's neck and across the chest (not the face or neck). Adjust headrest as needed (see "Headrest Adjustment" section). Pull up on the shoulder belt to tighten.

Check periodically to ensure your child has not moved out of position and loosened the shoulder belt.

### **⚠ WARNING**


Check vehicle instructions for more information about air bag/child restraint use.

Do Not Use only the lap belt when using this seat.

The shoulder belt must always be adjusted snugly across the child's chest.


NEVER place the shoulder belt under the child's arms.

Failure to follow these warnings could cause serious injury or death to your child.




Belt-Positioning Booster Use: 30-100 lbs. (13.6-45.4 kg), 34-57" (85.1-144.8 cm) Over 1 year of age.

## Belt-Positioning Booster: Without Seat Back Installation



To remove backrest from seat base, backrest needs to be in the most upright position. Press down firmly on backrest release tab and rotate seat back until it lays flat.



Lift backrest hook out of the opening in seat base. Store backrest for future use.

Lay flap over hole where backrest connects to the base.



Place child restraint against the back of the vehicle seat. Place the child's bottom and back flat against the child restraint.

18




Place lap belt across child's thighs. Lock buckle. The belt should cross the base of the child's neck and across the chest (not the face or neck). Pull up on the shoulder belt to tighten.

**NOTE:** Make sure the lap and shoulder belt are placed under armrest as shown.

Check periodically to ensure your child has not moved out of position and loosened the shoulder belt.

### ⚠ WARNING



Do not use this child restraint if the midpoint of your child's head is above the top of the vehicle seat back or vehicle headrest.

Use only the vehicle's lap and shoulder belt system when restraining the child in this booster seat.

Check vehicle instructions for more information about air bag/child restraint use.

Do Not Use only the lap belt when using this seat.

The shoulder belt must always be adjusted snugly across the child's chest.

NEVER place the shoulder belt under the child's arms.

Failure to follow these warnings could cause serious injury or death to your child.




19

Belt-Positioning Booster Use: 40-100 lbs. (18.1-45.4 kg), 43-57" (110.1-144.8 cm) Over 1 year of age.


## Removing Seat Pad for Cleaning

### **⚠ WARNING**


**Do not use this child restraint without the seat pad. Failure to do this can result in serious injury.**



Undo fastening strip on armrest pad and remove armrest pad.




From the bottom of seat base, pull elastic straps out from under cup holders.




From the front, pull pad off of front of seat base.

20




From the back, pull up on both elastic straps up and over the armrests.



### **Remove Pad From Backrest:**

From the side, remove pad off of backrest.




### **Remove Pad From Headrest:**


From the back, remove the elastic from the top and bottom of seat back. Undo the fastening strip in the middle of the seat back.

21

*continued on next page.*



From the back of headrest, pull pad out from behind the pad locking tabs



Pull pad off of headrest.

**NOTE:** Do not remove foam headrest.

Clean with warm sudsy water, rinse clean and air dry. Do not use bleach or other harsh cleaners.

Replace the pad by reversing the order. Attach head rest pad to the headrest, replace the backrest pad and base pad.

## Troubleshooting

**✓1. If your child restraint is not held securely by the vehicle belt:**

Remove all the slack in the vehicle belt. Make sure the belt buckle is not up against the child restraint where the belt cannot be tightened. If you cannot secure the child restraint tightly, move it to another seating location.

**✓2. If the shoulder belt crosses the child's neck when using the child restraint:**

Try moving the child restraint toward the center of vehicle or move the vehicle seat forward or back. Check to see if your vehicle has adjustable shoulder belt anchor points. **Do Not** place the shoulder belt behind the child.

## Warranty

Dorel Juvenile Group, Inc. (DJG) warrants this product to the original retail purchaser as follows:

This product is warranted against defective materials or workmanship for one year from the date of original purchase.

**An original receipt is required to validate your warranty.** DJG will, at its option, provide replacement parts or replace this product. DJG reserves the right to substitute if the part or model has been discontinued.

To make a claim under this warranty you may contact us at [www.djgusa.com](http://www.djgusa.com), fax us at 1-800-207-8182 24 hours a day, write to DJG, Consumer Relations Department, P.O. Box 2609, Columbus, IN 47202-2609, or call 1-800-544-1108 from 7:00 a.m. to 6:00 p.m. EST Monday through Thursday and from 7:00 a.m. to 4:30 p.m. on Friday. **Proof of purchase is required and shipping charges are the responsibility of the consumer.**

### Warranty Limitations:

This warranty does not include damages which arise from misuse or abuse of this product.

### Limitation of Damages:

The warranty and remedies as set forth are exclusive and in lieu of all others, oral or written, expressed or implied. In no event will DJG or the dealer selling this product be liable to you for any damages, including incidental or consequential damages, arising out of the use or inability to use this product.

### Limitation of warranties and other warranty terms and state law rights:

Any implied warranties, including implied warranties of the merchantability and fitness for a particular purpose, shall be limited to the duration and terms of the express written warranty. Some states do not allow limitations as to how long an implied warranty lasts or the exclusion or limitation of incidental or consequential damages, so the above limitations may not apply to you. This warranty gives you specific legal rights, and you may have other rights, which vary from state to state. Neither DJG nor the dealer selling this product authorized any person to create for it any other warranty, obligation, or liability in connection with this product.

PLEASE COMPLETE AND MAIL THE PRE-ADDRESSED OWNER REGISTRATION CARD WITHIN (30) DAYS OF PURCHASE TO EXPEDITE WARRANTY CLAIMS AND TO VERIFY THE ORIGINAL DATE OF PURCHASE.

## Replacement Parts Order Form

Complete the form below. Your model number with color code and manufacturer date code **MUST** be included on the form to ensure proper replacement parts. Your model number with color code and the date code can be found on a sticker on the side of child restraint. Payment in U.S. dollars must accompany your order. Choose parts needed from the list on the next page.

Return the form with payment to:

**Dorel Juvenile Group, Inc.**  
**Consumer Relations Department**  
**P.O. Box 2609**  
**Columbus, IN 47202-2609**

Fax orders to: 1-800-207-8182

Please make money orders payable to Dorel Juvenile Group, Inc. Fill in the area below to charge to Visa or Mastercard. We do not accept personal checks or Discover Card. All outside of U.S. and Canada **MUST** use credit card.

Ship To (Please Print): \_\_\_\_\_

Name: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_

State/Province: \_\_\_\_\_ Zip \_\_\_\_\_

Telephone: \_\_\_\_\_

Email Address: \_\_\_\_\_

**We **MUST** have this information to process your order:**

**Model Number (5 digits & 3 letters):** \_\_\_\_\_

**Manufacture Date (mm/dd/yyyy):** \_\_\_\_\_

## Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>