

USER'S GUIDE V:1012-0318-10



PD7719B Dual 7" Screen DVD Player with Rechargeable Battery

For the most up-to-date version of this User's Guide, go to www.gpx.com

Warnings and Precautions

- CAUTION: TO PREVENT ELECTRIC SHOCK, MATCH WIDE BLADE OF PLUG TO WIDE SLOT. FULLY INSERT.
- WARNING: To reduce the risk of fire or electric shock, do not expose this apparatus to rain or moisture
- AVERTISSEMENT: Pour réduire le risque d'incendie ou de choc électrique, ne pas exposer cet appareil sous la pluie et l'humidité.
- CAUTION: Use of controls or adjustments or performance of procedures other than those specified may result in hazardous radiation exposure.
- WARNING: Changes or modifications to this unit not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.
- WARNING: Do not place the unit on top of any soft, porous, or sensitive surfaces to avoid damaging the surface. Use a protective barrier between the unit and surface to protect the surface
- WARNING: Use of this unit near fluorescent lighting may cause interference regarding use of the remote. If the unit is displaying erratic behavior move away from any fluorescent lighting, as it may be the cause.
- CAUTION: Danger of explosion if battery is incorrectly replaced. Replace only with the same or equivalent type.

- PRÉCAUTION: Danger d'explosion si les piles sont remplacées de façon incorrect. Remplacer les piles seulement par le même type de pile ou l'éauivalent.
- WARNING: There is a danger of explosion if you attempt to charge standard Alkaline batteries in the unit. Only use rechargeable NiMH batteries.
- WARNING: The remote control's button cell battery contains mercury. Do not put in the trash, instead recycle or dispose of as hazardous waste
- WARNING: Lithium batteries, like all rechargeable batteries are recyclable and should be recycled or disposed of in normal household waste. Contact your local government for disposal or recycling practices in your area. They should never be incinerated since they might explode.

Main plug is used as disconnect device and it should remain readily operable during intended use

Do not mix old and new batteries.
Do not mix alkaline, standard (carbon-zinc), or rechargeable (ni-cad, ni-mh, etc) batteries.
No mezcle baterias viejas y nuevas.
No mezcle baterias alcalinas, estándar (carbonozinc) o recargables (ni-cad, ni-mh, etc.).



WARNING: TO REDUCE THE RISK OF ELECTRIC SHOCK, DO NOT REMOVE COVER (OR BACK). NO USER-SERVICEABLE PARTS INSIDE. REFER SERVICING TO QUALIFIED SERVICE PERSONNEL.



The lightning flash with arrowhead symbol, within an equilateral triangle, is intended to alert the user to the presence of uninsulated "dangerous voltage" within the product's enclosure that may be of sufficient magnitude to constitute a risk of electric shock to persons.



The exclamation point within an equilateral triangle is intended to alert the user to the presence of important operating and maintenance (servicing) instructions in the literature accompanying the appliance



This product utilizes a Class I laser to read Compact Discs. This laser Compact Disc Player is equipped with safety switches to avoid exposure when the CD door is open and the safety interlocks are defeated. Invisible laser adiation is present when the CD Player's lid is open and the system's interlock has failed or been defeated. It is very important that you avoid direct exposure to the laser beam at all times. Please do not attempt to defeat or bypass the safety switches.

Important Safety Instructions

- Read these Instructions.
- 2. Keep these Instructions.
- 3. Heed all Warnings.
- 4. Follow all instructions.
- 5. Do not use this apparatus near water.
- 6. Clean only with a dry cloth.
- Do not block any ventilation openings.
 Install in accordance with the manufacturer's instructions
- Do not install near any heat sources such as radiators, heat registers, stoves, or other apparatus (including amplifiers) that produce heat.
- 9. Do not defeat the safety purpose of the polarized or grounding type plug. A polarized plug has two blades with one wider than the other. A grounding type plug has two blades and a third grounding prong. The wide blade or the third prong are provided for your safety. When the provided plug does not fit into your outlet, consult an electrician for replacement of the obsolete outlet.
- Protect the power cord from being walked on or pinched particularly at plugs, convenience receptacles, and the point where they exit from the apparatus.
- 11. Only use attachments/accessories specified by the manufacturer.
- 12. Use only with a cart, stand, tripod, bracket, or table specified by the manufacturer, or sold with the apparatus. When a cart is used, use caution when moving the cart/apparatus combination to avoid injury from tip-over.
- Unplug this apparatus during lightning storms or when unused for long periods of time
- 14. Refer all servicing to qualified service personnel. Servicing is required when the apparatus has been damaged in any way, such as power-supply cord or plug is damaged, liquid has been spilled or objects have fallen into the apparatus, the apparatus has been exposed to rain or moisture, does not operate normally, or has been dropped.

FCC Warnings

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- · Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Additional Warnings

- The apparatus shall not be exposed to dripping or splashing and that no objects filled with liquids, such as vases, shall be placed on apparatus.
- L'appareil ne doit pas être exposé aux écoulements ou aux éclaboussures et aucun objet ne contenant de liquide, tel qu'un vase, ne doit être placé sur l'objet.
- Main plug is used as disconnect device and it should remain readily operable during intended use. In order to disconnect the apparatus from the mains completely, the mains plug should be disconnected form the mains socket outlet completely. La prise du secteur ne doit pas être obstruée ou doit être facilement accessible pendant son utilisation. Pour être complètement déconnecté de l'alimentation d'entrée, la prise doit être débranchée du secteur.
- Battery shall not be exposed to excessive heat such as sunshine, fire or the like.
 Les niles ne doivent pas être exposées à de forte chaleur tel au'c
 - Les piles ne doivent pas être exposées à de forte chaleur, tel qu'à la lumière du soleil, au feu ou autres choses de semblable.
- Caution marking is located at the rear of the apparatus.
 Les marquages sont inscrits de derrière de l'appareil.
- The marking information is located at the rear of apparatus.
 Les précautions d'emploi sont inscrites de derrière de l'appareil.



Dual 7" DVD Player with Rechargeable Battery

Features

- DVD player: DVD, DVD-R/RW
- CD player: CD, CD±R/RW, JPEG CD
- SD/MMC memory card slot
- USB port, 2.0 high speed
- Chapter and title search
- Supports multiple languages and language subtitles
- 700m
- On-screen display
- Multi-angle
- Slow motion
- NTSC
- Digital volume
- Resolution: 480 x 234
- Built-in speakers
- 7" primary LCD display
- 7" secondary LCD display
- Photo frame features display JPEG images

Included

- AC/DC power adapter
- DC car adapter
- Remote: requires 2, AAA-size, batteries (included)
- 3.5mm/RCA cable
- DC power cable
- 2 sets of stereo earbuds
- Carry-all tote bag

- Remote: requires 2, AAA-size, batteries (included)
- DC power input: requires an AC/DC power adapter (included)
- DC battery power: built-in rechargeable battery
- 12V-DC Car Adaptor

7" primary LCD display:

- Video/Audio Output Jack
- Stereo Headphone Jack
- DC-Input Jack


7" secondary LCD display:

- Video/Audio Input Jack
- Stereo Headphone Jack
- DC-Input Jack
- DC-Output Jack


TABLE OF CONTENTS

Warni	ngs and Precaution	ons .										. 2
•	tant Safety Instru FCC Warnings Additional Warni		· .									. 3
•	"DVD Player with Features Included	n Rech	arge	able	Bat	tery	•	•	•			. 4
Introd	uction - Primary	LCD Di	isplay	<i>i</i> .								. 6
Secon	dary LCD Display											. 7
Remo	te											. 8
•	Remote DC Power Input DC Battery Powe	· ·					•	•	•		•	. 9
•	CD Playing a DVD or Programming a I		· CD									. 10
	ry and Secondary Connecting the I		•	•		•	•			•	•	. 11
	Setup Using the Headre		aps			•				•		. 12
·	Menu Accessing the Se Setup Menu	 tup Mo	enu	•	•							. 13
•	MC Memory Card Connecting an S Using a Loaded S	D or M	MC C		•		•				•	. 14
•	ort Connecting a US Using a Loaded U				е							. 15
•	any Information Green Initiative International Sup	port										. 16

Introduction - Primary LCD Display




Secondary LCD Display





Remote

Note: The remote will only control the primary display.




Setup





Remote

Requires 2, AAA-size, batteries (included)



DC Power Input

- Plug the included AC/DC power adapter or DC car adapter into the DC POWER INPUT on the secondary display and an AC power outlet or DC car power outlet.
- Plug the included DC power cable into the DC power output on the secondary display and the DC power input on the primary display.

To power the primary display by itself, plug the included AC/DC power adapter or DC car adapter into the DC POWER INPUT on the primary display and an AC power outlet or DC car power outlet.

DC Battery Power

A rechargeable battery is built-into the primary display.

When the primary display is connected to a power source, either directly or through the secondary display, and powered off or powered on, the built-in rechargeable battery will recharge.

To power the primary and secondary display from the rechargeable battery, plug the included DC power cable into the **DC POWER OUTPUT** on the secondary display and the **DC POWER INPUT** on the primary display.


DVD & CD

Playing a DVD or CD

- Load a DVD or CD into the primary display.
- 2. Adjust the **POWER** switch to the "ON" position.
- 3. The DVD or CD should start playing automatically.
- If the DVD or CD does not start playing automatically, press the PLAY/PAUSE button.

Programming a DVD or CD

- Load a DVD or CD into the primary display.
- Adjust the **POWER** switch to the "ON" position.
- The DVD should start playing automatically.
- 4. Press the **PROGRAM** button.
- Use the **NUMBER KEYPAD** to enter in the title and chapter numbers in the order you want them to play.
 - Up to 20 titles and chapters can be programmed at one time.
- Use the **DIRECTIONAL** buttons to highlight the "Start" option on the display, and press the **SELECT** buttons.
- Press the **STOP** button twice to reset the programmed tracks.




DVD



CD



Primary and Secondary Displays



Connecting the Displays


- Connect the included 3.5mm/RCA cable to the 3.5mm AUDIO/VIDEO OUTPUT on the primary display and the RCA AUDIO/VIDEO INPUT on the secondary display.
- 2. Adjust the **POWER** switches on the primary display and the secondary display to the ON position.
- Video and audio played through the primary display will now play through the secondary display as well.

In Car Setup

Using the Headrest Straps

- 1. Slide the primary and secondary display into their headrest strap cases.
- 2. Run the headrest strap through the **HEADREST STRAP CONNECTIONS** on the back of both displays.
- 3. Tighten the straps around the headrests of a vehicles seats.

Primary Display Secondary Display



Accessing the Setup Menu

To access the Setup Menu, press the **SETUP** button on the primary display or remote control.

Setup Menu

General

- TV Display
- LCD Mode
- OSD Language
- Screen Saver
- Exit Setup

Audio

- Downmix
- Exit Setup

Video

- Sharpness
- Brightness
- Contrast
- Hue
- Color
- Exit Setup

System


To access the system section of the setup menu, the DVD player must be in full-stop mode. Press the STOP button twice to enter full-stop mode.

- TV Type
- Audio
- Subtitle
- Disc Menu
- Default
- Exit Setup

SD/MMC Memory Card Slot

Connecting an SD or MMC Card


 Load an SD or MMC into the SD/ MMC MEMORY CARD SLOT as shown in the image to the right.



Using a Loaded SD or MMC Card

- Follow the instructions for connecting an SD or MMC card.
- 2. Press and hold the **STOP** button.
- Press the VOLUME buttons on the primary display or the up and down ARROW KEYS on the remote to switch between DVD, CARD, and USB. Highlight CARD.
- 4. Press the PLAY/PAUSE button.
- Press the **ARROW KEYS** on the remote to navigate the files on screen.
- Press the PLAY/PAUSE button to play or view compatible files.

USB Port



Connecting a USB Thumb Drive

 Load a USB thumb drive into the USB PORT as shown in the image to the right.

Using a Loaded USB Thumb Drive

- Follow the instructions for connecting a USB thumb drive.
- 2. Press and hold the **STOP** button.
- 3. Press the **VOLUME** buttons on the primary display or the up and down **ARROW KEYS** on the remote to switch between DVD, CARD, and USB. Highlight USB.
- 4. Press the PLAY/PAUSE button.
- Press the **ARROW KEYS** on the remote to navigate the files on screen.
- 6. Press the **PLAY/PAUSE** button to play or view compatible files.

Company Information

Green Initiative

Environmental Commitment to 'Protect for Today and Sustain for Tomorrow'

2009 marked the official launch of DPI, Inc.'s corporate campaign for a greener and cleaner world. DPI is building upon environmental initiatives introduced at all of their facilities to help formulate and sustain significant and important conservation efforts within its manufacturing and marketing communities. In addition to targeting and selecting energy efficient product features, and structuring 'green office' procedures, other initial program efforts include:

- Reduction of all packaging sizes
- Recyclable plastics for clamshell packages, with a plan to eventually replace plastic with recyclable paper
- Recycled fiber board in place of the polyfoam in packing boxes
- Recycled plastics in place of the virgin material in product construction

International Support

To download this User's Guide in English, Spanish, or French, visit the support section at www.gpx.com.

Para transferir esta guía de usuario en inglés, español, o francés, visite la sección de la ayuda en www.gpx.com.

Pour télécharger ce guide de l'utilisateur en anglais, espagnol, ou français, visitez la section de soutien chez www.gpx.com.

Contact Information

Address:

2116 Carr Street, St. Louis MO, 63106 Phone:

1-314-621-2881

Fax:

1-314-588-1805

Email:

prodinfo@gpx.com

Parts Email:

partsinfo@dpi-global.com

Website:

www.qpx.com

Free Manuals Download Website

http://myh66.com

http://usermanuals.us

http://www.somanuals.com

http://www.4manuals.cc

http://www.manual-lib.com

http://www.404manual.com

http://www.luxmanual.com

http://aubethermostatmanual.com

Golf course search by state

http://golfingnear.com

Email search by domain

http://emailbydomain.com

Auto manuals search

http://auto.somanuals.com

TV manuals search

http://tv.somanuals.com