Series Plunger Pump Operating Instructions/ Repair and Service Manual P200A-3100/5100

Aluminum Bronze Models: 316 S.S. Models:

P217-3100P221-3100P217-5100P221-5100P218-3100P227-3100P218-5100P227-5100P219-3100P230-3100P219-5100P230-5100

P220-3100 P220-5100





Triplex Ceramic



CIANT

Contents:

Installation Instructions:	page 2
Pump Specifications:	pages 3-9
Exploded View:	page 10
Parts List / Kits:	page 11
Torque Specifications:	page 11
Repair Instructions:	pages 12-13
Pump mounting selection Guide:	page 13

Updated 3/05

Trouble Shooting Guide
Recommened Spare Parts List: page 14
Dimensions: page 15
Warranty Information: back page

Warranty Information: Download from Www.Somanuals.com. All Manuals Search And Download.

INSTALLATION INSTRUCTIONS

Installation of the Giant Industries, Inc., pump is not a complicated procedure, but there are some basic steps common to all pumps. The following information is to be considered as a general outline for installation. If you have unique requirements, please contact Giant Industries, Inc. or your local distributor for assistance.

- 1. The pump should be installed flat on a base to a maximum of a 15 degree angle of inclination to ensure optimum lubrication.
- 2. The inlet to the pump should be sized for the flow rate of the pump with no unnecessary restrictions that can cause cavitation. Teflon tape should be used to seal all joints. If pumps are to be operated at temperatures in excess of 160° F, it is important to insure a positive head to the pump to prevent cavitation.
- 3. The discharge plumbing from the pump should be properly sized to the flow rate to prevent line pressure loss to the work area. It is essential to provide a safety bypass valve between the pump and the work area to protect the pump from pressure spikes in the event of a blockage or the use of a shut-off gun.

- 4. Use of a dampener is necessary to minimize pulsation at drive elements, plumbing, connections, and other system areas. The use of a dampener with Giant Industries, Inc. pumps is optional, although recommended by Giant Industries, Inc. to further reduce system pulsation. Dampeners can also reduce the severity of pressure spikes that occur in systems using a shut-off gun. A dampener must be positioned downstream from the unloader.
- 5. Crankshaft rotation on Giant Industries, Inc. pumps should be made in the direction designated by the arrows on the pump crankcase. Reverse rotation may be safely achieved by following a few guidelines available upon request from Giant Industries, Inc. Required horsepower for system operation can be obtained from the charts on pages 3-9.
- 6. Before beginning operation of your pumping system, remember: Check that the crankcase and seal areas have been properly lubricated per recommended schedules. Do not run the pump dry for extended periods of time. Cavitation will result in severe damage. Always remember to check that all plumbing valves are open and that pumped media can flow freely to the inlet of the pump.

Finally, remember that high pressure operation in a pump system has many advantages. But, if it is used carelessly and without regard to its potential hazard, it can cause serious injury.

IMPORTANT OPERATING CONDITIONS

Failure to comply with any of these conditions invalidates the warranty.

1. Prior to initial operation, add oil to the crankcase so that oil level is between the two lines on the oil dipstick. DO NOT OVERFILL.

Use Giant recommened Oil

Crankcase oil should be changed after the first 50 hours of operation, then at regular intervals of 500 hours or less depending on operating conditions.

- 2. Pump operation must not exceed rated pressure, volume, or RPM. <u>A pressure relief</u> device must be installed in the discharge of the system.
- 3. Acids, alkalines, or abrasive fluids cannot be pumped unless approval in writing is obtained before operation from Giant Industries, Inc.
- 4. Run the pump dry approximately 10 seconds to drain the water before exposure to freezing temperatures.

Specifications Model P217A-3100/5100

	U.S.	(Metric)
1750 RPM ⁺		
Ratings	1.8 GPM @ 2000 PSI	(6.8 LPM @ 137 bar)
3450 RPM ⁺		
Ratings	3.3 GPM @ 2000 PSI	(12.5 LPM @ 137 bar)
Plunger Diameter	4.76"	18mm
Stroke	1.45"	5.5mm
Temperature of Pumped Fluids	Up to 160° F	(71° C)
Inlet Ports (P217A-3100)		(2) 3/8" BSP
Inlet Ports (P217A-5100)		(2) 1/2" BSP
Discharge Ports		
Shaft Rotation		Top of Pulley Towards Fluid End
Crankshaft Diameter	0.94"	24mm
Key Width	0.31"	8mm
Shaft Mounting		
Weight	11 lbs. 11oz	(4.9 kg)
Crankcase Oil Capacity	8.1 fl.oz	(0.24 liters)
Volumetric Efficiency @ 1750 RPM		
Mechanical Efficiency @ 1750 RPM		

^{*15} PSI inlet pressure required

Consult the factory for special requirements that must be met if the pump is to operate beyond one or more of the limits specified above.

PULLEY INFORMATION

Pulley selection and pump speed are based on a 1725 RPM motor and "B" section belts. When selecting desired GPM, allow for a $\pm 5\%$ tolerance on pumps output due to variations in pulleys, belts and motors among manufacturers.

- 1. Select GPM required, then select appropriate motor and pump pulley from the same line.
- 2. The desired pressure is achieved by selecting the correct nozzle size that corresponds with the pump GPM.

HORSEPOWER INFORMATION

Horsepower ratings shown are the power requirements for the pump. Gas engine power outputs must be approximately twice the pump power requirements shown above.

$$\frac{GPM \times PSI}{1450} = hp$$

P217A-3100/5100 PULLEY SELECTION & HORSEPOWER REQUIREMENTS								
PUMP PULLEY	MOTOR PULLEY	RPM	GPM	800 PSI	1200 PSI	1500 PSI	1700 PSI	2000 PSI
7.75	4.00	1750	1.8	1.0	1.5	1.9	2.1	2.5
7.75	6.80	3000	3.0	1.7	2.5	3.1	3.5	4.1
7.75	7.25	3200	3.2	1.8	2.6	3.3	3.8	4.4
7.75	7.75	3450	3.3	1.8	2.7	3.4	3.9	4.6

Specifications Model P218A-3100/5100

	U.S.	(Metric)
Volume	3.4 GPM	(12.5 LPM)
Discharge Pressure	2000 PSI	(140 bar)
Inlet Pressure	90 PSI	(6.2 bar)
RPM		1750 RPM
Plunger Diameter	4.76"	18mm
Stroke	2.64"	10.0mm
Temperature of Pumped Fluids	160°F	(71° C)
Inlet Ports (P218A-3100)		
Inlet Ports (P218A-5100)		(2) 1/2" BSP
Discharge Ports		(2) 3/8" BSP
Shaft Rotation	Top of Pulley Toward	s Fluid End
Crankshaft Diameter	0.94"	24mm
Key Width	0.31"	8mm
Shaft Mounting		Either Side
Weight	11 lbs. 11oz	(4.9 kg)
Crankcase Oil Capacity	8.1 fl.oz	(0.24 liters)
Volumetric Efficiency @ 1750 RPM		0.96
Mechanical Efficiency @ 1750 RPM		

Consult the factory for special requirements that must be met if the pump is to operate beyond one or more of the limits specified above.

PULLEY INFORMATION

Pulley selection and pump speed are based on a 1725 RPM motor and "B" section belts. When selecting desired GPM, allow for a $\pm 5\%$ tolerance on pumps output due to variations in pulleys, belts and motors among manufacturers.

- 1. Select GPM required, then select appropriate motor and pump pulley from the same line.
- 2. The desired pressure is achieved by selecting the correct nozzle size that corresponds with the pump GPM.

HORSEPOWER INFORMATION

Horsepower ratings shown are the power requirements for the pump. Gas engine power outputs must be approximately twice the pump power requirements shown above.

$$\frac{GPM \times PSI}{1450} = hp$$

P218A-3100/5100 PULLEY SELECTION & HORSEPOWER REQUIREMENTS								
PUMP PULLEY	MOTOR PULLEY	RPM	GPM	800 PSI	1200 PSI	1500 PSI	1700 PSI	2000 PSI
7.75	5.25	1725	2.1	1.2	1.7	2.2	2.5	2.9
7.75	6.50	1450	2.6	1.4	2.2	2.7	3.0	3.6
7.75	7.25	1750	3.4	1.9	2.8	3.5	4.0	4.7

Specifications Model P219A-3100/5100

	U.S.	(Metric)
Volume	. 4.2 GPM	. (15.9 LPM)
Discharge Pressure	. 2000 PSI	. (140 bar)
Inlet Pressure		
RPM		. Up to 1750 RPM
Plunger Diameter	. 4.76"	. 18mm
Stroke		
Temperature of Pumped Fluids	. 160°F	. (71°C)
Inlet Ports (P219A-3100)		
Inlet Ports (P219A-5100)	•••••	. (2) 1/2" BSP
Discharge Ports		
Shaft Rotation		
Crankshaft Diameter	. 0.94"	. 24mm
Key Width	. 0.31"	. 8mm
Shaft Mounting		. Either Side
Weight	. 11 lbs. 11oz	. (4.9 kg)
Crankcase Oil Capacity		
Volumetric Efficiency @ 1750 RPM		
Mechanical Efficiency @ 1750 RPM		
•		

Consult the factory for special requirements that must be met if the pump is to operate beyond one or more of the limits specified above.

PULLEY INFORMATION

Pulley selection and pump speed are based on a 1725 RPM motor and "B" section belts. When selecting desired GPM, allow for a $\pm 5\%$ tolerance on pumps output due to variations in pulleys, belts and motors among manufacturers.

- 1. Select GPM required, then select appropriate motor and pump pulley from the same line.
- 2. The desired pressure is achieved by selecting the correct nozzle size that corresponds with the pump GPM.

HORSEPOWER INFORMATION

Horsepower ratings shown are the power requirements for the pump. Gas engine power outputs must be approximately twice the pump power requirements shown above.

$$\frac{\text{GPM X PSI}}{1450} = \text{hp}$$

P219A-3100/5100 PULLEY SELECTION & HORSEPOWER REQUIREMENTS								
PUMP PULLEY	MOTOR PULLEY	RPM	GPM	800 PSI	1200 PSI	1500 PSI	1700 PSI	2000 PSI
7.75	5.25	1150	2.7	1.5	2.2	2.8	3.2	3.7
7.75	6.50	1450	3.5	1.9	2.9	3.6	4.1	4.8
7.75	7.25	1750	4.2	2.3	3.5	4.3	4.9	5.8

Specifications Model P220A-3100/5100

U.S.	(Metric)
2000 PSI	(140 bar)
90 PSI	(6.2 bar)
	1750 RPM
4.76"	18mm
3.73	14.1mm
160°F	(71°C)
	(2) 3/8" BSP
	(2) 1/2" BSP
	(2) 3/8" BSP
0.94"	24mm
0.31"	8mm
	Either Side
11 lbs. 11oz	(4.9 kg)
	U.S. 4.7GPM* 2000 PSI 90 PSI 4.76" 3.73 160°F Top of Pulley Toward 0.94" 0.31" 11 lbs. 11oz. 8.1 fl.oz.

* Positive inlet pressure required

Consult the factory for special requirements that must be met if the pump is to operate beyond one or more of the limits specified above.

PULLEY INFORMATION

Pulley selection and pump speed are based on a 1725 RPM motor and "B" section belts. When selecting desired GPM, allow for a $\pm 5\%$ tolerance on pumps output due to variations in pulleys, belts and motors among manufacturers.

- 1. Select GPM required, then select appropriate motor and pump pulley from the same line.
- 2. The desired pressure is achieved by selecting the correct nozzle size that corresponds with the pump GPM.

HORSEPOWER INFORMATION

Horsepower ratings shown are the power requirements for the pump. Gas engine power outputs must be approximately twice the pump power requirements shown above.

$$\frac{\text{GPM X PSI}}{1450} = \text{hp}$$

P220A-3100/5100 PULLEY SELECTION & HORSEPOWER REQUIREMENTS								
PUMP PULLEY	MOTOR PULLEY	RPM	GPM	800 PSI	1200 PSI	1500 PSI	1700 PSI	2000 PSI
7.75	5.25	1150	3.1	1.7	2.6	3.2	3.6	4.3
7.75	6.50	1450	3.9	2.2	3.2	4.0	4.6	5.4
7.75	7.75	1750	4.7	2.6	3.9	4.9	5.5	6.5

Specifications Model P221A-3100/5100

	U.S.	(Metric)
1750 RPM ⁺		
Ratings	2.34 GPM @ 2000 PSI	(8.9 LPM @ 137 bar)
3450 RPM ⁺		
Ratings		
Inlet Pressure	4.35 to 140 PSI	(-0.3 to 10 bar)
RPM		Up to 3450 RPM
Plunger Diameter	0.71"	18mm
Stroke	0.28"	7.0mm
Temperature of Pumped Fluids	Up to 160°F	(71°C)
Inlet Ports (P221A-3100)	·····	. (2) 3/8" BSP
Inlet Ports (P221A-5100)		
Discharge Ports		(2) 3/8" BSP
Shaft Rotation		
Crankshaft Diameter		
Key Width		8mm
Shaft Mounting		Right Side Facing Manifold
Weight		
Crankcase Oil Capacity		
Extended Crankcase Oil Capacity	9.0 fl.oz	(0.3 liter)
Volumetric Efficiency @ 1750 RPM.		0.95
Volumetric Efficiency @ 3450 RPM.		
Mechanical Efficiency @ 1750 RPM		0.86

⁺Positive inlet pressure required

Consult the factory for special requirements that must be met if the pump is to operate beyond one or more of the limits specified above.

NOTE:

In order to drive the pump from the side opposite the present shaft extension, simply remove the valve casing from the crankcase and rotate the pumps 180 degrees to the desired position. Be certain to rotate the seal case (item #20) as well, so that the weep holes are <u>down at the six o'clock</u> position. Exchange the oil fill and the oil drain plugs, also. Refer to the repair instructions as necessary for the proper assembly sequence.

P2	P221-3100/5100 HORSEPOWER							
		, -	<u>EMENTS</u>					
RPM	GPM	1000 PSI	1500 PSI	2000 PSI				
250	0.3	0.2	0.3	0.5				
500	0.7	0.5	0.7	0.9				
1000	1.3	0.9	1.4	1.8				
1450	1.9	1.3	2.0	2.7				
1750	2.3	1.6	2.4	3.2				
3000	3.7	2.5	3.8	5.0				
3200	3.9	2.7	4.0	5.4				
3450	4.2	2.9	4.3	5.8				

^{*}Intermittent duty only

HORSEPOWER RATINGS:

The rating shown are the power requirements for the <u>pump</u>. Gas engine power outputs must be approximately twice the pump power requirements shown above.

We recommend a 1.15 service factor be specified when selecting an electric motor as the power source. To compute specific pump horse power requirements, use the following formula:

 $HP = (GPM \times PSI) / 1450$

Specifications Model P227-3100/5100

	U.S.	(Metric)
1750 RPM ⁺		
Ratings	. 2.1 GPM @ 2000 PSI	. (8.0 LPM @ 137 bar)
3450 RPM ⁺		
Ratings	. 3.8 GPM @ 2000 PSI	. (14.4 LPM @ 137 bar)
Inlet Pressure	4.35 to 140 PSI	. (-0.3 to 10 bar)
RPM		. Up to 3450 RPM
Plunger Diameter	. 0.71"	. 18mm
Stroke		
Temperature of Pumped Fluids	. Up to 160° F	. (71°C)
Inlet Ports (P227A-3100)		
Inlet Ports (P227A-5100)		
Discharge Ports		
Shaft Rotation		
Crankshaft Diameter		. 24mm
Key Width		. 8mm
Shaft Mounting		. Right Side Facing Manifold
Weight	. 11 lbs. 11oz	. (5 kg)
Crankcase Oil Capacity		· •
Extended Crankcase Oil Capacity		
Volumetric Efficiency @ 1750 RPM		
Volumetric Efficiency @ 3450 RPM		
Mechanical Efficiency @ 3450 RPM		

^{*}Positive inlet pressure required

Consult the factory for special requirements that must be met if the pump is to operate beyond one or more of the limits specified above.

NOTE:

In order to drive the pump from the side opposite the present shaft extension, simply remove the valve casing from the crankcase and rotate the pumps 180 degrees to the desired position. Be certain to rotate the seal case (item #20) as well, so that the weep holes are <u>down at the six o'clock</u> position. Exchange the oil fill and the oil drain plugs, also. Refer to the repair instructions as necessary for the proper assembly sequence.

	P227-3100/5100 HORSEPOWER REQUIREMENTS								
RPM	GPM	1000 PSI	1500 PSI	2000 PSI					
250	0.3	0.2	0.3	0.4					
500	0.6	0.4	0.6	0.8					
1000	1.2	0.8	1.2	1.7					
1450	1.7	1.2	1.8	2.4					
1750	2.1	1.4	2.2	2.9					
3000	3.3	2.3	3.4	4.6					
3200	3.5	2.4	3.6	4.9					
3450	3.8	2.6	3.9	5.2					

HORSEPOWER RATINGS:

The rating shown are the power requirements for the <u>pump</u>. Gas engine power outputs must be approximately twice the pump power requirements shown above.

We recommend a 1.15 service factor be specified when selecting an electric motor as the power source. To compute specific pump horse power requirements, use the following formula:

 $HP = (GPM \times PSI) / 1450$

Specifications Model P230-3100/5100

	U.S.	(Metric)
1750 RPM ⁺		
Ratings	. 1.1 GPM @ 2000 PSI	(4.2 LPM @ 137 bar)
3450 RPM ⁺		
Ratings	. 2.05 GPM @ 2000 PSI	(7.8 LPM @ 137 bar)
Inlet Pressure	14 to 140 PSI	(1 to 10 bar)
RPM		Up to 3450 RPM
Plunger Diameter	0.71"	18mm
Stroke	0.13"	3.4mm
Temperature of Pumped Fluids	. Up to 160°F	(71°C)
Inlet Ports (P230-3100)	<u> </u>	(2) 3/8" BSP
Inlet Ports (P230-5100)		
Discharge Ports		(2) 3/8" BSP
Shaft Rotation		
Crankshaft Diameter		24mm
Key Width		8mm
Shaft Mounting		Right Side Facing Manifold
Weight	. 11 lbs. 11oz	(5 kg)
Crankcase Oil Capacity		
Extended Crankcase Oil Capacity		
Volumetric Efficiency @ 1750 RPM		0.94
Volumetric Efficiency @ 3450 RPM		0.87
Mechanical Efficiency @ 3450 RPM		0.86

^{*}Positive inlet pressure required

Consult the factory for special requirements that must be met if the pump is to operate beyond one or more of the limits specified above.

NOTE:

In order to drive the pump from the side opposite the present shaft extension, simply remove the valve casing from the crankcase and rotate the pumps 180 degrees to the desired position. Be certain to rotate the seal case (item #20) as well, so that the weep holes are <u>down at the six o'clock</u> position. Exchange the oil fill and the oil drain plugs, also. Refer to the repair instructions as necessary for the proper assembly sequence.

P230-3100/5100 HORSEPOWER									
	REQUIREMENTS								
RPM	GPM	1000 PSI	1500 PSI	2000 PSI					
250	0.2	0.1	0.2	0.2					
500	0.3	0.2	0.3	0.4					
1000	0.6	0.4	0.7	0.9					
1450	0.9	0.6	0.9	1.3					
1750	1.1	8.0	1.1	1.5					
3000	1.8	1.2	1.8	2.5					
3200	1.9	1.3	2.0	2.6					
3450	2.0	1.4	2.1	2.8					


HORSEPOWER RATINGS:

The rating shown are the power requirements for the <u>pump</u>. Gas engine power outputs must be approximately twice the pump power requirements shown above.

We recommend a 1.15 service factor be specified when selecting an electric motor as the power source. To compute specific pump horse power requirements, use the following formula:

HP = (GPM X PSI) / 1450

Exploded View - P200A-3100/5100 Series



P200A-3100/5100 SERIES PARTS LIST

<u>ITEM</u> 1 2	PART NO. 08300 08301	<u>DESCRIPTION</u> Crankcase Dipstick	QTY. 1 1	<u>ITEM</u> 17 19	PART NO. 08442 08356-0010	DESCRIPTION Wrist Pin Oil Seal	QTY. 3 3
3	08302	Crankcase Plug Cover	1	20	08444-0100	Seal Retainer, 316 S.S.	3
3A	07190-0100	Drain Plug & Gasket	1	21	12260-0001	O-Ring ("-3100" pumps)	3
4	08005	O-Ring	1	21	08443	O-Ring ("-5100" pumps)	3
5	08185-0100	Oil Drain Plug with seal	1	23	08477	Grooved Seal	3
6	07188-0100	Screw, 316 S.S.	4	23A	08087	Grooved Seal Ring, Brown	3
6A	07223-0100	Spring Washer, 316 S.S.	4	23B	06163	Drip Shield	3
7	08303	Bearing Cover I	2	24	07904	Pressure Ring	
8	08490	Sight Glass	1	25		Weep Return Ring, 316 S.S.	3
9	08492	O-Ring	1	26	06582-3000	Valve Casing ("-3100" pumps) 1
10	07225-0100	Screw	8	26	06582-5000	Valve Casing ("-5100" pumps) 1
10A	07223-0100	Spring Washer	8	27	07849-0100	Valve Seat	6
11	01166	Radial Shaft Seal	1	28	07491-0100	Valve Plate	6
12A	08020	Ball Bearing	1	29	07906-0100	Valve Spring	6
12B	01020	Ball Bearing	1	30	07907	Valve Spring Retainer	6
13	08465	Crankshaft (P217A-3100/5100)		31	7853-0001	O-Ring ("-3100" pumps)	6
13	08440	Crankshaft (P218A-3100/5100)		31	07853	O-Ring ("-5100" pumps)	6
13	08466	Crankshaft (P219A-3100/5100)		32	07928-0100	Plug	6
13	08467	Crankshaft (P220A-3100/5100)		33	07913-0001	O-Ring ("-3100" pumps)	6
13	12258	Crankshaft (P221A-3100/5100)		33	07913	O-Ring ("-5100" pumps)	6
13	06547	Crankshaft (P227A-3100/5100)		34	08316-0100	Hex Head Cap Screw	8
13	06694	Crankshaft (P230A-3100/5100)	1	36	13338-0300	Plug, 3/8", ("-3100" pumps)	1
14	06207	Woodruff Key	1	36	13338-0100	Plug, 3/8", ("-5100" pumps)	1
15	08333	Connecting Rod	3	36A	08486	Copper Washer, 3/8",	
16	08469-0100	Plunger, Complete 18mm	3			("-3100" pumps only)	1
16A	08468-0100	Plunger Base, 316 S.S.	3	37	07109-0300	Plug, 1/2", ("-3100" pumps)	1
16B	08455	Plunger	3	37	07109-0100	Plug, 1/2", ("-5100" pumps)	1
16C	08456-0100	Tension Screw, 316 S.S.	3	37A	06272	Copper Washer, 1/2",	
16D	07204-0100	Crush Washer, 316 S.S.	3			("-3100" pumps only)	1


P200A-3100/5100 SERIES REPAIR KITS

Plunger Packing Kit		Val	Valve Assembly Kit				Oil Seal Kit					
	Part	# 09602	2		Part	t # 09211			Part	# 09144		
	<u>Item</u>	Part #	<u>Description</u>	Qty.	<u>Item</u>	Part #	Description	Qty.	<u>Item</u>	Part #	Description	Qty.
	23	08477	Grooved Seal	3	27	07849-0100	Valve Seat	6	19	08356-0010	Oil Seal	3
	23A	08087	Grooved Seal Ring	3	28	07491-0100	Valve Plate	6				
	23B	06163	Drip Shield	3	29	07906	Valve Spring	6				
	24	07904	Pressure Ring	3	30	07907	Valve Retainer	6				
					31	07853-0001	O-Ring	6				


P200A-3100/5100 SERIES TORQUE SPECIFICATIONS

Position	ltem#	<u>Description</u>	Torque Amount (ftlbs)
16C	08456-0100	Tension Screw, Plunger	220 (inlbs.)
32	07928-0100	Valve Plug	33 (ftlbs.)
34	08316-0100	Hex Head Cap Screw, Valve Casing	g 105 (inlbs.)

REPAIR INSTRUCTION - P200A-3100/5100 SERIES




1. With a 22mm socket wrench, remove the (3) discharge valve plugs and (3) inlet valve plugs (32) Inspect the o-ring (33) for wear and replace if damaged.




2. Using a needle nose pliers, remove the inlet and discharge valve assemblies (27-30) and o-ring (31). Inspect all parts for wear and replace as necessary.




3. By inserting a small screw driver between the valve seat (27) and the valve spring retainer (30), the valve assembly can be separated.



4. Apply one drop of Loctite 243 to the valve plugs (32) and tighten to 33 ft.-lbs.




5. Next, use a 5mm allen wrench to remove the 8 socket head cap screws (34).



6. Carefully slide the valve casing (26) out over the plungers.



7. Remove the weep return ring (25), pressure ring (24), and v-sleeve (23) from the valve casing (26). Remove the rear v-sleeve (23A) from the seal case (20). Inspect all parts, including o-ring (21) for wear and replace as necessary



8. Check surfaces of plunger (16). A damaged surface will cause accelerated wear on the seals. Deposits of any kind must be carefully removed from the plunger surface. A damaged plunger must be replaced!



9. If the crankcase oil seals (19) are to be replaced, they can be removed by prying loose with a flat screwdriver. Take care not to make contact with the plunger.


REPAIR INSTRUCTION - P200A-3100/5100 SERIES

Disassembly sequence of the *back* end of the P200A-3100/5100 series pump.

- 1) Before you begin, drain the oil from the crankcase.
- Remove the crankcase cover (3) and o-ring (4) from the crankcase (1). To remove the crankshaft (13), remove the bearing cover (7) and sight glass (8). Using a rubber mallet, remove the crankshaft axially through the connecting rods by tapping on the end of the shaft. Be careful not to bend or damage the connecting rods during crankshaft removal.
- 3) If the bearings (12A and 12B) and radial shaft seal (11) are still in the crankcase, remove them. Inspect both bearings and seal for wear and replace if necessary.
- 4) Remove the connecting rod (15) and plunger (16). Remove the wrist pin (17) if necessary. Check the plunger bore in the crankcase for wear. Inspect parts and replace as necessary.
- 5) Should you find it necessary to service the plunger assembly (#16) you can do so by removing the tension screw (#16D). Inspect all parts and replace as necessary.

Reassembly sequence of the of the P200A-3100/5100 series pump

- 1) Reassemble plunger (16) and the connecting rod (15) with wrist pin (17). Place assemblies in crankcase (1). Install crankshaft through connecting rods again being careful not to bend or otherwise damage the connecting rods.
- 2) Replace left and right side bearings (12A and 12B) if they were removed from the crankshaft. Be certain the bearings are pressed all the way onto the shaft and completely into the crankcase. Replace radial shaft seal (11), bearing cover (7), sight glass (8), and crankcase cover (3) with its o-ring (4).
- 3) If oil seals (19) were removed, replace with seal lip towards crankcase. Lubricate seal before replacing.
- 4) Replace seal case (20) with o-rings (21) over plungers. Generously lubricate o-rings and oil seal before reassembly. Replace v-sleeve (23) over plungers (16)..
- 5) Generously lubricate v-sleeve (23). Assemble v-sleeves (22) into valve casing (26). Assemble weep return ring (25) and pressure ring (24) over plungers (16). Slide valve casing over plungers and seat firmly. Replace the eight socket head cap screws (34) and tighten to 105 inch-pounds in a crossing pattern (see below).
- 6) Replace the six o-rings (31) and the six valve assemblies (27-30). Now replace the six valve plugs with o-rings (32 and 33) and tighten securely with a 22mm socket wrench to 33 foot-pounds.
- 7) Fill crankcase with 8.1 ounces of oil.



Pump Mounting Selection Guide

Bushings

07174 - 24 mm Tapered H Bushing

Pulley & Sheaves

01061 - 7.75" Cast Iron 1 gr. - AB Section

01062 - 7.75" Cast Iron - 2 gr. - AB Section

Rails

01160 - Plated Steel Channel Rails (L=5.75"x W-1.0"XH=1.812")


01161 - Plated Steel Channel Rails (L=5.75"x W-1.0"XH=2.50")

PUMP SYSTEM MALFUNCTION

<u>MALFUNCTION</u>	CAUSE	REMEDY
The Pressure and/ or the Delivery Drops	Worn packing seals Broken valve spring Belt slippage Worn or Damaged nozzle Fouled discharge valve Fouled inlet strainer Worn or Damaged hose Worn or Plugged relief valve on pump Cavitation pump for restrictions Unloader	Replace packing seals Replace spring Tighten or Replace belt Replace nozzle Clean valve assembly Clean strainer Repair/Replace hose Clean, Reset, and Replace worn parts Check suction lines on inlet of Check for proper operation
Water in crankcase	High humidity Worn seals	Reduce oil change interval Replace seals
Noisy Operation	Worn bearings oil with Cavitation	Replace bearings, Refill crankcase recommended lubricant Check inlet lines for restrictions and/or proper sizing
Rough/Pulsating Operation with Pressure Drop	Worn packing Inlet restriction Accumulator pressure Unloader Cavitation	Replace packing Check system for stoppage, air leaks, correctly sized inlet plumbing to pump Recharge/Replace accumulator Check for proper operation Check inlet lines for restrictions and/or proper size
Pressure Drop at Gun	Restricted discharge plumbing	Re-size discharge plumbing to flow rate of pump
Excessive Leakage	Worn plungers Worn packing/seals Excessive vacuum Cracked plungers Inlet pressure too high	Replace plungers Adjust or Replace packing seals Reduce suction vacuum Replace plungers Reduce inlet pressure
High Crankcase Temperature	Wrong Grade of oil Improper amount of oil in crankcase	Giant oil is recommended Adjust oil level to proper amount

Preventative Maintenance Check-List & Recommended Spare Parts List							
Check	Daily	Weekly	50hrs	Every 500 hrs	Every 1500 hrs	Every 3000 hrs	
Oil Level/Quality	X						
Oil Leaks	X						
Water Leaks	X						
Belts, Pulley		X					
Plumbing		X					
		Recomm	ended Spa	re Parts			
Oil Change			X	X			
Seal Spare Parts (1 kit/pump)					X		
(See page 11 for kit list)							
Oil Seal Kit (1 kit/pump)					X		
(See page 11 for kit lit)							
Valve Spare Parts (1 kit/pump)						X	
(See page 11 for kit list)							

P200A-3100/5100 DIMENSIONS - INCHES (mm)



GIANT INDUSTRIES LIMITED WARRANTY

Giant Industries, Inc. pumps and accessories are warranted by the manufacturer to be free from defects in workmanship and material as follows:

- For portable pressure washers and car wash applications, the discharge manifolds will never fail, period. If they ever fail, we will replace them free of charge. Our other pump parts, used in portable pressure washers and in car wash applications, are warranted for five years from the date of shipment for all pumps used in NON-SALINE, clean water applications.
- 2. One (1) year from the date of shipment for all other Giant industrial and consumer pumps.
- 3. Six (6) months from the date of shipment for all rebuilt pumps.
- 4. Ninety (90) days from the date of shipment for all Giant accessories.

This warranty is limited to repair or replacement of pumps and accessories of which the manufacturer's evaluation shows were defective at the time of shipment by the manufacturer. The following items are NOT covered or will void the warranty:

- 1. Defects caused by negligence or fault of the buyer or third party.
- 2. Normal wear and tear to standard wear parts.
- 3. Use of repair parts other than those manufactured or authorized by Giant.
- 4. Improper use of the product as a component part.
- 5. Changes or modifications made by the customer or third party.
- 6. The operation of pumps and or accessories exceeding the specifications set forth in the Operations Manuals provided by Giant Industries, Inc.

Liability under this warranty is on all non-wear parts and limited to the replacement or repair of those products returned freight prepaid to Giant Industries which are deemed to be defective due to workmanship or failure of material. A Returned Goods Authorization (R.G.A.) number and completed warranty evaluation form is required <u>prior</u> to the return to Giant Industries of all products under warranty consideration. Call (419)-531-4600 or fax (419)-531-6836 to obtain an R.G.A. number.

Repair or replacement of defective products as provided is the sole and exclusive remedy provided hereunder and the MANUFACTURER SHALL NOT BE LIABLE FOR FURTHER LOSS, DAMAGES, OR EXPENSES, INCLUDING INCIDENTAL AND CONSEQUENTIAL DAMAGES DIRECTLY OR INDIRECTLY ARISING FROM THE SALE OR USE OF THIS PRODUCT.

THE LIMITED WARRANTY SET FORTH HEREIN IS IN LIEU OF ALL OTHER WARRANTIES OR REPRESENTATION, EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY WARRANTIES OR MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE AND ALL SUCH WARRANTIES ARE HEREBY DISCLAIMED AND EXCLUDED BY THE MANUFACTURER.



GIANT INDUSTRIES, INC., 900 N. Westwood Ave., P.O. Box 3187, Toledo, Ohio 43607 PHONE (419) 531-4600, FAX (419) 531-6836, www.giantpumps.com © Copyright 2005 Giant Industries, Inc.

Free Manuals Download Website

http://myh66.com

http://usermanuals.us

http://www.somanuals.com

http://www.4manuals.cc

http://www.manual-lib.com

http://www.404manual.com

http://www.luxmanual.com

http://aubethermostatmanual.com

Golf course search by state

http://golfingnear.com

Email search by domain

http://emailbydomain.com

Auto manuals search

http://auto.somanuals.com

TV manuals search

http://tv.somanuals.com