The DW410 Dishwasher The latest in the Glem Range



Reliable, economical and indispensable

a new dishwasher for the way we live today



Safety

A flooded kitchen can be a reality if a dishwasher does not have the necessary protective features. The Glem dishwasher DW410 includes an AQUA STOP safety valve which automatically shuts off the water if the hose splits, preventing water damage to cabinetry and floors.

Energy + water

- 3 star energy rating
- 3 star water rating
- Energy Consumption of 227 kWh per year, based on cold water connection using the Normal program setting seven times per week
- Water consumption of only 14.1 litres per wash using the Normal program
- Half load setting to save energy when you don't have a full load

Flexibility

A choice of 8 wash programmes and 4 wash temperatures, matched with a 12 place-setting capacity, makes light work of the dinner party clean up. An adjustable upper basket allows for differing dish sizes and an under floor drying element prevents damage to items that might fall during the wash cycle.

DW410 DISHWASHER

- Stainless Steel
- Freestanding or built-in
- 12 place settings
- 8 wash programs
- 4 wash temperatures 40, 45, 50, 60
- Residual heat hot air drying
- 14.1 litre water consumption
- Hot or cold water connection
- AQUA STOP safety valve
- Half load feature
- Collapsible plate racks
- Self cleaning micro filter
- Concealed heating element
- Adjustable feet



The Glem dishwasher DW410 is specified to suit the Australian kitchen, with features to ensure it is user friendly and efficient to operate.



AQUASTOP is a safety valve that we fit on the inlet hose to the dishwasher. If the hose ruptures for any reason a solenoid is activated and shuts the water off at the tap. Imagine what happens to your kitchen if a hose ruptures without AQUASTOP - especially if you are not home at the time.



The descriptions and images in this brochure apply to the specific products at the date of publication. Glem Gas has a policy of continuous product development and product specifications may change without notice. Please check with the retailer that this brochure correctly describes the products that are being offered for sale. Glem Gas should not be held responsible for any errors in this brochure caused by inaccuracy in printing or transcription.

Warrant

Glem products are covered by a two year warranty, on parts and labour and conditional to our Warranty policy.

Service

Glem Gas has an Australia wide service network available. Call 02 9721 2755 for assistance.

Glem Gas Australasia Pty Ltd

Unit 26, 10 Straits Avenue, South Granville, NSW 2142 PO BOX 63 Blaxcell PO, South Granville, NSW 2142 Telephone: (02) 9721 2755 Facsimile: (02) 9721 2766 info@glemgas.com.au www.emiliaglem.com.au

Local charge 1 300 307 917

Free Manuals Download Website

http://myh66.com

http://usermanuals.us

http://www.somanuals.com

http://www.4manuals.cc

http://www.manual-lib.com

http://www.404manual.com

http://www.luxmanual.com

http://aubethermostatmanual.com

Golf course search by state

http://golfingnear.com

Email search by domain

http://emailbydomain.com

Auto manuals search

http://auto.somanuals.com

TV manuals search

http://tv.somanuals.com